

Gazette

No. TC 24/04, Wednesday, 31 January 2024 Published by the Commonwealth of Australia **TARIFF CONCESSIONS**

CONTENTS

TCO Applications	2
TCOs Made	4

The Commonwealth of Australia Tariff Concessions Gazette (the Tariff Concessions Gazette) is free of charge on the link below at:

https://www.abf.gov.au/importing-exporting-and-manufacturing/tariff-concessions-system

Contact details:

General Email inquiries including Tapin Help Desk: tarcon@abf.gov.au

Cat. No. ISSN 0813-8389 ©Commonwealth of Australia, 2024

5%

CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269K(1) - APPLICATIONS MADE FOR TARIFF CONCESSION ORDERS

Applications have been lodged for Tariff Concession Orders for the goods described in the following TABLE.

Australian manufacturers who wish to contest the granting of a Tariff Concession Order for the goods described are invited to lodge a submission in writing in an approved form. Submissions must be lodged within 50 days of the date of publication of this Notice.

The operative date (Op.) and TC reference number follow the description of goods.

To assist local manufacturers, the use(s) to which the goods can be put follow the description of goods.

Objections to the making of TCO submission forms are available at

Applicant: HAIGHS PTY LTD

https://www.abf.gov.au/importing-exporting-and-manufacturing/tariff-concessions-system/tariff-concession-order

Contact: Email tarcon@abf.gov.au

THE TABLE

Description of Goods including the Schedule 4 Item Number Customs Tariff Classification 8438.20.00 CHOCOLATE DEPOSITING MACHINES, programmable logic controlled, 50 including ALL of the following: (a) conveyors; (b) hoppers; (c) dosing systems; (d) level controls; (e) nozzle plates; (f) electrical controls Op. 22.01.24 - TC 24018188 Stated Use: For the production of hollow figures and solid chocolate Applicant: HAIGHS PTY LTD 5% 8438.20.00 CHOCOLATE SPINNING MACHINES, programmable logic controlled, 50 including ALL of the following: (a) magnetic frame holders; (b) vibrating controllers; (c) cooling fans; (d) electric motors; (e) ventilators Op. 22.01.24 - TC 24018206 For the production of hollow figures and solid chocolate products

8479.89.90	MOORING SYSTEM, VACUUM, having ALL of the following: (a) sway (Y) nominal holding force NOT greater than 400 kN; (b) surge (X) nominal holding force NOT greater than 200 kN; (c) maximum power NOT exceeding 32 kW; (d) operation environment NOT less than -25 degrees Celsius, and NOT greater than 50 degrees Celsius; (e) remote controlled Op. 23.01.24	- TC 24019341	50
	Stated Use: Automated mooring system for vessels		
	Applicant: TT-LINE COMPANY PTY LTD		5%
8503.00.00	PARTS, SUBMERSIBLE SLURRY PUMP, being stators Op. 08.01.24	- TC 24006999	50
	Stated Use: Parts for slurry pump		
	Applicant: XYLEM WATER SOLUTIONS AUSTRALIA LTD		5%
8514.20.00	<pre>INDUCTION TUNNEL FURNACE CASTING LINE, 160 kW, programmable logic controlled, including ALL of the following: (a) melting station including pinch valve; (b) solidification station; (c) cooling station including pinch valve; (d) medium frequency generator; (e) HMI touch screen; (f) conveyor belts AND/OR conveyor chain Op. 20.12.23</pre>	- TC 23337212	50
	Stated Use: Production of gold and silver ingots		
	Applicant: GOLD CORPORATION		5%

CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269R(1) - TARIFF CONCESSION ORDERS MADE

Tariff Concession Orders have been made for the goods described in the following TABLE.

The operative date (Op.) and TC reference No. follow the description of goods. Local manufacturers of substitutable goods may request the revocation of TCOs at any time.

THE TABLE

Description of Goods including the Customs Tariff Classification			Schedule 4 Item Number Last Date of Effect	
8415.83.00	AIR HANDLING UNITS, PHARMACEUTION the following: (a) one OR more fans; (b) filters; (c) heating coil; (d) cooling coil; (e) humidifier; (f) evaporator Op. 06.11.23	CALS, including ALL of Dec. date 29.01.24	- TC 23302406	50
8419.50.90	HEAT EXCHANGE UNITS, including (a) rotating bath pasteuriser (b) cylindrical chamber; (c) energy skid; (d) pumps; (e) valves Op. 09.11.23	_	- TC 23306789	50
8419.89.90	TANKS, MELTING, including BOTH (a) pump; (b) heater	of the following:		50
8427.10.00	Op. 15.11.23 FORK LIFT TRUCKS, driver operat without battery, having ALL of (a) rated load NOT less than 3 501 kg; (b) lift height NOT greater to the second secon	the following: 1 999 kg and NOT greater than han 6 600 mm;	- TC 23310021	50
	NOT greater than 21.5 kW Op. 31.10.23	Dec. date 29.01.24	- TC 23297627	
8428.90.00	BUILDING WALL PANEL BUFFER AND/ the following: (a) CAD AND/OR CAM control; (b) chain conveyor drive		т а 22200220	50
8428.90.00	Op. 01.11.23 MATERIAL HANDLING LINE, TIMBER controlled, including ALL of th (a) tilt hoist feeder; (b) conveyors; (c) stick belt; (d) separator; (e) stacker; (f) stick magazines; (g) air-conditioning unit; (h) exhaust valves; (i) safety fence; (j) sorting table		- TC 23298329	50
	Op. 09.11.23	Dec. date 29.01.24	- TC 23304862	

		144	o ie zi, oi, wediesday, s	1 0011 202
Description of Goods including the Customs Tariff Classification		Schedule 4 Iter Last Date of		
8438.10.90	SLICING MACHINES, with OR without ALL of the following: (a) horizontal slicing action; (b) conveyor; (c) length NOT greater than 2 1 (d) height NOT less than 1 050 Op. 02.11.23	100 mm;	- TC 23299175	50
8438.10.90	DOUGH DEPOSITING MACHINES, progratical including ALL of the following: (a) tray stacking unit; (b) tray conveyor; (c) extrusion head AND wire cut (d) spice dispenser; (e) NOT less than 2 rollers Op. 09.11.23		- TC 23305138	50
8438.80.00	COATING AND/OR MIXING MACHINES, pincluding ALL of the following: (a) cryogenic modules; (b) pneumatic cover; (c) exhaust collector; (d) inlet AND outlet; (e) conveyors; (f) loading AND unloading state Op. 13.11.23		- TC 23307502	50
8479.90.90	PARTS, SUBSEA HORIZONTAL CLAMP CO of the following: (a) clamp connector; (b) casing Op. 08.11.23	ONNECTOR SYSTEM, being BOTH Dec. date 29.01.24	- TC 23303861	50
8544.49.20	CABLES, submersible, with OR with of the following: (a) chlorinated polyethylene ru (b) copper wire conductors; (c) high density ethylene-propylene rubber of the conductors; (d) chemical resistance NOT less than 10 pH; (e) operating depth NOT greater of the coperating temperature NOT of the coperating tempe	ubber sheathing; ylene rubber insulation OR insulation; ss than 3 pH and NOT greater r than 50 metres;	s - TC 23311770	50