



Commonwealth
of Australia

Gazette

No. TC 19/04, Wednesday, 30 January 2019
Published by the Commonwealth of Australia

TARIFF CONCESSIONS

CONTENTS

TCO Applications	2
TCOs Made.....	6
Intention to Revoke TCOs not used in over 2 years.....	7
Customs Initiated - Intention to Revoke Cancelled	10
TCOs Revoked - Unused for over 2 years	11

**The Commonwealth of Australia Tariff Concessions Gazette
(the Tariff Concessions Gazette) is free of charge on the link below at:**

<https://www.abf.gov.au/importing-exporting-and-manufacturing/tariff-concessions-system>

The Tariff Concessions Administration Section is physically located at 5 Constitution Ave Canberra City 2601. The postal address for correspondence is shown in the relevant forms.

Contact details:

General Email

Inquiries:.....tarcon@homeaffairs.gov.au

General Inquiries: (02) 6229 3567

TAPIN help desk: (02) 6275 6534

Cat. No.

ISSN 0813-8389

©Commonwealth of Australia, 2019

CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269K(1) - APPLICATIONS MADE FOR TARIFF CONCESSION ORDERS

Applications have been lodged for Tariff Concession Orders for the goods described in the following TABLE.

Australian manufacturers who wish to contest the granting of a Tariff Concession Order for the goods described are invited to lodge a submission in writing in an approved form. Submissions must be lodged within 50 days of the date of publication of this Notice.

The operative date (Op.) and TC reference number follow the description of goods.

To assist local manufacturers, the use(s) to which the goods can be put follow the description of goods.

Objections to the making of TCO submission forms are available at

<https://www.abf.gov.au/importing-exporting-and-manufacturing/tariff-concessions-system/tariff-concession-order>

Contact: Email tarcon@homeaffairs.gov.au

THE TABLE

Description of Goods including the Customs Tariff Classification		Schedule 4 Item Number General Duty Rate
3925.30.00	PARTS, AWNING, being ANY of the following: (a) adaptors; (b) caps; (c) crowns; (d) crank rod clips; (e) idler plate Op. 02.01.19	50 - TC 1900511
	Stated Use: Parts for outdoor awnings	
	Applicant: J.A.I. PRODUCTS PTY LTD	5%
7616.99.00	PARTS, AWNING, being one OR both of the following: (a) cassette end covers; (b) joints Op. 02.01.19	50 - TC 1900501
	Stated Use: Parts for outdoor awnings	
	Applicant: J.A.I. PRODUCTS PTY LTD	5%
8302.49.00	PARTS, AWNING, being one OR both of the following: (a) wall AND/OR ceiling mounting brackets; (b) wall AND/OR floor mounting brackets Op. 02.01.19	50 - TC 1900495
	Stated Use: Parts for outdoor awnings	
	Applicant: J.A.I. PRODUCTS PTY LTD	5%

8418.69.00	<p>SPIRAL FREEZERS, twin drum, programmable logic controlled, including ALL of the following:</p> <ul style="list-style-type: none"> (a) spiral conveyor modules; (b) evaporator coils; (c) dehumidifying units; (d) internal lighting; (e) integral platforms AND stairways; (f) housing <p>Op. 16.01.19</p> <p>Stated Use: Cool cheese in a production line</p> <p>Applicant: SAPUTO DAIRY AUSTRALIA PTY LTD</p>	50	- TC 1946320	5%
8421.39.90	<p>OIL MIST SEPARATORS, LUBRICATION OIL SYSTEM, centrifugal, having NOT less than 97% separation efficiency at 40-150 m3/hour</p> <p>Op. 08.01.19</p> <p>Stated Use: Oil mist separator is a term for filter systems which are used where engines or turbines operate, e.g. power stations and separate oil mist from lube oil</p> <p>Applicant: AGL Barker Inlet Pty Ltd</p>	50	- TC 1940609	5%
8428.90.00	<p>ACCUMULATION TABLES, VIAL PACKING LINE, programmable logic controlled, including ALL of the following:</p> <ul style="list-style-type: none"> (a) stainless steel base frame; (b) interlocking doors; (c) adjustable inlet AND/OR outlet conveyers with switching guides; (d) electrical box AND control panel; (e) operational speed NOT greater than 400 vials per minute <p>Op. 07.01.19</p> <p>Stated Use: To streamline vials coming from the sleeving machine in the up stream packing line and align the vials for the down stream vial packing line</p> <p>Applicant: HOSPIRA AUSTRALIA PTY LTD</p>	50	- TC 1906390	5%
8433.60.00	<p>NUT SORTING AND GRADING MACHINES, programmable logic controlled, including ALL of the following:</p> <ul style="list-style-type: none"> (a) throughput NOT greater than 13 tonnes per hour; (b) strobe lights; (c) ejectors; (d) conveyor; (e) feeding hopper; (f) VIS AND/OR NIR camera <p>Op. 02.01.19</p> <p>Stated Use: Sorting nuts by colour or defect</p> <p>Applicant: MACADAMIA ENTERPRISES PTY LTD</p>	50	- TC 1901490	5%

8467.22.00	CAULKING GUNS, electric motor, with OR without ANY of the following: (a) holders; (b) holder clamp rings; (c) holder joints; (d) nozzles; (e) piston cartridges; (f) pistons; (g) push rods; (h) rubber rings; (i) rubber seals Op. 11.01.19	- TC 1943644	50
	Stated Use: Caulking		
	Applicant: MAKITA (AUSTRALIA) PTY LTD		5%
8474.39.00	HYDRATOR, HYDRATED LIME, programmable logic controlled, having BOTH of the following: (a) three stage process; (b) nominal capacity NOT greater than 10 tonnes per hour Op. 09.01.19	- TC 1941743	50
	Stated Use: Transformation of quicklime to hydrated lime		
	Applicant: BGC (AUSTRALIA) PTY LTD		5%
8479.89.90	DE-BRICKING MACHINES, track mounted, remote controlled, including ALL of the following: (a) hydraulic hammer; (b) pointed chisel; (c) hammer adapter; (d) bucket Op. 09.01.19	- TC 1940612	50
	Stated Use: De-bricking of refractories or gunned metal from electric furnaces and blast furnace runners and cleaning converter mouths and ladle rims		
	Applicant: ONESTEEL TRADING PTY LTD		5%
8479.89.90	RECYCLED PLASTIC WASHING LINE, including ALL of the following: (a) single shaft shredders; (b) pre-wash screw AND friction cleaners; (c) fine shredding AND granulation machines; (d) separation tank OR hydro cyclones; (e) thermal driers with OR without near-infrared machine AND/OR air separators Op. 09.01.19	- TC 1940755	50
	Stated Use: For washing and processing recycled plastics		
	Applicant: KOGA PTY LTD		5%
8479.89.90	PIPETTE MACHINES, multichannel, manual OR automated, with OR without pipetting heads Op. 14.01.19	- TC 1943826	50
	Stated Use: Transfer of liquids for analysis in laboratories		
	Applicant: BIOTOOLS PTY LTD		5%

8501.31.00	<p>Generators, thermoelectric, DC output, whether OR not assembled, with OR without stand, including ALL of the following:</p> <ul style="list-style-type: none"> (a) automated spark ignition; (b) automated fuel shut-off; (c) fuel filter; (d) low voltage alarm contacts; (e) reverse current protection <p>Op. 18.01.19</p> <p>Stated Use:</p> <p>Generate electric power from thermal energy</p> <p>Applicant: WASCO (AUSTRALIA)PTY LTD</p>	<p>50</p> <p>- TC 1947172</p> <p>5%</p>
------------	--	---

CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269R(1) - TARIFF CONCESSION ORDERS MADE

Tariff Concession Orders have been made for the goods described in the following TABLE.

The operative date (Op.) and TC reference No. follow the description of goods. Local manufacturers of substitutable goods may request the revocation of TCOs at any time.

THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect General Duty Rate
3808.92.00 FUNGICIDES, having a basis of imazalil AND pyrimethanil Op. 12.11.18 Dec. date 23.01.19	50 - TC 18225310
8418.69.00 WATER COOLERS, having a storage capacity NOT less than 75 litres and NOT greater than 480 litres, with OR without ANY of the following: (a) taps; (b) drip trays; (c) compressors Op. 02.11.18 Dec. date 23.01.19	50 - TC 18221384
8424.89.90 WATER CURTAIN MACHINE, programmable logic controlled, having BOTH of the following: (a) pump; (b) filter Op. 05.11.18 Dec. date 23.01.19	50 - TC 18221686
8428.90.00 SORTING MACHINES, MATERIAL COMPOSITION IDENTIFICATION AND SEPARATION, RECYCLING PLANT, whether OR not assembled Op. 29.10.18 Dec. date 23.01.19	50 - TC 18218318
8526.91.00 GLOBAL POSITIONING SYSTEMS (GPS), hand held, with OR without ANY one OR more of the following: (a) 3-axis compass; (b) AC charger; (c) barometric altimeter; (d) bluetooth; (e) carabiner clip; (f) data transmitter; (g) global navigation satellite system (GLONASS); (h) lithium-ion battery pack; (i) position reporting; (j) topographic maps; (k) UHF 2-way radio; (l) USB cable; (m) satellite transceiver Op. 14.11.18 Dec. date 23.01.19	50 - TC 18227122

TARIFF CONCESSION ORDERS (TCOs) NOT USED IN THE PREVIOUS 2 YEARS

The Comptroller-General of Customs is satisfied that the TCOs listed in the table below are no longer required because, in the 2 years preceding the day of this notice, they have not been quoted in an import declaration to secure a concessional rate of duty.

From Thursday, 28 February 2019, it is intended to take action to revoke these Orders under subsection 269SD(1A) of the Customs Act 1901. In accordance with subsection 269SG(2) of the Customs Act 1901, in transit provisions shall apply. If revoked, the expected date of effect will be 28 February 2019.

Interested parties are invited to provide, by close of business, Wednesday 27 February 2019, written reasons why an Order should NOT be revoked.

Please advise if any of the Orders listed below have been quoted on an import declaration.

If a request is made to retain an Order used for the granting of a Determination, please specify the Determination and the linked Item number to enable mapping to the Order and its scope.

THE TABLE

[illegible]

- 8414.59.90 COOLERS, AMBIENT AIR, programmable logic controlled, having ALL of the following;
- (a) structural frame with dimensions 25.3 m X 4.95 m X 5.27 m;
 - (b) twenty two centrifugal fans having a flow rate of 10.4 cubic metres per second;
 - (c) twenty two 15 Kw electric motors;
 - (d) top and bottom ducting with tapered diffusers having an exit slot velocity of 22.9 m/s

For the purposes of this Order, tolerance allowable for specifications (a) (b) and (d) is +/- 3%

Op. 04.12.14 Dec. date 02.03.15 - TC 1442737

- 8417.80.00 CURING OVENS, COATED FIBRE CEMENT SHEET AND/OR PANELS AND/OR PLANKS, being EITHER of the following:
- (a) single zone pre-heater oven, heating capacity 1 172 kW (4 000 000 Btu/hr), having ALL of the following;
 - (i) maximum operating temperature 350 degrees C;
 - (ii) 1 520 mm (60 inch) wide conveyor;
 - (iii) top AND bottom heating ducts, each with 1 750 m/min (5 700 ft/min) slot velocity with air supplied by;
 - (a) upper 37 kW fan motor;
 - (b) dual lower 18.5 kW fan motors,
 - (iv) upper and lower gas burners;
 - (v) overall dimensions 12 490 mm x 3 696 mm x 5 146 mm (L x W x H),
 - (b) five zone final cure oven, heating capacity 2 930 kW (10 000 000 Btu/hr), having ALL of the following;
 - (i) maximum operating temperature 300 degrees C;
 - (ii) top heating ducts with 1 770 m/min (5 800 ft/min) slot velocity with air supplied by 5 x 22 kW fan motors;
 - (iii) with OR without gas burners;
 - (iv) overall dimensions 16 790 mm x 6 003 mm x 5 979 mm (L x W x H)

For the purposes of this order all specifications in (a) and (b) above have a tolerance of +/- 2%

Op. 27.11.14 Dec. date 02.03.15 - TC 1441889

- 8419.32.00 TUNNEL KILNS, CONTINUOUS DOUBLE TRACK TIMBER DRYING, programmable logic controlled, with OR without kiln carts AND/OR motor control centre AND/OR control room AND/OR rail tracks, including ALL of the following:
- (a) hydraulic ram cart advancement;
 - (b) fans;
 - (c) motors;
 - (d) heat exchangers;
 - (e) valves

Op. 22.12.14 Dec. date 23.03.15 - TC 1444642

- 8428.90.00 UNSCRAMBLER AND PUCK INSERTER MACHINES, PLASTIC SYMMETRICAL BOTTLE, having all of the following:
- (a) alignment group;
 - (b) synchronizing group;
 - (c) bottle positioning detector;
 - (d) unscrambler;
 - (e) pucks handler;
 - (f) puck infeed;
 - (g) bottle transferrer

Op. 18.12.14 Dec. date 14.03.15 - TC 1444096

- 8428.90.00 LIFTING AND ROTATING MACHINES, RAILWAY ROLLING STOCK, including ALL of the following:
- (a) lifting columns;
 - (b) rotators with or without adaptors;
 - (c) terminal boxes;
 - (d) control boxes

Op. 22.12.14 Dec. date 14.03.15 - TC 1444523

8479.89.90	TELESCOPIC JOINTS, MARINE RISER, OIL AND GAS WELL			
	Op. 28.11.14	Dec. date 09.02.15	- TC 1442055	
8479.89.90	CALIBRATION TANKS, DOWNHOLE LOGGING TOOL, skid mounted, with OR without gauges, including ALL of the following: (a) fluid level indicator; (b) valves; (c) pumps; (d) piping; (e) frames; (f) hoists; (g) aluminium blocks			
	Op. 12.12.14	Dec. date 09.03.15	- TC 1443804	
8479.89.90	REELS, COILED TUBING, OIL AND GAS WELL, steel frame mounted, incorporating hydraulic motors			
	Op. 18.12.14	Dec. date 08.04.15	- TC 1444146	
8479.89.90	IMPACT DRIVERS, OIL AND/OR GAS WELL, bi-directional, whether OR not assembled, including impact driver accelerator			
	Op. 19.12.14	Dec. date 14.03.15	- TC 1444349	
8479.89.90	TOOL HOLDERS, TELESCOPIC BOOM, having BOTH of the following: (a) maximum telescopic cylinder push force NOT less than 184 Nm; (b) maximum boom rotation torque NOT less than 39 kNm			
	Op. 19.12.14	Dec. date 14.03.15	- TC 1444402	
8516.90.00	PARTS, OVEN, being aluminium alloy oven burner injector holders having a temperature rating NOT less than 405 degrees Celsius			
	Op. 22.12.14	Dec. date 14.03.15	- TC 1444524	

CUSTOMS ACT 1901**CANCELLATION OF THE INTENTION TO REVOKE**

The Request for revocation of the Tariff Concession Order for goods described in the following TABLE has been cancelled.

THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number
---	------------------------

7308.90.00 TUBES, GAS STACK, VENT OR FLARE Op. 30.11.12	Dec. date 06.03.13 - TC 1246073 50
--	------------------------------------

NOTICE PURSUANT TO SECTION 269SE(2) - TARIFF CONCESSION ORDER REVOCATION AT THE INITIATIVE OF COMPTROLLER-
GENERAL OF CUSTOMS

The intention to revoke these orders was notified in Gazette TC18/47 dated 05 December 2018.

THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect
3924.90.00 COOLERS, FOOD AND DRINK, remote controlled, including ALL of the following: (a) radio controlled transmitter; (b) NOT less than 4 wheels; (c) lid; (d) drain plug; (e) electric socket to machine charger Op. 24.04.13 Dec. date 22.07.13 - TC 1313832 2 Years non use. In transit provisions apply	50 01.01.19
5407.82.00 FABRIC, wide width woven, dyed, having ALL of the following: (a) NOT less than 35% and NOT greater than 50% polyester, remainder cotton; (b) thread count NOT less than 70 x 60 picks and NOT greater than 200 x 100 picks; (c) width NOT less than 290 cm and NOT greater than 310 cm; (d) yarn gauge NOT less than 16/16 and NOT greater than 40/40 Op. 15.04.13 Dec. date 01.07.13 - TC 1312642 2 Years non use. In transit provisions apply	50 01.01.19
6307.90.99 BASKETS, BATH TOY, having EITHER OR BOTH of the following: (a) suction cups; (b) hooks Op. 04.04.13 Dec. date 01.07.13 - TC 1311722 2 Years non use. In transit provisions apply	50 01.01.19

7210.49.00	COILS, non-alloy steel, hot rolled, zinc coated, complying with American Society for Testing and Materials Standard ASTM A 653/A 653M - 05a, having ALL of the following: (a) coil thickness NOT less than 3.5 mm and NOT greater than 6.0 mm; (b) coil width NOT less than 784 mm and NOT greater than 1 263 mm; (c) minimum yield strength NOT less than 330 Mpa; (d) minimum tensile strength NOT less than 430 Mpa; (e) coil inside diameter NOT less than 711 mm and NOT greater than 813 mm; (f) zinc coating mass NOT less than 0.080 kg/m ² per side; (g) each coil weighing NOT less than 14 metric tonnes; (h) chemical composition by weight of ALL of the following: (i) carbon content NOT greater than 0.20%; (ii) manganese content NOT less than 0.30% and NOT greater than 0.90%; (iii) phosphorus content NOT greater than 0.03%; (iv) sulphur content NOT greater than 0.03%; (v) chromium content less than 0.30%; (vi) molybdenum content less than 0.08%; (vii) aluminium content NOT greater than 0.10%; (viii) copper content NOT greater than 0.25%; (ix) nickel content NOT greater than 0.25%; (x) titanium content NOT greater than 0.04%; (xi) vanadium content less than 0.10%; (xii) silicon content NOT greater than 0.45%	50 01.01.19
Op. 09.11.12	Dec. date 04.02.13	- TC 1242989
2 Years non use. In transit provisions apply		
7305.20.00	CASING, OIL AND/OR GAS WELL, electric resistance welded, conforming to American Petroleum Institute Specification 5CT (API 5CT), with OR without connectors	50 01.01.19
Op. 20.07.12	Dec. date 31.10.12	- TC 1241541
2 Years non use. In transit provisions apply		
7305.20.00	CASING, OIL AND/OR GAS WELL, ELECTRIC RESISTANCE WELDED, conforming to American Petroleum Institute Specification 5CT (API 5CT) with OR without connectors, external diameter exceeding 406.4 mm	50 01.01.19
Op. 20.07.12	Dec. date 08.11.12	- TC 1241578
2 Years non use. In transit provisions apply		
8207.19.00	PARTS, EARTH BORING TOOL, being cast iron picks incorporating a spray nozzle	50 01.01.19
Op. 11.02.13	Dec. date 06.05.13	- TC 1305046
2 Years non use. In transit provisions apply		
8421.21.90	JUGS, WATER, having ALL of the following: (a) tap; (b) filter cartridge; (c) lid; (d) NOT less than two carry handles	50 01.01.19
Op. 06.02.13	Dec. date 22.04.13	- TC 1304575
2 Years non use. In transit provisions apply		
8425.31.00	CABLE REELER SYSTEM, RAIL MOUNTED GANTRY CRANE, whether OR not assembled, having ALL of the following: (a) drums; (b) motors; (c) pre-reducer; (d) torque unit; (e) collector; (f) cable guide	50 01.01.19
Op. 12.11.12	Dec. date 30.01.13	- TC 1242998
2 Years non use. In transit provisions apply		
8428.90.00	HOSE RECOVERY MODULES, FIRE TRUCK, hydraulic	50 01.01.19
Op. 10.12.12	Dec. date 06.03.13	- TC 1247328
2 Years non use. In transit provisions apply		

8428.90.00	UNPACKING MACHINES, SEAMED ASEPTIC PACKAGING SLEEVES, having ALL of the following: (a) sleeve orientation detection scanner; (b) robotic gripper; (c) intermediate buffer; (d) box cutting station; (e) unwrapping station; (f) waste removal station; (g) magazine sleeve feeder; (h) machine control system interface Op. 05.03.13 2 Years non use. In transit provisions apply	50 01.01.19 Dec. date 12.06.13 - TC 1307976
8428.90.00	STORAGE AND RETRIEVAL SYSTEM, programmable logic controlled, including ALL of the following: (a) floor rails; (b) busbars; (c) aluminium mast assembly; (d) mast risers and bracing; (e) mast access ladder; (f) top carriage assembly; (g) bottom carriage assembly; (h) box control interface; (i) integrated control system; (j) load handling module; (k) control cabinet; (l) top guidance mechanism; (m) sensors; (n) cabling Op. 25.03.13 2 Years non use. In transit provisions apply	50 01.01.19 Dec. date 17.06.13 - TC 1310466
8438.20.00	SUGAR CONFECTIONARY COATING LINE, programmable logic controlled, including ALL of the following: (a) conveyors; (b) hoppers; (c) pumps; (d) coating distributors; (e) coating drums; (f) storage belts; (g) dehumidifier; (h) air temperature control units; (i) air filtering units; (j) valves; (k) vibrating screen; (l) powder distribution vessels; (m) talc distribution modules; (n) product shining modules; (o) water addition machines; (p) water collecting vessels Op. 16.01.13 2 Years non use. In transit provisions apply	50 01.01.19 Dec. date 15.04.13 - TC 1302184
8477.80.00	THERMOPLASTIC RECYCLING PLANT, POLYTRIMETHYLENE TEREPHTHALATE FIBRES, POLYETHYLENE TEREPHTHALATE FIBRES AND NYLON 6 FIBRES, having ALL of the following: (a) moisture AND dust reduction system; (b) cutter compactor AND/OR extruders; (c) screen changers; (d) granulators; (e) heat exchangers; (f) metal detectors; (g) extruder cooling baths; (h) extruder dies Op. 03.04.13 2 Years non use. In transit provisions apply	50 01.01.19 Dec. date 24.06.13 - TC 1311480

8479.82.00	VACUUM PROCESSING PLANT, FOOD AND/OR COSMETICS AND/OR PHARMACEUTICALS, programmable logic controlled, including ALL of the following: (a) mixing vessel capacity NOT less than 1 000 litres and NOT greater than 5 000 litres; (b) homogeniser; (c) melting vessel; (d) supply control modules being ALL of the following: (i) pressure control module; (ii) pneumatic control module; (iii) temperature control module, (e) barrier and flushing fluid system; (f) clean in place system; (g) dry in place system Op. 10.12.12	Dec. date 13.03.13	- TC 1247252	50 01.01.19
	2 Years non use. In transit provisions apply			
8483.40.90	GEARBOXES, HOT STRIP MILL, WATER CIRCULATION, COOLING TOWER, FAN DRIVE, being right angle double reduction Op. 13.11.12	Dec. date 04.02.13	- TC 1243404	50 01.01.19
	2 Years non use. In transit provisions apply			
8544.60.90	UMBILICALS, RAIL MOUNTED GANTRY CRANE, whether OR not on reels AND/OR spools, having ALL of the following: (a) NOT less than 5 individually insulated electrical conductors; (b) optical fibre cable; (c) anti-torsional protection Op. 09.11.12	Dec. date 30.01.13	- TC 1242987	50 01.01.19
	2 Years non use. In transit provisions apply			