

Gazette

No. TC 23/42, Wednesday, 8 November 2023Published by the Commonwealth of Australia

TARIFF CONCESSIONS

CONTENTS

TCO Applications	2
•••	
TCOs Made	€
Local Manufacturer Initiated - TCO Revocation Requests	7

The Commonwealth of Australia Tariff Concessions Gazette (the Tariff Concessions Gazette) is free of charge on the link below at:

https://www.abf.gov.au/importing-exporting-and-manufacturing/tariff-concessions-system

Contact details:

General Email inquiries including Tapin Help Desk: tarcon@abf.gov.au

Cat. No. ISSN 0813-8389 ©Commonwealth of Australia, 2023

CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269K(1) - APPLICATIONS MADE FOR TARIFF CONCESSION ORDERS

Applications have been lodged for Tariff Concession Orders for the goods described in the following TABLE.

Australian manufacturers who wish to contest the granting of a Tariff Concession Order for the goods described are invited to lodge a submission in writing in an approved form. Submissions must be lodged within 50 days of the date of publication of this Notice.

The operative date (Op.) and TC reference number follow the description of goods.

To assist local manufacturers, the use(s) to which the goods can be put follow the description of goods.

Objections to the making of TCO submission forms are available at

 $\underline{\texttt{https://www.abf.gov.au/importing-exporting-and-manufacturing/tariff-concessions-system/tariff-concession-order}$

Contact: Email tarcon@abf.gov.au

THE TABLE

	of Goods including the ff Classification	Schedule 4	Item Number
3808.62.90	INSECTICIDES, having a basis of lambda cyhalothrin Op. 10.10.23	- TC 23280689	50
	Stated Use: Control of insect pests in domestic and commercial settings		
	Applicant: SYNGENTA AUSTRALIA PTY LTD		5%
5904.10.00	LINOLEUM FLOORING, in rolls, including ALL of the following: (a) roll width NOT greater than 2 m; (b) roll length NOT greater than 34 m; (c) roll thickness 2 mm OR 2.5 mm		50
	Op. 20.10.23	- TC 23289131	
	Stated Use: Industrial floor covering		
	Applicant: FORBO FLOORCOVERINGS PTY LTD		5%
7316.00.00	SUCTION ANCHORS, subsea, including ALL of the following: (a) shackle; (b) mooring chain; (c) vent plugs		50
	Op. 19.10.23	- TC 23288916	
	Stated Use: Anchoring device for deep water application of mooring system		
	Applicant: SANTOS NA BAROSSA PTY LTD		5%
8413.70.90	WATER DISTRIBUTORS, cooled AND/OR heated water, including ALL of the following: (a) centrifugal pumps; (b) valves; (c) buffer tanks AND/OR expansion vessels; (d) pipes,		50
	<pre>with OR without ANY of the following: (i) sensors; (ii) gauges; (iii) controllers; (iy) filters</pre>		
	Op. 13.10.23	- TC 23284278	
	Stated Use: For cooling and heating of a chicken egg hatchery		
	Applicant: CORDINA CHICKEN FARMS PTY LTD		5%

Description of Goods including the Customs Tariff Classification		Schedule 4	Item Number
8419.81.90	BLANCHERS, tunnel, water OR steam, having ALL of the following: (a) stainless steel conveyor; (b) water collection AND filtration system; (c) internal service passage with access doors Op. 17.10.23	- TC 23285711	50
	Stated Use: Blanching and cooling of vegetables		
	Applicant: SIMPLOT AUSTRALIA PTY LTD		5%
8421.29.90	PLASMA FILTRATION AND SEPARATION MACHINES, programmable logic controlled, including ALL of the following: (a) cartridge holders; (b) pumps; (c) flowmeters; (d) cooling unit Op. 10.10.23	- TC 23280235	50
	Stated Use: For filtration, separation and concentration of proteins contained in blood plasma		
	Applicant: AEGROS THERAPEUTICS PTY LTD		5%
8421.29.90	DEWATERING FILTER PRESSES, programmable logic controlled, including ANY of the following: (a) feed pumps; (b) cloth washing pumps; (c) plates; (d) drip trays; (e) core wash AND blow valves; (f) cake release shakers		50
	Op. 11.10.23	- TC 23281018	
	Stated Use: To dewater sludge automatically		
	Applicant: ENVIROPACIFIC SERVICES LTD		5%
8427.10.00	FORKLIFT TRUCKS, lateral stacking, battery powered, narrow aisle, operator seated, with OR without battery, including ALL of the following: (a) rated capacity at 600 mm load centre NOT less than 1 250 kg and NOT greater than 1 500 kg; (b) mast height NOT greater than 11 000 mm; (c) wheelbase NOT less than 1 692 mm and NOT greater than 1 992 mm; (d) travel speed without load NOT greater than 12 km/h;		50
	(e) drive motor having a rated wattage NOT less than 7.5 kW Op. 18.10.23	- TC 23286786	
	Stated Use: Movement of goods in factories and warehouses		
	Applicant: TOYOTA MATERIAL HANDLING AUSTRALIA PTY LTD		5%

Description of Goods including the

Schedule 4 Item Number

_	ff Classification	Benedate 1	reem Number
8428.90.00	ASPHALT COLD FEED MODULE, trailer mounted, including ALL of the following: (a) dosing bins; (b) belt conveyor; (c) chassis mounted; (d) belt weigher; (e) sensors; (f) vibrators Op. 16.10.23	- TC 23284574	50
	Stated Use: For aggregate cold dosing system		
	Applicant: WIRTGEN AUSTRALIA PTY LTD		5%
8438.10.90	DOUGH ROUNDER MACHINES, with OR without ANY of the following: (a) bench stand; (b) catch tray; (c) hopper funnel		50
	Op. 16.10.23 Stated Use: For dough forms in food production	- TC 23285225	
	Applicant: MOFFAT PTY LTD		5%
8438.10.90	DOUGH DIVIDER AND/OR PRE-ROUNDING MACHINES, with OR without ANY of the following: (a) flour duster; (b) touch screen control panel; (c) weight selector; (d) infeed hopper		50
	Op. 16.10.23 Stated Use:	- TC 23285233	
	For processing and preparation of dough in food production		
	Applicant: MOFFAT PTY LTD		5%
8438.10.90	PROVERS, static intermediate, having ALL of the following: (a) infeed flour duster; (b) integrated controller; (c) ultra violet light		50
	Op. 18.10.23	- TC 23286833	
	Stated Use: Resting of bread dough prior to moulding		
	Applicant: MOFFAT PTY LTD		5%
8474.90.00	PARTS, CONCRETE PIPE MOULDING PRESS, being EITHER of the following: (a) piston rings; (b) wear rings		50
	Op. 25.10.23	- TC 23292783	
	Stated Use: Wear parts and replacement parts for a concrete pipe moulding machine		
	Applicant: BLISS & REELS PTY LTD		5%

	of Goods including the ff Classification	Schedule 4	Item Number
8481.10.00	PRESSURE REDUCTION STATION, module, rigid steel-frame, with OR without gas filter separators, including ALL of the following: (a) height NOT less than 18 metres; (b) weight NOT less than 1 200 tonnes; (c) valves; (d) pipes; (e) gas preheater Op. 19.10.23 Stated Use: Infrastructure used to reduce the pressure of gas in an LNG Plant	- TC 23289402	50
	Applicant: WOODSIDE BURRUP PTY LTD		5%
8702.10.10	BUSES, DIESEL, including ALL of the following: (a) seating capacity NOT greater than 64; (b) gross vehicle weight NOT greater than 22 000 kg; (c) 4 x 2 wheel drive; (d) rear mounted engine; (e) vehicle length NOT less than 10.8 m and NOT greater than 13.2 m; (f) vehicle width NOT greater than 2.5 m; (g) 2 axles Op. 19.10.23	- TC 23288373	50
	Stated Use: For passenger transport		
	Applicant: IRIZAR ASIA PACIFIC PTY LTD		5%

CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269R(1) - TARIFF CONCESSION ORDERS MADE

Tariff Concession Order has been made for the goods described in the following TABLE.

The operative date (Op.) and TC reference No. follow the description of goods. Local manufacturers of substitutable goods may request the revocation of TCOs at any time.

THE TABLE

Description of Goods including the Customs Tariff Classification

Schedule 4 Item Number Last Date of Effect

8483.60.90 COUPLINGS, ELECTRIC MOTOR, including ALL of the following: 50

- (a) bearings;
- (b) rubber body;
- (c) metal inner sleeves AND/OR outer rings
- Op. 10.08.23 Dec. date 06.11.23 - TC 23229094

NOTIFICATION OF AN AUSTRALIAN INDUSTRY REVOCATION REQUEST - SECTION 269SC(1A) CUSTOMS ACT

Applications have been lodged for revocation of the Tariff Concession Orders set out in the following TABLE.

The Lodgement Request Date shown in the table below is the intended revocation date for the Tariff Concession Order which will take effect should the application for revocation be successful.

Importations not covered by in-transit provisions may be subject to post action as any decision to revoke an order is backdated to the date of request for revocation.

THE TABLE

	of Goods including the ff Classification				Item Number Request Date
8507.60.00	ACCUMULATORS, lithium-ion Op. 01.01.12	Dec. date 22.11.11	- TC	1130471	50 30.10.23
8507.60.00	ENERGY STORAGE SYSTEM, LITHIUM BOTH of the following: (a) lithium-polymer battery; (b) battery management modulop. 09.08.13	packs;	- TC	1327253	50 30.10.23
8507.60.00	ACCUMULATOR RECHARGERS, lithium powered, with OR without cable Op. 13.10.14	m-ion OR lithium polymer battery s AND/OR connectors Dec. date 12.01.15	- TC	1435688	50 30.10.23
8507.60.00		LFP) battery; OT less than 1.1 kWh; g NOT less than 93%; ed circuit board;	- TC	1644355	50 30.10.23
8507.60.00	ACCUMULATORS AND/OR BATTERIES, EQUIPMENT, whether OR not asset following: (a) lithium-ion battery unit. (b) unit operating capacity: greater than 1 000 Ah; (c) unit operating energy NO greater than 10 000 kWh, with OR without EITHER of the (i) battery management (ii) liquid cooling Op. 31.01.20	mbled, including ALL of the s; NOT less than 130 Ah and NOT T less than 10 kWh and NOT following: nt devices AND/OR controls;	TIG.	2018962	50 30.10.23
8507.60.00	LITHIUM ION PHOSPHATE MODULAR of the following: (a) integrated battery management of the following: (i) battery charger; (ii) LED status indication of the following: (iii) DC switch; (iv) DC power cable control of the following: (b) NOT less than 3 and NOT to the following: (c) DC nominal voltage NOT 1 and 1 a	BATTERY SYSTEM, consisting of ALL ement AND charging unit including ator AND communication ports; onnection;		21530400	50 30.10.23

Description of Goods including the Customs Tariff Classification		Schedule 4 Item Number Lodgement Request Date	
8507.60.00	MODULAR BATTERY CABINETS, lithium-ion, having ALL of the following: (a) battery management system having BOTH of the following: (i) energy storage monitoring; (ii) external communication interface, (b) enclosed cabinet having BOTH of the following: (i) NOT less than 13 and NOT greater than 17 battery modules; (ii) cabinet battery voltage NOT less than 395 V DC and NOT greater than 517 V DC, (c) battery module capacity NOT greater than 2.1 kWh		50 30.10.23
8507.60.00	Op. 12.04.22 ENERGY STORAGE UNITS, lithium ion, having ALL of the following: (a) battery modules; (b) battery racking; (c) climate control units; (d) HVAC units; (e) chiller units; (f) fire protection system; (g) lead acid power supply; (h) deflagration panels; (i) battery safety monitoring and protective systems Op. 22.07.22 Dec. date 22.07.22	- TC 22113786 - TC 22230269	50 30.10.23
8507.80.00	BATTERY ENERGY STORAGE SYSTEM, assembled AND/OR unassembled, having ALL the following: (a) charge AND temperature controls; (b) stored energy monitor; (c) dry weight greater than 3 450 kg; (d) width greater than 2.1 m; (e) length greater than 4.4 m; (f) vanadium electrolyte storage tanks; (g) power capacity NOT less than 8 kW peak and NOT greater than 250 kW peak; (h) stored energy capacity NOT less than 40 kWh and NOT greater than 1 600 kWh, with OR without ANY of the following: (i) steps; (ii) platforms; (iii) fans; (iv) electrolyte fluid Op. 07.06.16 Dec. date 29.08.16	- TC 1619858	50 30.10.23
8507.80.00	ENERGY STORAGE SYSTEM, LITHIUM-IRON PHOSPHATE BATTERY, grid connected, solar powered, single AC connection, with OR without storage cabinets, including ALL of the following: (a) lithium-iron phosphate batteries; (b) maximum power output in single phase NOT less than 2.5 kW; (c) maximum power output in three phase NOT less than 3.3 kW; (d) solar power charger; (e) permanent internet connector	- 10 1019050	50 30.10.23
8507.80.00	Op. 02.11.16 Dec. date 13.02.17 BATTERY ENERGY STORAGE SYSTEM, nickel hydrogen, containerised, having ALL of the following: (a) battery management system; (b) communications interface; (c) power rating NOT greater than 175 kW; (d) forced air cooling Op. 09.01.23 Dec. date 21.03.23	- TC 1665178	50 30.10.23