



**Commonwealth  
of Australia**

# Gazette

No. TC 24/21, Wednesday, 29 May 2024  
Published by the Commonwealth of Australia

**TARIFF CONCESSIONS**

## CONTENTS

TCO Applications .....	2
TCOs Made.....	5

**The Commonwealth of Australia Tariff Concessions Gazette  
(the Tariff Concessions Gazette) is free of charge on the link  
below at:**

<https://www.abf.gov.au/importing-exporting-and-manufacturing/tariff-concessions-system>

**Contact details:  
General Email inquiries including Tapin Help Desk: [tarcon@abf.gov.au](mailto:tarcon@abf.gov.au)**

**CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269K(1) - APPLICATIONS MADE FOR TARIFF CONCESSION ORDERS**

Applications have been lodged for Tariff Concession Orders for the goods described in the following TABLE.

Australian manufacturers who wish to contest the granting of a Tariff Concession Order for the goods described are invited to lodge a submission in writing in an approved form. Submissions must be lodged within 50 days of the date of publication of this Notice.

The operative date (Op.) and TC reference number follow the description of goods.

To assist local manufacturers, the use(s) to which the goods can be put follow the description of goods.

Objections to the making of TCO submission forms are available at

<https://www.abf.gov.au/importing-exporting-and-manufacturing/tariff-concessions-system/tariff-concession-order>

Contact: Email [tarcon@abf.gov.au](mailto:tarcon@abf.gov.au)

## THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number
3824.99.90 WELLBORE STABILISER, filtrate loss additive, cellulosic-based, having NOT greater than 10 per cent of pre-gelatinised starch Op. 01.05.24	50 - TC 24098501
Stated Use: Drilling fluid additive for controlling fluid loss in oil and gas drilling	
Applicant: SCHLUMBERGER AUSTRALIA PTY LTD	5%
3901.10.00 LOW DENSITY POLYETHYLENE (LDPE), having ALL of the following: (a) density NOT greater than 0.94 g/cm <sup>3</sup> ; (b) crystalline melting point NOT less than 100 degrees Celsius and NOT greater than 125 degrees Celsius; (c) vicat softening point NOT less than 80 degrees Celsius and NOT greater than 105 degrees Celsius; (d) melt flow index NOT less than 0.30 g/10 min and NOT greater than 70 g/10 min Op. 06.05.24	50 - TC 24102335
Stated Use: For manufacturing containers, dispensing bottles, wash bottles, tubing and computer components	
Applicant: REDOX LTD	5%
3901.10.00 LINEAR LOW DENSITY POLYETHYLENE (LLDPE), having ALL of the following: (a) density NOT greater than 0.94 g/cm <sup>3</sup> ; (b) crystalline melting point NOT less than 100 degrees Celsius and NOT greater than 125 degrees Celsius; (c) vicat softening point NOT less than 80 degrees Celsius and NOT greater than 105 degrees Celsius; (d) melt flow index NOT less than 0.80 g/10 min and NOT greater than 3.5 g/10 min Op. 06.05.24	50 - TC 24102435
Stated Use: For producing packaging, such as plastic bags and sheets, plastic wrap, stretch wrap, pouches, covers and lids	
Applicant: REDOX LTD	5%



Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number
<p>8479.90.90 PARTS, BALLISTIC SEPARATOR, being any of the following:            (a) paddles;            (b) screens;            (c) segments            Op. 08.05.24</p> <p>Stated Use:            Parts for a ballistic separator for separating waste material</p> <p>Applicant: CEMAC TECHNOLOGIES PTY LTD</p>	<p>50</p> <p>- TC 24104542</p> <p>5%</p>
<p>8703.23.20 PASSENGER MOTOR VEHICLES, petrol, having a gross vehicle weight (GVW) NOT less than 3 500 Kg, including ALL of the following:            (a) 4 x 4 drive;            (b) eight speed transmission;            (c) dual cabin;            (d) solid beam axles;            (e) engine capacity NOT less than 2 900 cc;            (f) cargo space            Op. 29.04.24</p> <p>Stated Use:            Petrol, dual cabin and permanent four wheel drive passenger motor vehicle</p> <p>Applicant: INEOS AUTOMOTIVE AUSTRALIA PTY LTD</p>	<p>50</p> <p>- TC 24094944</p> <p>5%</p>
<p>8703.33.20 PASSENGER MOTOR VEHICLES, having a gross vehicle weight (GVW) NOT less than 3 500 Kg, including ALL of the following:            (a) 4 x 4 drive;            (b) eight speed transmission;            (c) dual cabin;            (d) solid beam axles;            (e) engine capacity NOT less than 2 900 cc;            (f) cargo space            Op. 07.05.24</p> <p>Stated Use:            Petrol and or diesel, dual cabin and permanent four wheel drive passenger motor vehicle</p> <p>Applicant: INEOS AUTOMOTIVE AUSTRALIA PTY LTD</p>	<p>50</p> <p>- TC 24104064</p> <p>5%</p>

**CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269R(1) - TARIFF CONCESSION ORDERS MADE**

Tariff Concession Orders have been made for the goods described in the following TABLE.

The operative date (Op.) and TC reference No. follow the description of goods. Local manufacturers of substitutable goods may request the revocation of TCOS at any time.

## THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect
3907.40.00 COMPOUNDED POLYCARBONATE, medical grade, in primary form, having ALL of the following: (a) melt volume-flow rate 330 °C per 2.16 kg having a typical value of NOT less than 13 cm and NOT greater than 23 cm per cu3 per 10 min; (b) melt mass-flow rate 330 °C per 2.16 kg having a typical value of NOT less than 13 cm and NOT greater than 23.6 g per 10 min; (c) vicat softening temperature 50 N, 120 °C per hour at NOT less than 166 degrees Celsius and NOT greater than 174 degrees Celsius Op. 30.01.24 Dec. date 21.05.24	50 - TC 24024339
4804.31.00 KRAFT PAPER, brown, uncoated AND unbleached, having ALL of the following: (a) roll width NOT greater than 1 385 mm; (b) weight NOT less than 32 gsm and NOT greater than 60 gsm; (c) gloss factor NOT less than 30 %; (d) machine glazed Op. 22.01.24 Dec. date 24.05.24	50 - TC 24018841
8309.90.00 DRUM CLOSURE FLANGES, steel, with OR without gaskets AND washers Op. 31.01.24 Dec. date 21.05.24	50 - TC 24026122
8421.39.90 KNOCKOUT DRUMS, GAS INJECTION PLANT, inside diameter NOT less than 3 500 mm Op. 13.02.24 Dec. date 21.05.24	50 - TC 24036698
8450.20.00 TUNNEL WASHERS, commercial laundry, having a drum with an eccentric Archimedean helix Op. 19.02.24 Dec. date 22.05.24	50 - TC 24041744