



**Commonwealth  
of Australia**

# Gazette

**No. TC 24/44, Wednesday, 6 November 2024**  
Published by the Commonwealth of Australia

**TARIFF CONCESSIONS**

## CONTENTS

TCO Applications .....	2
------------------------	---

**The Commonwealth of Australia Tariff Concessions Gazette  
(the Tariff Concessions Gazette) is free of charge on the link below at:**  
<https://www.abf.gov.au/importing-exporting-and-manufacturing/tariff-concessions-system>

**Contact details:**  
**General Email inquiries including Tapin Help Desk: [tarcon@abf.gov.au](mailto:tarcon@abf.gov.au)**

Applications have been lodged for Tariff Concession Orders for the goods described in the following TABLE.

The operative date (Op.) and TC reference number follow the description of goods.

Objections to the making of TCO submission forms are available at

Contact: Email [tarcon@abf.gov.au](mailto:tarcon@abf.gov.au)

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number
<p>3402.90.00 SURFACE ACTIVE PREPARATIONS, wetting agent, with a basis of Propan-2-ol and 2-butoxyethanol Op. 08.10.24</p> <p>Stated Use: Wetting agent to enhance fluid performance in oil and gas operations</p> <p>Applicant: SCHLUMBERGER AUSTRALIA PTY LTD</p>	<p>50</p> <p>- TC 24255629</p> <p>5%</p>
<p>3901.10.00 RESINS, LOW DENSITY POLYETHYLENE (LDPE), having ALL of the following:</p> <p>(a) density NOT less than 910 kg/m3 and NOT greater than 930 kg/m3, complying with ANY of the following standards:</p> <p>(i) American Society for Testing and Materials Standard D1505 (ASTM D1505);</p> <p>(ii) American Society for Testing and Materials Standard D792 (ASTM D792);</p> <p>(iii) International Organisation for Standardisation Standard 1183 (ISO 1183),</p> <p>(b) vicat softening point NOT less than 80 degrees Celsius and NOT greater than 105 degrees Celsius, complying with ANY of the following standards:</p> <p>(i) American Society for Testing and Materials Standard D 1525 (ASTM D1525);</p> <p>(ii) International Organisation for Standardisation Standard 306 (ISO 306),</p> <p>(b) melt flow rate (MFR) at 190 degrees Celsius and 2.16 kg, NOT less than 0.1 g/10 minute and NOT greater than 10 g/10 minute, complying with ANY of the following standards:</p> <p>(i) American Society for Testing and Materials Standard D1238 (ASTM D1238);</p> <p>(ii) International Organisation for Standardisation Standard 1133 (ISO 1133)</p> <p>Op. 04.10.24</p> <p>Stated Use: For the manufacture of heavy duty bags, industrial shrink film, construction and agricultural film, and various injection moulded articles</p> <p>Applicant: VIVA ENERGY POLYMERS PTY LTD</p>	<p>50</p> <p>- TC 24253662</p> <p>5%</p>

Description of Goods including the Customs Tariff Classification		Schedule 4 Item Number
<p>3926.90.90    NETTING AND/OR WEBBING, BALING, polyethylene, having ALL of the below:</p> <p>    (a) directional tapes NOT less than 0.4 cm and NOT greater than 1.5 cm;</p> <p>    (b) cross directional tapes NOT less than 0.3 cm and NOT greater than 0.5 cm;</p> <p>    (c) in rolls NOT less than 3 000 m in length and NOT greater than 1.75 m in width</p> <p>Op. 02.10.24</p> <p>Stated Use: To form and secure round hay bales</p> <p>Applicant: TAMA AUSTRALIA PTY LTD</p>	<p>50</p> <p>- TC 24252013</p>	<p>50</p> <p>5%</p>
<p>3926.90.90    LINKS AND CHAINS, CONVEYOR</p> <p>Op. 08.10.24</p> <p>Stated Use: Parts for a continuous action conveyor system</p> <p>Applicant: THE TRUSTEE FOR FLEXCAM UNIT TRUST</p>	<p>- TC 24255031</p>	<p>50</p> <p>5%</p>
<p>8428.20.00    VACUUM CONVEYING SYSTEM, HIGH SHEAR MIXER, with OR without solvent separators, having ALL of the following:</p> <p>    (a) charging hose;</p> <p>    (b) charging port;</p> <p>    (c) connectors;</p> <p>    (d) liquid separator;</p> <p>    (e) suction lance;</p> <p>    (f) valve;</p> <p>    (g) vacuum pump</p> <p>Op. 09.10.24</p> <p>Stated Use: Reducing internal vessel pressure to provide a reduction in the evaporation temperature of pharmaceutical product ensuring gentle drying</p> <p>Applicant: ALPHAPHARM PTY LTD</p>	<p>- TC 24261639</p>	<p>50</p> <p>5%</p>
<p>8479.89.90    MAT FORMING LINES, PARTICLE BOARD, including ALL of the following:</p> <p>    (a) distribution flaps;</p> <p>    (b) continuous pre-press with hydraulic unit;</p> <p>    (c) magnet AND metal detector;</p> <p>    (d) disc screen AND mat former feeder;</p> <p>    (e) mat former assembly;</p> <p>    (f) forming width adjusters;</p> <p>    (g) pre-heater;</p> <p>    (h) belt conveyors;</p> <p>    (i) belt scales;</p> <p>    (j) infrared moisture analyser;</p> <p>    (k) sprayers;</p> <p>    (l) steel belt cleaner;</p> <p>    (m) safety unit with fire extinguisher;</p> <p>    (n) traversing unit weight gauge;</p> <p>    (o) peak detector;</p> <p>    (p) smoothing roller</p> <p>Op. 08.10.24</p> <p>Stated Use: Wet forming of particle board panels prior to pressing</p> <p>Applicant: AUSTRALIAN PANELS PTY LTD</p>	<p>- TC 24255845</p>	<p>50</p> <p>5%</p>

Description of Goods including the Customs Tariff Classification		Schedule 4 Item Number
8483.30.90	BEARINGS, BRAKE CAMSHAFT, spherical plain Op. 03.10.24  Stated Use: Parts for trailers  Applicant: BPW TRANSPEC PTY LTD	50 - TC 24252495   5%
8504.33.00	TRANSFORMERS, VOLTAGE, having ALL of the following: (a) gas insulated; (b) primary voltage NOT less than 66 kV; (c) secondary voltage NOT greater than 1 000 V; (d) output voltage NOT greater than 220 kVA Op. 08.10.24  Stated Use: To supply substation power such as lighting, pump and motor loads  Applicant: THE TRUSTEE FOR GFF CONCEPTS DISCRETIONARY TRUST	50    - TC 24255833   5%
8716.90.00	PARTS, TRAILER, having a gross weight NOT less than 6.5 tonnes, being steering bolt bearing repair kits, consisting ALL of the following: (a) bushes; (b) steering pivots; (c) washers; (d) sealing rings; (e) pressure springs; (f) roll pins; (g) grease nipples Op. 03.10.24  Stated Use: Parts for trailers Applicant: BPW TRANSPEC PTY LTD	50       - TC 24253064   5%
8716.90.00	PARTS, STEER AXLE, being lock cylinders Op. 03.10.24  Stated Use: Parts for trailers Applicant: BPW TRANSPEC PTY LTD	50 - TC 24253070   5%
8716.90.00	PARTS, STEER AXLE, being steering pivots Op. 09.10.24  Stated Use: For undulating thrust bearings on trailer axles  Applicant: BPW TRANSPEC PTY LTD	50 - TC 24255987   5%

8716.90.00	PARTS, SELF STEERING AXLE DAMPER KIT, TRAILER, having a gross weight NOT less than 6.5 tonnes, having 5 or more of the following:	50
	(a) steering damper;	
	(b) clamp;	
	(c) washers;	
	(d) screws;	
	(e) one OR more plates;	
	(f) lock nuts;	
	(g) support for steering damper	
Op. 09.10.24		- TC 24261452
Stated Use:		
Parts for self steering axle damper		
Applicant:	BPW TRANSPEC PTY LTD	5%