



**Commonwealth
of Australia**

Gazette

No. TC 24/46, Wednesday, 20 November 2024
Published by the Commonwealth of Australia

TARIFF CONCESSIONS

CONTENTS

TCO Applications	2
TCOs Made.....	7

**The Commonwealth of Australia Tariff Concessions Gazette
(the Tariff Concessions Gazette) is free of charge on the link below at:**
<https://www.abf.gov.au/importing-exporting-and-manufacturing/tariff-concessions-system>

Contact details:
General Email inquiries including Tapin Help Desk: tarcon@abf.gov.au

CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269K(1) - APPLICATIONS MADE FOR TARIFF CONCESSION ORDERS

Applications have been lodged for Tariff Concession Orders for the goods described in the following TABLE.

Australian manufacturers who wish to contest the granting of a Tariff Concession Order for the goods described are invited to lodge a submission in writing in an approved form. Submissions must be lodged within 50 days of the date of publication of this Notice.

The operative date (Op.) and TC reference number follow the description of goods.

To assist local manufacturers, the use(s) to which the goods can be put follow the description of goods.

Objections to the making of TCO submission forms are available at

<https://www.abf.gov.au/importing-exporting-and-manufacturing/tariff-concessions-system/tariff-concession-order>

Contact: Email tarcon@abf.gov.au

THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number
3402.42.00 SURFACTANTS, non-ionic, being ethylene glycols, having a base of ethylene oxide, containing nonylphenol polyethylene glycol ether (CAS 9016-45-9) Op. 21.10.24 Stated Use: Application uses include detergent, emulsifier, cleaner or wetting agent Applicant: INTERCHEM AGENCIES LTD	50 5%
3901.10.00 RESINS, being unpigmented linear low density polyethylene, in powder OR pelletised form, having BOTH of the following: (a) melt flow rate NOT less than 40.0 g/10 min and NOT greater than 60.0 g/10 min @ 190 degrees Celsius/2.16 kg; (b) density NOT less than 924kg/m3 and NOT greater than 928kg/m3 Op. 04.10.24 Stated Use: Manufacture of injection moulding masterbatches, closures and containers Applicant: NEO POLYMERS PTY LTD	50 5%
7304.41.00 SUBSEA DISTRIBUTION UNIT, including BOTH of the following: (a) tubes; (b) cables with OR without ANY of the following: (i) compensation bladder; (ii) frame; (iii) support foundation; (iv) mudmat; (v) stabs; (vi) valve Op. 17.10.24 Stated Use: Act as a conduit to distribute hydraulic fluids, chemicals, power and communication to subsea equipment Applicant: WOODSIDE ENERGY LTD	50 5%

Description of Goods including the Customs Tariff Classification		Schedule 4 Item Number
<p>7306.30.00 MINING PIPES, rotary, quick connect, having ALL of the following:</p> <ul style="list-style-type: none"> (a) painted carbon steel body, outside diameter NOT LESS than 406 mm AND inside diameter NOT LESS than 314 mm; (b) male AND/OR female couplings; (c) length NOT LESS than 10 200 mm; (d) pressure rating NOT LESS than 180 Bar; (e) torque rating NOT less than 135 kNm; (f) pullback rating NOT less than 500 tonnes <p>Op. 21.10.24</p> <p>Stated Use: Distribution and flow of high pressure water and slurry</p> <p>Applicant: ILUKA RESOURCES LTD</p>	<p>50</p> <p>- TC 24345401</p>	<p>50</p> <p>5%</p>
<p>7307.99.00 COUPLINGS, PIPE, steel, quick connect, having ALL of the following:</p> <ul style="list-style-type: none"> (a) outside diameter NOT less than 406 mm; (b) inside diameter NOT less than 314 mm; (c) rated torque NOT less than 135 kNm; (d) rated tension NOT less than 500 tonnes; (e) male AND/OR female sections <p>Op. 16.10.24</p> <p>Stated Use: The goods are used for the distribution and flow of high pressure water and slurry</p> <p>Applicant: ILUKA RESOURCES LTD</p>	<p>50</p> <p>- TC 24281256</p>	<p>50</p> <p>5%</p>
<p>7308.90.00 CHAIN LOCKERS, weight NOT less than 80 metric tonnes, with OR without platform</p> <p>Op. 23.10.24</p> <p>Stated Use: Used to contain mooring chains to allow easier handling and management during transit and installation</p> <p>Applicant: WOODSIDE ENERGY LTD</p>	<p>50</p> <p>- TC 24384380</p>	<p>50</p> <p>5%</p>
<p>7612.90.00 STERILISATION CONTAINERS, MEDICAL INSTRUMENT, including BOTH of the following:</p> <ul style="list-style-type: none"> (a) locking mechanism with tamper evident lock; (b) anodised aluminium lid having EITHER of the following: <ul style="list-style-type: none"> (i) paper filter; (ii) reusable barrier, (c) container base dimensions, being ANY of the following: <ul style="list-style-type: none"> (i) 297 x 274 x 88 mm; (ii) 297 x 274 x 123 mm; (iii) 297 x 274 x 138 mm; (iv) 297 x 274 x 188 mm; (v) 297 x 274 x 248 mm; (vi) 462 x 274 x 88 mm; (vii) 462 x 274 x 123 mm; (viii) 462 x 274 x 138 mm; (ix) 462 x 274 x 188 mm; (x) 585 x 274 x 88 mm; (xi) 585 x 274 x 123 mm; (xii) 585 x 274 x 138 mm; (xiii) 585 x 274 x 188 mm; (xiv) 585 x 274 x 248 mm <p>Op. 14.10.24</p> <p>Stated Use: Sterilisation and tamper evident storage of medical instruments</p> <p>Applicant: MEDICAL & OPTICAL INSTRUMENTS AUSTRALIA PTY LTD</p>	<p>50</p> <p>- TC 24275183</p>	<p>50</p> <p>5%</p>

Description of Goods including the Customs Tariff Classification		Schedule 4 Item Number
<p>8413.60.90 HYDRAULIC POWER UNITS, STEELSTRIP METAL COATING LINE, including ALL of the following:</p> <ul style="list-style-type: none"> (a) axial piston pump AND motor units; (b) hydraulic oil tank unit OR tank station; (c) filters <p>with OR without valve stands, including valves</p> <p>Op. 18.10.24</p> <p>Stated Use: Holding and supplying pressurised hydraulic oil to and from other machines requiring hydraulic power</p> <p>Applicant: BLUESCOPE STEEL (AIS) PTY LTD</p>	- TC 24321639	50
<p>8421.29.90 STERILISATION FILTRATION SYSTEM, programmable logic controlled, including ALL of the following:</p> <ul style="list-style-type: none"> (a) filter integrity test unit; (b) pumps; (c) valves; (d) sensors; (e) air filters; (f) touch screen control panel; (g) electrical cabinet; (h) barcode scanner; (i) with OR without ANY of the following: <ul style="list-style-type: none"> (i) sterilising filters NOT greater than 0.2 um; (ii) drainage OR sample bags <p>Op. 17.10.24</p> <p>Stated Use: Sterile filtration of drug substances and products</p> <p>Applicant: SARTORIUS STEDIM AUSTRALIA PTY LTD</p>	- TC 24307166	50
<p>8421.29.90 DE-MINERALISED WATER FILTRATION SYSTEM, STEEL STRIP METAL COATING LINE, including ALL of the following:</p> <ul style="list-style-type: none"> (a) filtering machine, with OR without filters AND/OR membranes; (b) separators; (c) tanks; (d) pump units AND/OR stations; (e) valves; (f) fans <p>Op. 18.10.24</p> <p>Stated Use: Receive, filter and recirculate clean water to the rolling mill of a steel strip metal coating line</p> <p>Applicant: BLUESCOPE STEEL (AIS) PTY LTD</p>	- TC 24328124	50
<p>8428.90.00 LIFTING AND HANDLING MACHINES, CONCRETE PIPE, assembled OR unassembled, with OR without computer control OR plant safety systems, including ANY of the following:</p> <ul style="list-style-type: none"> (a) product transfer cart; (b) product manipulator with rail; (c) depalletiser; (d) product outfeed line with transfer lifting-turning cart <p>Op. 21.10.24</p> <p>Stated Use: For moving cured concrete pipes into various positions for final finishing</p> <p>Applicant: HOLCIM (AUSTRALIA) PTY LTD</p>	- TC 24344414	50

Description of Goods including the Customs Tariff Classification		Schedule 4 Item Number
8431.20.00	PARTS, FORKLIFT, being a hydraulic gripper Op. 18.10.24 Stated Use: Forklift attachments for handling cured pipes Applicant: HOLCIM (AUSTRALIA) PTY LTD	- TC 24329245 5%
8516.90.00	FOOD PROCESSOR ATTACHMENTS, whether OR not assembled, with OR without drive shaft, including ALL of the following: (a) steel cutting disc; (b) cutter lid; (c) pusher; (d) spiraliser Op. 22.10.24 Stated Use: Attachments for a food processor Applicant: THE MIX AUSTRALIA PTY LTD	50 - TC 24362715 5%
8608.00.00	KITS, BOOM GATE, with OR without boom, including ALL of the following: (a) integrated control unit; (b) brushless motor; (c) encoder; (d) transformer; (e) gear motor; (f) helicoidal gears; (g) linkage lever AND spring; (h) positioner; (i) boom length NOT greater than 8 metres Op. 28.10.24 Stated Use: Electro-mechanical control of traffic entrance or exit Applicant: ORBIT LOGISTICS PTY LTD	50 - TC 24391781 5%
8704.31.10	MOTOR VEHICLES, CAB CHASSIS, having a gross vehicle weight (GVW) NOT less than 3 500 kg, including ALL of the following: (a) 4 x 4 drive; (b) eight speed transmission; (c) seating capacity NOT greater than five persons; (d) solid beam axles; (e) engine capacity NOT less than 2 900 cc; (f) chassis bed Op. 21.10.24 Stated Use: For transporting cargo items and people in all-terrain environments Applicant: INEOS AUTOMOTIVE AUSTRALIA PTY LTD	50 - TC 24344207 5%
8716.39.00	TRAILERS, PLATFORM, having ALL of the following: (a) trailer length NOT greater than 4 m; (b) trailer height NOT greater than 0.9 m; (c) NOT more than 2 axles; (d) payload capacity NOT less than 10 t; (e) solid rubber tyres Op. 18.10.24 Stated Use: For the transport and handling of goods and equipment Applicant: SHELL AUSTRALIA PTY LTD	50 - TC 24344186

Description of Goods including the Customs Tariff Classification		Schedule 4 Item Number
9603.50.00	PARTS, SCREW BLANCHER, being peeling brushes, with a length NOT less than 3 400 mm and width NOT less than 220 mm Op. 18.10.24	50
	Stated Use: For peeling produce as part of industrial screw blancher machine	- TC 24344181
	Applicant: SIMPLOT AUSTRALIA PTY LTD	5%

CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269R(1) - TARIFF CONCESSION ORDERS MADE

Tariff Concession Orders have been made for the goods described in the following TABLE.

The operative date (Op.) and TC reference No. follow the description of goods. Local manufacturers of substitutable goods may request the revocation of TCOs at any time.

THE TABLE

Description of Goods including the Customs Tariff Classification		Schedule 4 Item Number Last Date of Effect	
2905.31.00	MONOETHYLENE GLYCOL, having a base of ethanediol Op. 14.08.24	Dec. date 13.11.24	50
		- TC 24193369	
2905.31.00	MONOETHYLENE GLYCOL, having purity NOT less than 99.50% by weight Op. 27.08.24	Dec. date 14.11.24	50
		- TC 24204841	
3402.42.00	SURFACE ACTIVE AGENTS, being alkoxyates, having a base of ethylene oxide Op. 13.08.24	Dec. date 13.11.24	50
		- TC 24192495	
3506.10.00	SEALANTS AND/OR ADHESIVES, having a silane modified polymer base Op. 22.08.24	Dec. date 14.11.24	50
		- TC 24200845	
3901.10.00	LOW DENSITY POLYETHYLENE (LDPE), having ALL of the following: (a) density NOT less than 0.918 g/cm3 and NOT greater than 0.928 g/cm3, complying with American Society for Testing and Materials standard D 1505 (ASTM D-1505; (b) crystalline melting point NOT less than 100 degrees Celsius and NOT greater than 125 degrees Celsius, complying with American Society for Testing and Materials standard E 794 (ASTM E-794; (c) vicat softening point NOT less than 80 degrees Celsius and NOT greater than 105 degrees Celsius, complying with American Society for Testing and Materials standard D 1525 (ASTM D-1525; (d) melt flow index NOT less than 0.3 g/10 min and NOT greater than 8 g/10min, complying with American Society for Testing and Materials standard D 1238 (ASTM D-1238) Op. 06.05.24	Dec. date 18.11.24	50
		- TC 24102335	
3901.10.00	LINEAR LOW DENSITY POLYETHYLENE (LLDPE), having ALL of the following: (a) density NOT less than 0.918 g/cm3 and NOT greater than 0.928 g/cm3, complying with American Society for Testing and Materials standard D 792 (ASTM D-792); (b) crystalline melting point NOT less than 100 degrees Celsius and NOT greater than 125 degrees Celsius, complying with American Society for Testing and Materials standard E 794 (ASTM E-794); (c) vicat softening point NOT less than 80 degrees Celsius and NOT greater than 105 degrees Celsius, complying with American Society for Testing and Materials standard D 1525 (ASTM D-1525) (A120); (d) melt flow index NOT less than 0.8 g/10 min and NOT greater than 3.5 g/10min (190 degrees Celsius/2.16kg), complying with American Society for Testing and Materials standard D 1238 (ASTM D-1238) Op. 06.05.24	Dec. date 18.11.24	50
		- TC 24102435	
7320.90.00	PARTS, TRAILER DRUM BRAKE, being axle return springs Op. 12.08.24	Dec. date 13.11.24	50
		- TC 24190971	
8207.50.00	TWIST DRILL BITS, high speed steel, 118 degree tip angle, with OR without case Op. 19.08.24	Dec. date 18.11.24	50
		- TC 24196901	

Description of Goods including the Customs Tariff Classification		Schedule 4 Item Number Last Date of Effect	
8207.50.00	TWIST DRILL BITS, high speed steel, stepped tip, with OR without case Op. 19.08.24	Dec. date 18.11.24	50 - TC 24197033
8207.50.00	TWIST DRILL BITS, high speed cobalt, stepped tip, with OR without case Op. 19.08.24	Dec. date 18.11.24	50 - TC 24198045
8413.50.90	PUMPS, HYDRAULIC EXCAVATOR, DUAL UNIT, including ANY of the following: (a) brackets; (b) fasteners, with screws AND nuts; (c) cables; (d) washers, with lock washers; (e) sleeves; (f) clamps; (g) screw extension tubes; (h) hoses; (i) rings, with O-rings; (j) flanges; (k) gauge connectors; (l) intake stacks Op. 09.08.24	Dec. date 13.11.24	50 - TC 24190624
8414.59.90	BLOWERS, POSITIVE DISPLACEMENT, having ALL of the following: (a) volume flow NOT less than 9 600 m3/h; (b) motor output NOT less than 400 kW; (c) sound pressure NOT greater than 82 decibels Op. 15.08.24	Dec. date 13.11.24	50 - TC 24193358
8414.59.90	FANS, RADIAL, having ALL of the following: (a) gas operated; (b) mass flow NOT greater than 60 000 kg/h; (c) volume flow NOT less than 10.0 m3/sec; (d) interconnecting ductwork Op. 15.08.24	Dec. date 13.11.24	50 - TC 24193846
8414.59.90	FANS AND/OR BLOWERS, STEELSTRIP METAL COATING LINE, with OR without silencers, including ANY of the following: (a) fans, exhaust, including EITHER of the following: (i) water quench mist; (ii) furnace waste gas, (b) blowers, air, including ANY of the following: (i) waste gas dilution; (ii) furnace ignition; (iii) furnace combustion; (iv) water quench drying; (v) steel strip cooling Op. 19.08.24	Dec. date 18.11.24	50 - TC 24196354
8419.50.90	HEAT EXCHANGERS, ELECTRIC IMMERSION, having BOTH of the following: (a) internal operating pressure NOT less than 0.42 MPa; (b) internal operating temperature NOT less than 350 degrees C Op. 19.08.24	Dec. date 18.11.24	50 - TC 24196046
8419.50.90	HEAT EXCHANGERS, steel strip metal coating line, including ANY of the following: (a) fans AND/OR Impellers AND/OR blowers; (b) U type heat exchanger; (c) nitrogen-Hydrogen (H ₂ N ₂) gas jet cooling heat exchanger; (d) water quenching plate Op. 22.08.24	Dec. date 14.11.24	50 - TC 24201009
8419.89.90	VESSELS, PELLET MILL, programmable logic controlled, with feeding screws Op. 28.08.24	Dec. date 14.11.24	50 - TC 24206177
8419.90.00	PARTS, CATALYTIC REACTOR, being distributor trays Op. 19.08.24	Dec. date 18.11.24	50 - TC 24196876

Description of Goods including the Customs Tariff Classification		Schedule 4 Item Number Last Date of Effect
8421.39.90	SEPARATORS, CYCLONE, having ALL of the following: (a) flow rate NOT less than 15 500 Kg/h; (b) working pressure NOT less than 20 bar; (c) working temperature NOT less than 210 degrees Celsius Op. 19.08.24 Dec. date 18.11.24	50 - TC 24198335
8428.90.00	PALLET AND CAGE HANDLING MACHINE, concrete pipes, including ALL of the following: (a) carousel system with lamellar track; (b) cage AND pallet shuttle cart; (c) pallet monorail manipulator system Op. 19.08.24 Dec. date 18.11.24	50 - TC 24197131
8428.90.00	CONCRETE PIPE PALLETS HANDLING SYSTEM, whether OR not assembled, having ALL of the following: (a) pallet swing manipulator; (b) pallet monorail manipulator system with one manipulator; (c) pallet turntable Op. 19.08.24 Dec. date 18.11.24	50 - TC 24198004
8428.90.00	SERVICE PLATFORMS, including ALL of the following: (a) lights; (b) anchor points; (c) safety rail; (d) cage ladder; (e) water pump; (f) power supply cable; (g) water supply hose; (h) remote control; (i) emergency stop Op. 23.08.24 Dec. date 14.11.24	50 - TC 24202278
8438.80.00	FOOD EXTRUDERS, having ALL of the following: (a) buffer silo; (b) continuous moisturiser; (c) cutting unit; (d) dosing unit; (e) double screw dosing system; (f) frequency controlled motor; (g) pneumatic extrudate transport; (h) stainless steel frame Op. 20.08.24 Dec. date 18.11.24	50 - TC 24199057
8477.80.00	VULCANISING PRESSES, rubber mill liners, hydraulic, oil AND/OR steam heating platens Op. 19.08.24 Dec. date 18.11.24	50 - TC 24197934
8479.89.90	CLEANING AND SPRAYING MACHINES, GREENHOUSE, including ALL of the following: (a) uv resistant adjustable brushes; (b) lights; (c) dosing pump; (d) power cables; (e) spray booms; (f) hose reels; (g) high pressure hoses; (h) cable reels Op. 27.08.24 Dec. date 14.11.24	50 - TC 24205481
8481.80.90	VALVES, BUTTERFLY OR CONTROL Op. 19.08.24 Dec. date 18.11.24	50 - TC 24196080
8507.60.00	ACCUMULATORS, having ALL of the following: (a) lithium nickel cobalt manganese oxide battery pack; (b) energy capacity NOT less than 1 500 kWh; (c) weight NOT less than 15 000 kg; (d) power distribution AND conversion unit; (e) charger interface unit, with OR without EITHER of the following: (i) fire suppression system; (ii) thermal cooling system Op. 12.08.24 Dec. date 13.11.24	50 - TC 24191069

Description of Goods including the Customs Tariff Classification		Schedule 4 Item Number Last Date of Effect
8544.60.90	CABLES, PUMP AND/OR MAIN FEEDER AND/OR POWER, three core, mining, having ALL of the following: (a) stranded tinned copper core; (b) operating temperature NOT less than 90 degrees Celsius; (c) voltage capacity NOT less than 1.1 Kv; (d) chloroprene rubber compound sheaths Op. 19.08.24	50 Dec. date 18.11.24 - TC 24197983