



**Commonwealth  
of Australia**

# Gazette

**No. TC 24/50, Wednesday, 18 December 2024**  
Published by the Commonwealth of Australia

**TARIFF CONCESSIONS**

## CONTENTS

TCO Applications .....	2
TCOs Made.....	13
Local Manufacturer Initiated - TCO Revocation Requests .....	14
TCOs Revoked and Re-Issued - Classification Change.....	15
Cheese Quota Transfers.....	18

**The Commonwealth of Australia Tariff Concessions Gazette  
(the Tariff Concessions Gazette) is free of charge on the link below at:**  
<https://www.abf.gov.au/importing-exporting-and-manufacturing/tariff-concessions-system>

**Contact details:**  
**General Email inquiries including Tapin Help Desk: [tarcon@abf.gov.au](mailto:tarcon@abf.gov.au)**

**CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269K(1) - APPLICATIONS MADE FOR TARIFF CONCESSION ORDERS**

Applications have been lodged for Tariff Concession Orders for the goods described in the following TABLE.

Australian manufacturers who wish to contest the granting of a Tariff Concession Order for the goods described are invited to lodge a submission in writing in an approved form. Submissions must be lodged within 50 days of the date of publication of this Notice.

The operative date (Op.) and TC reference number follow the description of goods.

To assist local manufacturers, the use(s) to which the goods can be put follow the description of goods.

Objections to the making of TCO submission forms are available at

<https://www.abf.gov.au/importing-exporting-and-manufacturing/tariff-concessions-system/tariff-concession-order>

Contact: Email [tarcon@abf.gov.au](mailto:tarcon@abf.gov.au)

## THE TABLE

Description of Goods including the Customs Tariff Classification		Schedule 4 Item Number
3208.20.00	PRIMERS, zinc, acrylic resin based, having NOT less than 98% zinc purity Op. 26.11.24	50 - TC 24462729
	Stated Use: For protection of metal surfaces against climate influences	
	Applicant: WURTH AUSTRALIA PTY LTD	50%
3208.90.00	COATINGS, zinc, modified alkyd resin based, having NOT less than 99.9% zinc purity Op. 26.11.24	50 - TC 24462705
	Stated Use: For repairing damage on galvanised parts and steel structures	
	Applicant: WURTH AUSTRALIA PTY LTD	5%
3901.20.00	RESINS, being unpigmented multimodal, high-density polyethylene, in pelletised form, having ALL of the following: (a) melt flow rate NOT less than 1.25 g/10 min and NOT greater than 1.75g/10 min, complying with American Society for Testing and Materials standard D 1238 (ASTM D 1238), 190 degrees Celsius /2.16 kg; (b) environmental stress-cracking of ethylene plastics failure NOT less than 50% /350 hours, complying with American Society for Testing and Materials standard D1693-B (ASTM D1693-B); (c) full-notch creep test value NOT less than 30 hours complying with International Organization for Standardization 16770 (ISO 16770) Op. 21.11.24	50 - TC 24459913
	Stated Use: Manufacture of closures for beverages with high levels of carbonation using high speed compression moulding	
	Applicant: RAVAGO AUSTRALIA PTY LTD	5%

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number
<p>3901.20.00 RESINS, being unpigmented multimodal, high-density polyethylene, in pelletised form, having ALL of the following:</p> <ul style="list-style-type: none"> <li>(a) melt flow rate NOT less than 0.55 g/10 min and NOT greater than 0.85 g/10 min complying with American Society for Testing and Materials Standard D1238 (ASTM D1238), 190 degrees Celsius/2.16 kg;</li> <li>(b) density NOT less than 958 kg/m<sup>3</sup> and NOT greater than 963 kg/m<sup>3</sup> complying with International Organisation for Standardisation 1183 (ISO 1183);</li> <li>(c) environmental stress-cracking failure NOT less than 50%/72 hours, complying with American Society for Testing and Materials Standard D1693-B (ASTM D1693-B)</li> </ul> <p>Op. 21.11.24</p> <p>Stated Use: For the manufacture of industrial packaging films</p> <p>Applicant: RAVAGO AUSTRALIA PTY LTD</p>	<p>50</p> <p>- TC 24459965</p> <p>5%</p>
<p>3901.20.00 RESINS, high-density polyethylene, unpigmented multimodal, pelletised form, having ALL of the following:</p> <ul style="list-style-type: none"> <li>(a) melt flow rate NOT less than 0.70 g/10 min and NOT greater than 0.90 g/10 min, complying with American Society for Testing and Materials standard 1238 (ASTM D 1238), 190 degrees Celsius/2.16 kg;</li> <li>(b) environmental stress-cracking of ethylene plastics failure NOT less than 50%/750 hours, complying with American Society for Testing and Materials standard D 1693-B (ASTM D1693-B);</li> <li>(c) full-notch creep test value NOT less than 65 hours, complying with International Organization for standardization 16770(ISO 16770)</li> </ul> <p>Op. 21.11.24</p> <p>Stated Use: The manufacture of closures for beverages with high levels of carbonation using high speed compression moulding</p> <p>Applicant: RAVAGO AUSTRALIA PTY LTD</p>	<p>50</p> <p>- TC 24460043</p> <p>5%</p>
<p>3901.20.00 RESINS, being unpigmented multimodal, high-density polyethylene, in pelletised form, having all of the following:</p> <ul style="list-style-type: none"> <li>(a) melt flow rate NOT less than 3.75 g/10 min and NOT greater than 4.25 g/10 min in complying with international standard American Society for Testing and Materials standard D 1238 (ASTM D 1238), 190 degrees Celsius / 2.16 kg;</li> <li>(b) environmental stress-cracking of ethylene plastics failure NOT less than 50% /40 Hours, complying with American Society for Testing and Materials standard D 1693-B (ASTM D1693-B)</li> </ul> <p>Op. 21.11.24</p> <p>Stated Use: Manufacture of closures for beverages with high levels of carbonation</p> <p>Applicant: RAVAGO AUSTRALIA PTY LTD</p>	<p>50</p> <p>- TC 24460090</p>
<p>3901.20.00 RESINS, being pigmented black, high-density polyethylene, in pelletised form, having ALL of the following:</p> <ul style="list-style-type: none"> <li>(a) melt flow rate NOT less than 0.35 g/10 min and NOT greater than 0.85 g/10 min, complying with International Organisation for Standardisation 1133 (ISO 1133), 190 degrees Celsius/5.0 kg</li> <li>(b) density NOT less than 956kg/m<sup>3</sup> and NOT greater than 965kg/m<sup>3</sup>, complying with International Organisation for</li> </ul>	<p>50</p>

(Continued on next page)

Description of Goods including the  
Customs Tariff Classification

Schedule 4 Item Number

(Continued from previous page)

Standardisation 1183 (ISO 1183), 23 degrees Celsius;  
(c) oxidation induction time NOT less than 20 minutes,  
complying with International Organisation for  
Standardisation 11357-6 (ISO 11357-6), 210 degrees Celsius  
Op. 21.11.24 - TC 24460108

Stated Use:  
The manufacture of black twin walled corrugated pipes

Applicant: RAVAGO AUSTRALIA PTY LTD 5%

3901.20.00 RESINS, bimodal high density polyethylene compound, pigmented black, pelletised form, having ALL of the following: 50  
(a) melt flow rate NOT less than 0.20 g/10 min and NOT greater than 0.30 g/10 min, complying with International Organization for Standardization 1133 (ISO 1133), 190 degrees Celsius/5.0 kg;  
(b) density NOT less than 955 kg/m<sup>3</sup> and NOT greater than 965 kg/m<sup>3</sup>, complying with International Organization for Standardization 1183 (ISO 1183);  
(c) oxidation induction time NOT less than 20 minutes, complying with International Organization for Standardization 11357-6 (ISO 11357-6);  
(d) carbon black content NOT less than 2% and NOT greater than 2.5%, complying with International Organization for Standardization 6964 (ISO 6964)  
Op. 21.11.24 - TC 24460133

Stated Use:  
The manufacture of pressure pipes

Applicant: RAVAGO AUSTRALIA PTY LTD 5%

3901.20.00 RESINS, being black pigmented, bimodal high density polyethylene hexene copolymer compound, in pelletised form, having ALL of the following: 50  
(a) melt flow rate NOT less than 0.155 g/10 min and NOT greater than 0.195 g/10 min, complying with International Organization for Standardization 1133 (ISO 1133), 190 degrees Celsius / 5.0 kg;  
(b) density NOT less than 955kg/m<sup>3</sup> and NOT greater than 964kg/m<sup>3</sup>, complying with International Organization for Standardization 1183 (ISO 1183), 23 degrees Celsius;  
(c) oxidation induction time NOT less than 20 minutes complying with International Organization for Standardization 11357-6 (ISO 11357-6), 210 degrees Celsius;  
(d) carbon black content NOT less than 2% and NOT greater than 2.5%, complying with International Organization for Standardization 6964 (ISO 6964)  
Op. 21.11.24 - TC 24460152

Stated Use:  
Manufacture of thick walled and large diameter pipes

Applicant: RAVAGO AUSTRALIA PTY LTD 5%

3901.20.00 RESINS, being unpigmented, high density polyethylene hexene copolymer, in pelletised form, having ALL of the following: 50  
(a) melt flow rate NOT less than 0.20 g/10 min and NOT greater than 0.40 g/10 min, complying with International Organisation for Standardisation 1133 (ISO 1133), 190 degrees Celsius/5.0 kg;  
(b) density NOT less than 947kg/m<sup>3</sup> and NOT greater than 952kg/m<sup>3</sup>, complying with International Organisation for Standardisation 1183 (ISO 1183), 23 degrees Celsius;  
(c) flexural modulus NOT less than 950 MPa complying with

(Continued on next page)

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number
---	------------------------

(Continued from previous page)

	International Organisation for Standardisation 178 (ISO 178) Op. 21.11.24	- TC 24460192	
	Stated Use: The manufacture of pressure pipes  Applicant: RAVAGO AUSTRALIA PTY LTD		5%
3919.10.00	MOUNTING TAPE, double sided, acrylate base Op. 26.11.24	- TC 24462645	50
	Stated Use: Connecting and sealing of materials in a single step  Applicant: WURTH AUSTRALIA PTY LTD		5%
3926.90.90	STORAGE CASES, stackable, with OR without compartment inserts, having All of the following: (a) ABS material; (b) latches with winger recesses; (c) coupling elements Op. 22.11.24	- TC 24460885	50
	Stated Use: For variable storage of small components, machines and tools used with consumables  Applicant: WURTH AUSTRALIA PTY LTD		5%
6804.21.00	CUTTING AND/OR GRINDING DISCS, vacuum brazed diamond coating Op. 29.11.24	- TC 24471351	50
	Stated Use: Metal cutting applications  Applicant: WURTH AUSTRALIA PTY LTD		5%
6804.22.00	CUTTING DISCS, circumferential speed NOT greater than 80 m/s Op. 29.11.24	- TC 24470702	50
	Stated Use: Cutting of metals  Applicant: WURTH AUSTRALIA PTY LTD		5%
7302.90.00	DAMPERS, RAIL Op. 15.11.24	- TC 24455704	50
	Stated Use: Reduce rail track noise  Applicant: S & V AUSTRALIA PTY LTD		5%
7307.29.00	FITTINGS, HOSE OR SPOOLABLE PIPE, stainless steel, threaded, double swage, with OR without o-ring seals Op. 27.11.24	- TC 24464419	50
	Stated Use: Fittings for reinforced plastic hose or spoolable line pipe  Applicant: ILUKA RESOURCES LTD		5%

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number
<p>7326.90.90 BRACING STRAP TENSIONERS, including ALL of the following:</p> <ul style="list-style-type: none"> <li>(a) hex self-drilling pilot point bolt;</li> <li>(b) tensioner bracket;</li> <li>(c) convex flanged washer;</li> <li>(d) threaded nut with bracket</li> </ul> <p>Op. 21.11.24</p> <p>Stated Use: For use in construction framing for pre-tensioning of structural bracing, strap on wall panels and roof trusses.</p> <p>Applicant: IDEAL FASTENERS PTY LTD</p>	<p>50</p> <p>- TC 24460584</p> <p>5%</p>
<p>7612.90.00 STERILISATION CONTAINERS, MEDICAL INSTRUMENT, including ALL of the following:</p> <ul style="list-style-type: none"> <li>(a) tamper evident locking mechanism;</li> <li>(b) anodised aluminium lid having EITHER of the following: <ul style="list-style-type: none"> <li>(i) paper filter;</li> <li>(ii) reusable barrier,</li> </ul> </li> <li>(c) container base dimensions, being ANY of the following: <ul style="list-style-type: none"> <li>(i) 310 x 131 x 28 mm;</li> <li>(ii) 310 x 131 x 56 mm;</li> <li>(iii) 310 x 131 x 85 mm;</li> <li>(iv) 312 x 183 x 36 mm;</li> <li>(v) 312 x 183 x 54 mm;</li> <li>(vi) 312 x 183 x 72 mm;</li> <li>(vii) 312 x 183 x 85 mm;</li> <li>(viii) 312 x 183 x 122 mm;</li> <li>(ix) 211 x 140 x 41 mm;</li> <li>(x) 230 x 161 x 55 mm;</li> <li>(xi) 230 x 161 x 73 mm;</li> <li>(xii) 230 x 161 x 90 mm;</li> <li>(xiii) 230 x 161 x 120 mm</li> </ul> </li> </ul> <p>Op. 03.12.24</p> <p>Stated Use: Sterilisation and tamper evident storage for medical instruments</p> <p>Applicant: MEDICAL &amp; OPTICAL INSTRUMENTS AUSTRALIA PTY LTD</p>	<p>50</p> <p>- TC 24472498</p> <p>5%</p>
<p>8413.81.90 EJECTOR PUMPS, AMMONIA AND CARBAMATE SOLUTION, with OR without the following:</p> <ul style="list-style-type: none"> <li>(a) pneumatic diaphragm actuator;</li> <li>(b) pneumatic positioner;</li> <li>(c) electro-pneumatic positioner;</li> <li>(d) filter reducing station</li> </ul> <p>Op. 29.11.24</p> <p>Stated Use: To pump or move liquids using the principle of jet propulsion and fluid dynamics</p> <p>Applicant: CLOUGH PROJECTS AUSTRALIA PTY LTD &amp; SAIPEM AUSTRALIA PTY LTD</p>	<p>50</p> <p>- TC 24471361</p> <p>5%</p>
<p>8413.91.90 PARTS, AXIAL PISTON PUMP, being piston pads</p> <p>Op. 25.11.24</p> <p>Stated Use: Parts for axial piston pumps</p> <p>Applicant: BOSCH REXROTH PTY LTD</p>	<p>50</p> <p>- TC 24462318</p> <p>5%</p>

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number
<p>8414.80.19 PULSE COMPRESSOR SYSTEM, skid mounted, including ALL of the following:  (a) air compressor;  (b) compressed air dryer;  (c) compressed air filtration;  (d) air receiver;  (e) pulse control system;  (f) electrical circuits  Op. 20.11.24</p> <p>Stated Use:  Providing clean and dry compressed air to the filter house pulse system</p> <p>Applicant: GE POWER AUSTRALIA PTY LTD</p>	<p>50</p> <p>- TC 24459223</p> <p>5%</p>
<p>8416.20.00 GAS FURNACE BURNER PANELS, STEEL STRIP METAL COATING LINE, including ANY of the following;  (a) insulation;  (b) plates;  (c) gaskets  Op. 20.11.24</p> <p>Stated Use:  Burner with furnace refractory ceramics for burning gas as part of metal manufacturing.</p> <p>Applicant: BLUESCOPE STEEL (AIS) PTY LTD</p>	<p>50</p> <p>- TC 24459443</p> <p>5%</p>
<p>8416.20.00 FURNACE GAS BURNERS, STEEL STRIP METAL COATING LINE, including ANY of the following;  (a) burner panels with OR without ANY of the following:  (i) insulation;  (ii) plates;  (iii) gaskets,  (b) burner blocks with cartridges  Op. 21.11.24</p> <p>Stated Use:  Burner with furnace refractory ceramics for burning gas as part of metal manufacturing</p> <p>Applicant: BLUESCOPE STEEL (AIS) PTY LTD</p>	<p>50</p> <p>- TC 24459710</p> <p>5%</p>
<p>8418.69.00 CONDENSERS, REFRIGERATION, air or water-cooled, including ANY of the following:  (a) frequency inverter;  (b) fans;  (c) control unit;  (d) filter-dryer;  (e) cartridge pressure switches AND transmitters;  (f) oil heater with oil charge;  (g) temperature sensors;  (h) piping AND wiring,  with OR without ANY of the following:  (i) refrigerant injection unit;  (ii) oil separator with check valve;  (iii) check valve in liquid line;  (iv) cold room temperature sensor  Op. 13.11.24</p> <p>Stated Use:  Components of industrial refrigeration systems</p> <p>Applicant: BITZER AUSTRALIA PTY LIMITED</p>	<p>50</p> <p>- TC 24453063</p> <p>5%</p>

Description of Goods including the Customs Tariff Classification		Schedule 4 Item Number
<p>8421.99.90 FILTER HOUSE ASSEMBLIES, GAS TURBINE AIR INTAKE FILTER, including ALL of the following:</p> <ul style="list-style-type: none"> <li>(a) weather hood;</li> <li>(b) filter pulse cleaning system;</li> <li>(c) tube-sheet with filter mounting tripod;</li> <li>(d) blowpipe</li> </ul> <p>Op. 25.11.24</p> <p>Stated Use: Filtering air for a gas turbine system</p> <p>Applicant: GE POWER AUSTRALIA PTY LTD</p>	- TC 24461665	50
<p>8422.30.90 GLUTEN AND/OR STARCH PACKAGING LINE, whether OR not assembled, programmable logic controlled, having ALL of the following:</p> <ul style="list-style-type: none"> <li>(a) bag placer;</li> <li>(b) check weigher;</li> <li>(c) compressed-air maintenance device;</li> <li>(d) control cabinet;</li> <li>(e) conveyors;</li> <li>(f) de-dusting device;</li> <li>(g) dosing system;</li> <li>(h) Explosion protection system complying to Directive 2014/34/EU;</li> <li>(i) fan;</li> <li>(j) filling machine;</li> <li>(k) frequency converter gear drive;</li> <li>(l) height adjustor with motor winch;</li> <li>(m) nozzles;</li> <li>(n) piping;</li> <li>(o) pneumatic impactors;</li> <li>(p) residual emptying AND cleaning AND flushing system;</li> <li>(q) rotary piston blower;</li> <li>(r) rotating silo;</li> <li>(s) support structure AND maintenance platform;</li> <li>(t) spillage collection;</li> <li>(u) switches;</li> <li>(v) turn table;</li> <li>(w) ventilator;</li> <li>(x) ultrasonic valve sealing system</li> </ul> <p>Op. 19.11.24</p> <p>Stated Use: Packaging line for gluten</p> <p>Applicant: MANILDRA FLOUR MILLS PTY LTD</p>	- TC 24458163	50
<p>8424.89.90 WASH CARTS, GAS TURBINE, mobile</p> <p>Op. 13.11.24</p> <p>Stated Use: Cleaning gas turbines by spraying water and cleaning agent</p> <p>Applicant: GE POWER AUSTRALIA PTY LTD</p>	- TC 24454163	50
<p>8426.12.00 MOBILE GANTRY MACHINES, including ALL of the following:</p> <ul style="list-style-type: none"> <li>(a) diesel engine;</li> <li>(b) remote control;</li> <li>(c) driving speed NOT greater than 6 km/h;</li> <li>(d) NOT less than 3 wheels;</li> <li>(e) steering selection switch</li> </ul> <p>Op. 25.11.24</p> <p>Stated Use: Side shifting and fully raised trolley able to side shift fully left or right</p> <p>Applicant: LITTLE ARCHIE PTY LTD</p>	- TC 24462480	50



Description of Goods including the Customs Tariff Classification		Schedule 4 Item Number
8427.10.00	<p>WAREHOUSE ROBOTS, lifting AND handling, mobile, having ALL of the following:</p> <ul style="list-style-type: none"> <li>(a) load carrying capacity NOT greater than 570 kg;</li> <li>(b) lifting platform disc;</li> <li>(c) forward facing obstacle detection camera;</li> <li>(d) upward AND downward looking cameras;</li> <li>(e) wireless connection AND radio receivers;</li> <li>(f) battery recharging port;</li> <li>(g) electric;</li> <li>(h) self-propelled</li> </ul> <p>Op. 12.11.24</p> <p>Stated Use: For lifting and movement of inventory in fulfilment centres and warehouses</p> <p>Applicant: AMAZON COMMERCIAL SERVICES PTY LTD</p>	<p>50</p> <p>- TC 24453061</p> <p>5%</p>
8430.49.00	<p>HORIZONTAL DIRECTIONAL DRILLING RIGS, track mountable, with OR without ANY of the following:</p> <ul style="list-style-type: none"> <li>(a) rotary drill;</li> <li>(b) external control room;</li> <li>(c) external hydraulic power supply</li> </ul> <p>Op. 05.12.24</p> <p>Stated Use: Horizontal directional drilling of boreholes for mining</p> <p>Applicant: ILUKA RESOURCES LTD</p>	<p>50</p> <p>- TC 24475686</p> <p>5%</p>
8431.31.00	<p>PARTS, ELEVATOR, CRANE DRIVER, being ANY two OR more of the following:</p> <ul style="list-style-type: none"> <li>(a) rails AND/OR tracks;</li> <li>(b) quick-release closures;</li> <li>(c) spring buckles;</li> <li>(d) brackets;</li> <li>(e) floor gates;</li> <li>(f) fasteners, including nuts AND/OR bolts AND/OR washers</li> </ul> <p>Op. 20.11.24</p> <p>Stated Use: Installation kits for crane driver elevators</p> <p>Applicant: LIEBHERR-AUSTRALIA PTY LTD</p>	<p>50</p> <p>- TC 24458703</p> <p>5%</p>
8467.29.00	<p>POLISHERS AND/OR SCRUBBERS, with OR without ANY of the following:</p> <ul style="list-style-type: none"> <li>(a) bags;</li> <li>(b) batteries;</li> <li>(c) battery chargers;</li> <li>(d) brushes;</li> <li>(e) connectors;</li> <li>(f) covers;</li> <li>(g) guards;</li> <li>(h) pads;</li> <li>(i) pad holders</li> </ul> <p>Op. 21.11.24</p> <p>Stated Use: Cleaning and polishing floors</p> <p>Applicant: MAKITA (AUSTRALIA) PTY LTD</p>	<p>50</p> <p>- TC 24460569</p> <p>5%</p>

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number
<p>8479.82.00 CHEMICAL BLENDING PLANT, including ALL of the following:</p> <ul style="list-style-type: none"> <li>(a) vessels;</li> <li>(b) tanks;</li> <li>(c) platform;</li> <li>(d) pumps;</li> <li>(e) flanges;</li> <li>(f) bends AND/OR T fittings;</li> <li>(g) electrical control system</li> </ul> <p>Op. 27.11.24</p> <p>Stated Use: Mixes raw materials into admixtures for the ready-mix and pre-cast concrete industry</p> <p>Applicant: MB SOLUTIONS AUSTRALIA PTY LTD</p>	<p>50</p> <p>- TC 24464366</p> <p>5%</p>
<p>8481.80.90 GAS MIXING AND/OR DISTRIBUTION STATIONS OR SKIDS, STEEL STRIP METAL COATING LINE, including ALL of the following:</p> <ul style="list-style-type: none"> <li>(a) valves;</li> <li>(b) piping;</li> <li>(c) steel support structure</li> </ul> <p>Op. 19.11.24</p> <p>Stated Use: Regulate, mix and distribute, nitrogen, and/or hydrogen, and/or natural gas for the processing of steel strip in a metal coating line</p> <p>Applicant: BLUESCOPE STEEL (AIS) PTY LTD</p>	<p>50</p> <p>- TC 24457783</p> <p>5%</p>
<p>8483.30.90 JOURNAL BEARINGS, BLOWER TURBINE IMPELLER SHAFT</p> <p>Op. 28.11.24</p> <p>Stated Use: Parts for blower turbine impeller shafts</p> <p>Applicant: NYRSTAR HOBART PTY LTD</p>	<p>50</p> <p>- TC 24464699</p> <p>5%</p>
<p>8507.60.00 ACCUMULATORS, lithium-ion, having ALL of the following:</p> <ul style="list-style-type: none"> <li>(a) weight NOT less than 535 kg and NOT greater than 1 770 kg;</li> <li>(b) voltage NOT less than 44 volts and NOT greater than 60 volts;</li> <li>(c) current capacity NOT less than 222 A/H and NOT greater than 1 184 A/H</li> </ul> <p>Op. 04.12.24</p> <p>Stated Use: Powering forklifts used in the movement of goods in factories, warehouses and other industrial applications</p> <p>Applicant: TRIATHLON BATTERY SOLUTIONS PTY LTD</p>	<p>50</p> <p>- TC 24474166</p>
<p>8507.60.00 ACCUMULATORS, lithium-ion, having ALL of the following:</p> <ul style="list-style-type: none"> <li>(a) weight NOT less than 450 kg and NOT greater than 2 160 kg;</li> <li>(b) voltage NOT less than 61 volts and NOT greater than 84 volts;</li> <li>(c) current capacity NOT less than 370 A/H and NOT greater than 962 A/H</li> </ul> <p>Op. 04.12.24</p> <p>Stated Use: Powering and providing counterbalance capability to forklifts used in the movement of goods in factories, warehouses, and other industrial applications</p> <p>Applicant: TRIATHLON BATTERY SOLUTIONS PTY LTD</p>	<p>50</p> <p>- TC 24474181</p> <p>5%</p>

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number
8515.90.90      PARTS, SOLDERING AND DESOLDERING STATIONS, being ANY of the following: (a) cartridge AND/OR tips; (b) handles; (c) nozzles; (d) pre-heater Op. 21.11.24  Stated Use: Components for soldering stations  Applicant: THE TRUSTEE FOR KINGON FAMILY TRUST	50    - TC 24460561       5%
8544.60.90      POWER AND COMMUNICATION FLYING LEADS, SUBSEA, with OR without connectors Op. 22.11.24  Stated Use: Used to distribute power and communication data between subsea infrastructure  Applicant: WOODSIDE ENERGY LTD	50   - TC 24461646       5%
8604.00.00      RAIL GRINDERS, self-propelled, diesel powered, having ALL of the following: (a) maximum travelling speed NOT greater than 100 km/h; (b) NOT less than 20 grindstones and NOT greater than 32 grindstones; (c) diesel tank capacity NOT less than 2 000 litres and NOT greater than 3 500 litres Op. 02.12.24  Stated Use: Railroad rolling for plain-line track AND switches grinding  Applicant: SALCEF S P A	50       - TC 24471830       5%
8709.11.00      TRACTORS, TOWING, battery powered, stand-on, including ALL of the following: (a) drawbar pull NOT greater than 1 150 N; (b) travel speed without load NOT less than 11 km/h; (c) wheelbase length NOT greater than 1 319 mm; (d) loading capacity NOT greater than 5 000 kg Op. 20.11.24  Stated Use: Stand-in towing tractor for horizontal transport with frequent on and off  Applicant: TOYOTA MATERIAL HANDLING AUSTRALIA PTY LTD	50       - TC 24458811       5%

Description of Goods including the Customs Tariff Classification		Schedule 4 Item Number
9405.21.00	FLOOR LAMPS, LED, with or without ANY of the following: (a) dimmable; (b) motion detector; (c) daylight control; (d) energy saving function Op. 29.11.24  Stated Use: Illuminate areas of domestic and/or commercial premises  Applicant: LUCIAN ARCHITECTURAL LIGHTING PTY LTD	50          - TC 24470385          5%
9406.90.00	CONTROL ENCLOSURES, including ALL of the following: (a) control module; (b) generator control panel; (c) motor control centre; (d) safety instrumentation panel; (e) battery charger cabinet; (f) HVAC units Op. 14.11.24  Stated Use: Provides a working space for operators to monitor and control the operations of power station gas turbines via human machine interface data processing units  Applicant: GE POWER AUSTRALIA PTY LTD	50          - TC 24454272          5%

**CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269R(1) - TARIFF CONCESSION ORDERS MADE**

Tariff Concession Orders have been made for the goods described in the following TABLE.

The operative date (Op.) and TC reference No. follow the description of goods. Local manufacturers of substitutable goods may request the revocation of TCOs at any time.

## THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect
8422.30.90 CAPPING MACHINES, BEVERAGE, output NOT less than 10,000 and NOT greater than 121 000 bottles per hour Op. 17.09.24 Dec. date 12.12.24	50 - TC 24228267
8428.90.00 HANDLING MACHINES, KEG INVERTER, multi-step, including ALL of the following: (a) infeed roller conveyor; (b) turner fork; (c) capacity NOT greater than 200 kegs per hour; (d) conveying height NOT greater than 1 000 mm Op. 12.09.24 Dec. date 12.12.24	50 - TC 24223616
8483.10.99 PROPELLER SHAFTS, having ALL of the following; (a) length NOT greater than 1 765 mm; (b) diameter NOT greater than 150 mm; (c) uni-joints AND yoke Op. 30.07.24 Dec. date 12.12.24	50 - TC 24180558
9503.00.30 TOYS, stuffed, textile, representing animals OR non-human creatures Op. 17.09.24 Dec. date 12.12.24	50 - TC 24230586

NOTIFICATION OF AN AUSTRALIAN INDUSTRY REVOCATION REQUEST - SECTION 269SC(1A) CUSTOMS ACT

An application has have been lodged for revocation of the Tariff Concession Order set out in the following TABLE.

The Lodgement Request Date shown in the table below is the intended revocation date for the Tariff Concession Order which will take effect should the application for revocation be successful.

Importations not covered by in-transit provisions may be subject to post action as any decision to revoke an order is backdated to the date of request for revocation.

THE TABLE

Description of Goods including the Customs Tariff Classification		Schedule 4 Item Number
		Lodgement Request Date
8431.39.00	ROLLERS, CONVEYOR, having ALL of the following: (a) high density polyethylene outer roll; (b) bearings; (c) seals; (d) steel shaft	50
Op. 22.09.17	Dec. date 12.12.17	16.12.24
		- TC 17101380

## CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269SE(2)

## TARIFF CONCESSION ORDER REVOKED AND NARROWER TARIFF CONCESSION ORDERS MADE IN ACCORDANCE WITH 269SD(2) OF THE CUSTOMS ACT.

Tariff Concession Orders for the goods described in the following TABLE have been revoked and narrower Tariff Concession Orders made in respect of the goods described below.

The operative date (Op.), decision date (Dec. date) and TC reference number follow the description of goods.

## THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect
TCO REVOKED	
6907.21.90 PORCELAIN SLABS, glazed, having ALL of the following: (a) length NOT less than 3 230 mm; (b) width NOT less than 1 200 mm; (c) thickness NOT less than 3 mm and NOT greater than 12 mm Op. 01.01.17 Dec. date 07.12.16 Order revoked see TC 24482506 keyed to tariff 6914.90.00	50 15.12.24 - TC 1661011
TCO REISSUED	
6914.90.00 PORCELAIN SLABS, glazed, having ALL of the following: (a) length NOT less than 3 230 mm; (b) width NOT less than 1 200 mm; (c) thickness NOT less than 3 mm and NOT greater than 12 mm Op. 16.12.24 Dec. date 16.12.24	50 - TC 24482506
TCO REVOKED	
6907.21.90 PORCELAIN SLABS, unglazed, having ALL of the following: (a) length NOT less than 3 230 mm; (b) width NOT less than 1 200 mm; (c) thickness NOT less than 3 mm and NOT greater than 12 mm Op. 01.01.17 Dec. date 07.12.16 Order revoked see TC 24482515 keyed to tariff 6914.90.00	50 15.12.24 - TC 1661817
TCO REISSUED	
6914.90.00 PORCELAIN SLABS, unglazed, having ALL of the following: (a) length NOT less than 3 230 mm; (b) width NOT less than 1 200 mm; (c) thickness NOT less than 3 mm and NOT greater than 12 mm Op. 16.12.24 Dec. date 16.12.24	50 - TC 24482515
TCO REVOKED	
6907.21.90 CERAMIC SLABS, unglazed, having ALL of the following: (a) length NOT greater than 3 300 mm; (b) width NOT greater than 1 500 mm; (c) thickness NOT less than 6 mm and NOT greater than 35 mm Op. 01.01.17 Dec. date 07.12.16	50 15.12.24 - TC 1661820
TCO REISSUED	
6914.90.00 CERAMIC SLABS, unglazed, having ALL of the following: (a) length NOT greater than 3 300 mm; (b) width NOT greater than 1 500 mm; (c) thickness NOT less than 6 mm and NOT greater than 35 mm Op. 16.12.24 Dec. date 16.12.24	50 - TC 24482495
TCO REVOKED	
6907.21.90 PORCELAIN SLABS, unglazed, having ALL of the following: (a) length NOT greater than 1 500 mm; (b) width NOT greater than 1 500 mm; (c) thickness NOT less than 3 mm and NOT greater than 6 mm Op. 01.01.17 Dec. date 07.12.16 Order revoked see TC 24482459 keyed to tariff 6914.90.00	50 15.12.24 - TC 1662856

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect
TCO REISSUED	
6914.90.00 PORCELAIN SLABS, unglazed, having ALL of the following: (a) length NOT greater than 1 500 mm; (b) width NOT greater than 1 500 mm; (c) thickness NOT less than 3 mm and NOT greater than 6 mm Op. 16.12.24 Dec. date 16.12.24	50     - TC 24482459
TCO REVOKED	
6907.21.90 PORCELAIN SLABS, unglazed, with OR without fibreglass mesh backing, having ALL of the following: (a) length NOT less than 3 000 mm; (b) width NOT greater than 1 500 mm; (c) thickness NOT less than 3 mm and NOT greater than 6 mm Op. 01.01.17 Dec. date 07.12.16 Order revoked see TC 24482516 keyed to tariff 6914.10.00	50 15.12.24    - TC 1662858
TCO REISSUED	
6914.10.00 PORCELAIN SLABS, unglazed, with OR without fibreglass mesh backing, having ALL of the following: (a) length NOT less than 3 000 mm; (b) width NOT greater than 1 500 mm; (c) thickness NOT less than 3 mm and NOT greater than 6 mm Op. 16.12.24 Dec. date 16.12.24	50     - TC 24482516
TCO REVOKED	
6907.21.90 SLABS, porcelain, unglazed, with OR without fibreglass mesh backing, having ALL of the following: (a) length NOT less than 3 240 mm; (b) width NOT greater than 1 620 mm; (c) thickness NOT less than 12 mm and NOT greater than 20 mm Op. 01.01.17 Dec. date 07.12.16 Order revoked see TC 24482468 keyed to tariff 6914.10.00	50 15.12.24    - TC 1672298
TCO REISSUED	
6914.10.00 SLABS, porcelain, unglazed, with OR without fibreglass mesh backing, having ALL of the following: (a) length NOT less than 3 240 mm; (b) width NOT greater than 1 620 mm; (c) thickness NOT less than 12 mm and NOT greater than 20 mm Op. 01.01.17 Dec. date 16.12.24	50     - TC 24482468
TCO REVOKED	
6907.21.90 PORCELAIN SLABS, Having ALL of the following: (a) length NOT greater than 3 800 mm; (b) width NOT greater than 1 800 mm; (c) thickness NOT greater than 35 mm Op. 15.11.17 Dec. date 07.02.18 Order revoked see TC 24482523 keyed to tariff 6914.90.00	50 15.12.24    - TC 17122412
TCO REISSUED	
6914.90.00 PORCELAIN SLABS, Having ALL of the following: (a) length NOT greater than 3 800 mm; (b) width NOT greater than 1 800 mm; (c) thickness NOT greater than 35 mm Op. 15.11.17 Dec. date 16.12.24	50     - TC 24482523
TCO REVOKED	
6907.21.90 PORCELAIN SLABS, polished, having ALL of the following: (a) length NOT greater than 3 800 mm; (b) width NOT greater than 1 800 mm; (c) thickness NOT greater than 35 mm Op. 15.11.17 Dec. date 07.02.18 Order revoked see TC 244825190 keyed to tariff 6914.90.00	50 15.12.24    - TC 17122414



Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect
---	---

## TCO REISSUED

6914.90.00	PORCELAIN SLABS, polished, having ALL of the following:	50
	(a) length NOT greater than 3 800 mm;	
	(b) width NOT greater than 1 800 mm;	
	(c) thickness NOT greater than 35 mm	
Op. 16.12.24	Dec. date 16.12.24	- TC 24482519

## TCO REVOKED

6907.21.90	CERAMIC SLABS, having ALL of the following:	50
	(a) length NOT greater than 3 300 mm;	15.12.24
	(b) width NOT greater than 1 500 mm;	
	(c) thickness NOT less than 4 mm and NOT greater than 35 mm	
Op. 12.11.18	Dec. date 06.02.19	- TC 18225306
Order revoked see TC 24482469 keyed to tariff 6914.90.00		

## TCO REISSUED

6914.90.00	CERAMIC SLABS, having ALL of the following:	50
	(a) length NOT greater than 3 300 mm;	
	(b) width NOT greater than 1 500 mm;	
	(c) thickness NOT less than 4 mm and NOT greater than 35 mm	
Op. 16.12.24	Dec. date 16.12.24	- TC 24482469

AUSTRALIAN BORDER FORCE

TARIFF QUOTAS - QUOTA TRANSACTIONS PROCESSED IN THE PERIOD 10 Dec 2024 to 17 Dec 2024.

GENERAL INFORMATION

This Gazette contains details of quota transactions processed in the period 10 Dec 2024 to 17 Dec 2024 inclusive.

Part 1 contains a Table specifying quota category details.

Part 2, Section A, lists quota holders who received quota allocations via transfer transactions.

Part 2, Section B, lists all adjustments to previous allocations which have been caused by transfer transactions.

NB.- In Section B, transactions represent changes to individual tariff quotas and do not necessarily represent the entire holdings in that category for the quota holder.

- The "AS WAS" and "AS IS" columns indicate the quota levels for that particular tariff quota only at the time of that transaction.
- The amount of the transaction can be deduced by subtracting the "AS WAS" column from the "AS IS" column.

Inquiries concerning any information published within this Gazette should be directed to the Australian Border Force, Trusted Trader and Trade Compliance Branch, [tarcon@abf.gov.au](mailto:tarcon@abf.gov.au).

PART 1

NOTICE OF MAKING A DETERMINATION UNDER PART XVI OF THE CUSTOMS ACT 1901

In pursuance of Section 273B of the Customs Act 1901, notice is hereby given that a Determination specified in Section A of Part 2 was made in relation to Item 55 in Part III of Schedule 4 to the Customs Tariff Act 1995 and subject to any conditions set out hereunder, that Determination applies to goods that are:

- (1) specified in the Table hereunder;
- (2) classified under a subheading of Schedule 3 to the Customs Tariff Act 1995, specified in Item 55 in Part III of Schedule 4 to the Customs Tariff Act 1995;
- (3) entered for home consumption not earlier than the start date, and not later than the finish date, by the person specified in that Determination, as shown in Part 2; and
- (4) in total, not in excess of such quantity as is specified in that Determination, as shown in Part 2.

In pursuance of Section 273B of the Customs Act 1901, notice is hereby given that a Determination specified in Section B of Part 2 amended a previous Determination by deleting the figures in the column headed "QUANTITY AS WAS" and inserting the figures in the column headed "QUANTITY AS IS".

THE TABLE

CATEGORY CODE	UNIT QUANTITY	QUOTA ITEM NUMBER	QUOTA DESCRIPTION
311	Kilograms	61A	Cheese & Curd

PART 2

SECTION A - QUOTA ALLOCATIONS

CAT CODE	QUOTA HOLDERS LEGAL NAME	POST CODE	QUANTITY (KG)	DETERMINATION NUMBER
-------------	--------------------------	--------------	---------------	-------------------------

PART 2

SECTION B - AMENDED ALLOCATIONS

CAT CODE	QUOTA HOLDERS LEGAL NAME	POST CODE	QUANTITY (KG) AS WAS	QUANTITY (KG) AS IS	DETERMINATION NUMBER
311	DELTA SALES PTY. LIMITED	3043	780,087.00	580,087.00	001150
311	KEBIA IMPORTEX PTY LIMITED	2565	404,627.00	604,627.00	001150