

# Gazette

No. TC 25/02, Wednesday, 15 January 2025 Published by the Commonwealth of Australia **TARIFF CONCESSIONS** 

# **CONTENTS**

TCO Applications	
• •	
TCOs Made	
TCOs Revoked	

The Commonwealth of Australia Tariff Concessions Gazette (the Tariff Concessions Gazette) is free of charge on the link below at:

https://www.abf.gov.au/importing-exporting-and-manufacturing/tariff-concessions-system

**Contact details:** 

General Email inquiries including Tapin Help Desk: tarcon@abf.gov.au

Cat. No. ISSN 0813-8389 ©Commonwealth of Australia, 2025

# CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269K(1) - APPLICATIONS MADE FOR TARIFF CONCESSION ORDERS

Applications have been lodged for Tariff Concession Orders for the goods described in the following TABLE.

Australian manufacturers who wish to contest the granting of a Tariff Concession Order for the goods described are invited to lodge a submission in writing in an approved form. Submissions must be lodged within 50 days of the date of publication of this Notice.

The operative date (Op.) and TC reference number follow the description of goods.

To assist local manufacturers, the use(s) to which the goods can be put follow the description of goods.

Objections to the making of TCO submission forms are available at

https://www.abf.gov.au/importing-exporting-and-manufacturing/tariff-concessions-system/tariff-concession-order

Contact: Email tarcon@abf.gov.au

## THE TABLE

	of Goods including the ff Classification	Schedule 4 It	em Number
7326.90.90	PARTS, UNDERWATER THRUSTER TURNING TOOL, being upper beams Op. 24.12.24	- TC 25000764	50
	Stated Use: Steel beam component of underwater tool for turning azimuthing thrusters up to 90 degrees		
	Applicant: SHELL AUSTRALIA PTY LTD		5%
8419.50.90	HEAT EXCHANGERS, OIL, air cooled, electric, motor capacity NOT greater than 7.5 HP Op. 02.01.25	- TC 25001320	50
	Stated Use: For cooling lubrication oil in generator modules		
	Applicant: GE POWER AUSTRALIA PTY LTD		5%
8419.89.90	BIOMASS BOILERS, including ALL of the following:  (a) hopper volume NOT less than 1 800 dm³;  (b) fuel consumption NOT less than 449 kg/h;  (c) total water capacity NOT greater than 5 650 litres;  (d) switch panel;  (e) heat exchanger		50
	Op. 18.12.24	- TC 24485107	
	Stated Use: For boiling three-phase powered hot water		
	Applicant: BOUNDARY BEND OLIVES PTY LTD		5%

Description of Goods including the Customs Tariff Classification		Schedule 4 Item Number	
8421.19.00	CENTRIFUGES, HORIZONTAL DECANTER, OLIVE, including ALL of the following:  (a) double motors; (b) centrifugal drum; (c) internal screw; (d) drum motor output NOT greater than 55 kW; (e) screw motor output NOT greater than 30 kW; (f) pumps; (g) motorised liquid collector; (h) inverters Op. 18.12.24  Stated Use:	- TC 24484951	
	For decanting and processing of extracted olive oil		
	Applicant: BOUNDARY BEND OLIVES PTY LTD	5%	
8421.19.00	OIL AND/OR WATER SEPARATORS, without OR without control panels, programmable logic controlled, including ALL of the following:    (a) inverter;    (b) discharge chute;    (c) cleaning unit	50	
	Op. 18.12.24	- TC 24485963	
	Stated Use: For separating oil from vegetable water produced during the olive oil extraction process		
	Applicant: BOUNDARY BEND OLIVES PTY LTD	5%	
8433.59.90	DELEAFERS, OLIVE, stainless steel, including ALL of the following:  (a) olive cleaning capacity NOT greater than 50 000 kg/h;  (b) mono-block chassis;  (c) support bench	50	
	Op. 18.12.24	- TC 24485928	
	Stated Use: For removing leaves, stems and small twigs from the harvested olives prior to processing		
	Applicant: BOUNDARY BEND OLIVES PTY LTD	5%	
8433.59.90	HARVESTERS, OLIVE, self-propelled, including ALL of the following:  (a) front picking head, with NOT greater than 432 tines; (b) rear picking head, with NOT greater than 384 tines; (c) top picking head, with NOT greater than 216 tines; (d) lifting height NOT greater than 5 650 mm; (e) fuel tank NOT greater than 500 litres; (f) semi-closed hydraulic unit	50	
	Op. 19.12.24	- TC 24489518	
	Stated Use: Harvesting machine for use with olive trees		
	Applicant: BOUNDARY BEND OLIVES PTY LTD		

	No	TC 25/02, Wednesday,	. 15 Jan 20
	of Goods including the ff Classification	Schedule 4 :	Item Number
8433.60.00	SORTING MACHINES, programmable logic controlled, including ALL of the following:  (a) optical sorting system; (b) cameras; (c) control panel with touch screen; (d) rejectors; (e) image processors		50
	Op. 18.12.24  Stated Use: For sorting of olives by quality, colour, size and shape	- TC 24485070	
	Applicant: BOUNDARY BEND OLIVES PTY LTD		5%
8433.60.00	VIBRATING SCREENS, OLIVE, including BOTH of the following: (a) stainless steel frame; (b) residual pumps		50
	Op. 18.12.24  Stated Use: For separating dirt, debris, leaves and foliage from olives for	- TC 24485945	
	olive oil Applicant: BOUNDARY BEND OLIVES PTY LTD		5%
8474.10.00	FLOTATION CIRCUITS, WET CONCENTRATOR PLANT, including ALL of the following:    (a) flotation conditioning tank;    (b) flotation cells;    (c) cyclones;    (d) piping;    (e) walkways;    (f) flooring;    (g) access stairs,    with OR without ANY of the following;         (i) pumps;         (ii) constant density tank;         (iii) sand trap;         (iv) pipes AND/OR cable tray racks;         (v) hoppers AND/OR tanks  Op. 23.12.24  Stated Use: For sorting, screening, separating and washing of heavy mineral concentrate  Applicant: MINERAL TECHNOLOGIES PTY LTD	- TC 24489679	50
8479.20.10	CRUSHERS, OLIVE, including ALL of the following:  (a) NOT less than two crushing units; (b) motorised frame; (c) piston pump; (d) inverters Op. 18.12.24  Stated Use: For crushing olives into a paste	- TC 24484993	50
	Applicant: BOUNDARY BEND OLIVES PTY LTD		5%

Description of Goods including the Schedule 4 Item Number Customs Tariff Classification MALAXERS, OLIVE, including ALL of the following: 8479.20.10 50 (a) mixing unit; (b) paste pump; (c) inverter Op. 18.12.24 - TC 24485019 Stated Use: For olive mixing, paste pump and power Applicant: BOUNDARY BEND OLIVES PTY LTD 5% 8479.82.00 PIT SEPARATORS, OLIVE, including ALL of the following: 50 (a) separating capacity NOT greater than 20 000 kg/h; (b) power output NOT greater than 75 kW; (c) removable screen; (d) rotor shaft; (e) electric motor; (f) stainless steel blades; (g) motor shaft taper Op. 18.12.24 - TC 24485402 Stated Use: For extracting fragments of olive pits from olive paste Applicant: BOUNDARY BEND OLIVES PTY LTD 5% 8479.89.90 INSECT HOUSING AND/OR INCUBATION GROW UNITS, including ANY of 50 the following: (a) breeding trays; (b) air conditioners; (c) extraction fans; (d) climate sensors; (e) control panels; (f) ventilation systems Op. 23.12.24 - TC 24489714 Stated Use: Self-contained containers for agricultural fly breeding Applicant: FUTURE GREEN SOLUTIONS PTY LTD 5% 8479.89.90 HYDRAULIC TRAILER STEERING SYSTEM, electronic sensor controlled, 50 having ALL of the following: (a) turntable plates AND wheel assembly; (b) fifth wheel section; (c) hydraulic steering cylinders; (d) steering cylinder attachment plates; (e) hydraulic control banks; (f) hydraulic hose with connections; (g) control modules, with OR without ANY of the following: (i) remote control; (ii) sensors; (iii) accumulators; (iv hydraulic hose AND electrical cable Op. 23.12.24 - TC 24489774 Stated Use: Turntable steered axles for heavy transport and construction industry Applicant: TUFF TRAILERS (QLD) PTY LTD 5%

# CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269R(1) - TARIFF CONCESSION ORDERS MADE

Tariff Concession Orders have been made for the goods described in the following TABLE.

The operative date (Op.) and TC reference No. follow the description of goods. Local manufacturers of substitutable goods may request the revocation of TCOs at any time.

## THE TABLE

	of Goods including the of Classification			Schedule 4 Item Last Date of	
3402.90.00	SURFACE ACTIVE PREPARATIONS, wett: Propan-2-ol and 2-butoxyethanol Op. 08.10.24	ing agent, with a basis of Dec. date 10.01.25	- TC	24255629	50
3506.10.00	SEALANTS AND/OR ADHESIVES, hybrid following:  (a) shore A hardness 50 +/- 5%; (b) volume change less than 2% Op. 23.09.24	polymer, having BOTH of the Dec. date 09.01.25	- TC	24233648	50
3901.10.00	Standard 1183 (ISO 1 (b) vicat softening point NOT 16 NOT greater than 105 degrees the following standards:  (i) American Society for Standard D 1525 (ASS (ii) International Organs Standard 306 (ISO 30 (b) melt flow rate (MFR)at 190 ( NOT less than 0.1 g/10 minut minute, complying with ANY ( (i) American Society for Standard D1238 (AST)	g/m3 and NOT greater than 930 ff the following standards: r Testing and Materials M D1505); r Testing and Materials D792); isation for Standardisation 1183), less than 80 degrees Celsius and celsius, complying with ANY of r Testing and Materials TM D1525); isation for Standardisation 06), degrees Celsius and 2.16 kg, te and NOT greater than 10 g/10 of the following standards: r Testing and Materials M D1238); hisation for Standardisation	- TC	24253662	50
3926.90.90	NETTING AND/OR WEBBING, BALING, pobelow:  (a) directional tapes NOT less than 1.5 cm;  (b) cross directional tapes NOT greater than 0.5 cm;  (c) in rolls NOT less than 3 000 greater than 1.75 m in width Op. 02.10.24	than 0.4 cm and NOT greater less than 0.3cm and NOT O m in length and NOT	- TC	24252013	50
3926.90.90	LINKS AND CHAINS, CONVEYOR Op. 08.10.24	Dec. date 10.01.25	- TC	24255031	50
8419.50.90	HEAT EXCHANGERS, PLATE AND SHELL Op. 26.09.24	Dec. date 09.01.25	- TC	24237166	50
8419.81.90	ELECTRIC COOKER AND/OR FRYERS, por of the following: (a) baskets; (b) hanging frames Op. 25.09.24	rtable, with OR without either  Dec. date 10.01.25	- TC	24235884	50

WASHING MACHINES, BASKETS AND/OR CRATES AND/OR TRAYS, including ALL of the following:  (a) wash module; (b) rinse module; (c) internal conveyors; (d) control unit, with OR without ANY of the following:  (i) vapour extraction; (ii) water blow off; (iii) transition table; (iv) drum filter  Op. 30.09.24 Dec. date 09.01.25  8422.30.90 OXYGEN FILLING AND EVACUATION SYSTEM, containerised, having compressor AND vacuum pump, with OR without adaptors Op. 25.09.24 Dec. date 09.01.25  8422.30.90 MACHINES, PACKAGING AND GROUPING, programmable logic controlled, including ALL of the following:  (a) packaging machine, with a length NOT greater than 5 500 mm and a width NOT greater than 2 000 mm including BOTH of the	- TC 24238986 - TC 24235897 , m he	50 50
compressor AND vacuum pump, with OR without adaptors Op. 25.09.24 Dec. date 09.01.25  8422.30.90 MACHINES, PACKAGING AND GROUPING, programmable logic controlled, including ALL of the following: (a) packaging machine, with a length NOT greater than 5 500 mm and a width NOT greater than 2 000 mm including BOTH of the	m he	
including ALL of the following:  (a) packaging machine, with a length NOT greater than 5 500 mm and a width NOT greater than 2 000 mm including BOTH of the	m he	50
following:     (i) outfeed belt;     (ii) automatic bag magazine,  (b) grouping machine with a length NOT greater than 7 000 mm and width NOT greater than 1 500 mm, including BOTH of the following:     (i) adjustable alignment guides;     (ii) infeed AND transfer lanes,  with OR without ANY of the following:     (i) sealing modules;     (ii) closing modules;     (iii) conveyors  Op. 01.10.24  Dec. date 10.01.25	- TC 24245538	
8422.30.90 TRAY FILLING MACHINES, robotic, including ALL of the following:  (a) robots; (b) grippers; (c) control panel; (d) conveyors; (e) 3D vision system with OR without ANY of the following:  (i) tray dispensers; (ii) tray dispenser racks Op. 02.10.24 Dec. date 09.01.25	- TC 24251845	50
8428.10.00  ELEVATORS, CRANE DRIVER, maximum load capacity NOT greater than 200 kg, having ALL of the following:  (a) cabin; (b) lithium-ion battery; (c) centralised lubrication system; (d) remote control; (e) quick release closures; (f) spring buckles; (g) ground station with charger unit; (h) rails AND/OR tracks; (i) brackets; (j) fastener kit, including ALL of the following:  (i) nuts AND/OR bolts AND/OR washers with OR without floor gates Op. 01.10.24  Dec. date 10.01.25		50
8428.20.00 VACUUM CONVEYING SYSTEM, HIGH SHEAR MIXER, with OR without solvent separators, having ALL of the following:  (a) charging hose; (b) charging port; (c) connectors; (d) liquid separator; (e) suction lance; (f) valve; (g) vacuum pump Op. 09.10.24 Dec. date 13.01.25	- TC 24261639	50

		NO T	C 25/02, Wednesday,	15 Jan 20
	of Goods including the ff Classification		Schedule 4 It Last Date o	
8428.90.00	SEPARATOR MACHINES, CHICK AND SHELI following:  (a) tipping unit; (b) separator assembly; (c) internal conveyors; (d) outfeed conveyor; (e) funnel assembly; (f) electric motors; (g) control unit	L, including ALL of the		50
	Op. 10.10.24	Dec. date 13.01.25	- TC 24267665	
8438.10.90	DOUGH PRODUCTION LINE, programmable ALL of the following: (a) hoppers; (b) conveyors; (c) dough divider; (d) dough rounder; (e) pre-long rolling unit; (f) forming stations; (g) setting unit; (h) control panels	e logic controlled, including		50
	_	Dec. date 13.01.25	- TC 24267147	
8474.90.00	PARTS, AIR CLASSIFIER, being ANY of  (a) outlet head;  (b) riser duct;  (c) outlet channel;  (d) channel supports;  (e) inlet channel;  (f) wear plate;  (g) inlet hood;  (h) air guide plate;  (i) classifier housing;  (j) flap;  (k) guide element;  (l) connecting pipe;  (m) cage wheel	f the following:		50
	Op. 25.09.24	Dec. date 09.01.25	- TC 24235603	
8479.89.90	TROLLEY WASHERS, including ALL of t  (a) wash module; (b) rinse module; (c) internal conveyors; (d) control unit  with OR without EITHER of the followith of th		- TC 24233260	50
8479.89.90	HEAT EXCHANGE SYSTEM, AQUACULTURE, controlled, with OR without tank, in (a) self-cleaning backflush units (b) pumps; (c) variable speed drive; (d) valves; (e) pipes	including ALL of the following:		50
		Dec. date 10.01.25	- TC 24255517	
8479.89.90	MAT FORMING LINES, PARTICLE BOARD, following:  (a) distribution flaps; (b) continuous pre-press with hyo (c) magnet AND metal detector; (d) disc screen AND mat former for (e) mat former assembly; (f) forming width adjusters; (g) pre-heater; (h) belt conveyors; (i) belt scales; (j) infrared moisture analyser; (k) sprayers;  (Continued on next page)	draulic unit;		50

Description of Goods including the Customs Tariff Classification

Schedule 4 Item Number Last Date of Effect

	(Continued from previous page)			
	<pre>(1) steel belt cleaner; (m) safety unit with fire exti (n) traversing unit weight gau (o) peak detector; (p) smoothing roller Op. 08.10.24</pre>	-	- TC 24255845	
8479.90.90	PARTS, SULPHURIC ACID ABSORPTION Op. 20.09.24	TOWER, being distribution pipes Dec. date 09.01.25	- TC 24231666	50
8480.60.00	PARTS, CONCRETE MOULDS, being AN (a) tongue former assembly rol (b) outer mould; (c) aluminium lining; (d) turntable filler plate; (e) upper vibrator plate; (f) cylinder kits, with OR wit (i) cage positioners;	1;		50
	<pre>(ii) brackets; (iii) cylinders; (iv) hoses</pre>			
	Op. 17.10.24	Dec. date 13.01.25	- TC 24317730	
8483.30.90	BEARINGS, BRAKE CAMSHAFT, spheri Op. 03.10.24	cal plain Dec. date 10.01.25	- TC 24252495	50
8504.33.00	TRANSFORMERS, VOLTAGE, having AL (a) gas insulated; (b) primary voltage NOT less t (c) secondary voltage NOT grea (d) output voltage NOT greater Op. 08.10.24	han 66 kV; ter than 1 000 V;	- TC 24255833	50
8705.90.00	WASHERS, truck-mounted, including following:  (a) hydraulic platform;  (b) articulated AND telescopic (c) working height NOT greater (d) suspension stabilising system;  (e) hot water heating system;  (f) high AND/OR low pressure sop. 24.10.24	boom system; than 15 metres; tem; pray guns	- TC 24389636	50
8708.80.49	PARTS, OFF-HIGHWAY MINING DUMP T less than 120 tonnes, being whee Op. 30.09.24		- TC 24238605	50
8716.90.00	PARTS, TRAILER, having a gross w being steering bolt bearing repa following:     (a) bushes;     (b) steering pivots;     (c) washers;     (d) sealing rings;     (e) pressure springs;     (f) roll pins;     (g) grease nipples Op. 03.10.24		- TC 24253064	50
8716.90.00	PARTS, STEER AXLE, being lock cy Op. 03.10.24	linders Dec. date 10.01.25	- TC 24253070	50
8716.90.00	PARTS, STEER AXLE, being steerin Op. 09.10.24	g pivots Dec. date 13.01.25	- TC 24255987	50

Description of Goods including the Customs Tariff Classification

Schedule 4 Item Number Last Date of Effect

8716.90.00 PARTS, SELF STEERING AXLE DAMPER KIT, TRAILER, Having a gross weight NOT less than 6.5 Tonnes, having 5 OR more of the following:

50

- (a) steering damper;
- (b) clamp;
- (c) washers;
- (d) screws;
- (e) one OR more plates;
- (f) lock nuts;
- (g) support for steering damper

Op. 09.10.24

Dec. date 13.01.25 - TC 24261452

## CUSTOMS ACT 1901

## NOTICE PURSUANT TO SECTION 269SE(2) - TARIFF CONCESSION ORDER REVOCATION AT THE INITIATIVE OF THE COMPTROLLER-GENERAL OF CUSTOMS

The Tariff Concession Order listed in THE TABLE below has been revoked.

Op. 28.03.17

TCO does not match goods

THE TABLE

Description of Goods including the
Customs Tariff Classification

6907.21.90

PORCELAIN SLABS, unglazed, having ALL of the following:

(a) length NOT less than 2 400 mm;
(b) width NOT less than 800 mm;
(c) thickness NOT less than 6 mm

Dec. date 29.06.17 - TC 1734301