



**Commonwealth
of Australia**

Gazette

No. TC 25/05, Wednesday, 5 February 2025
Published by the Commonwealth of Australia

TARIFF CONCESSIONS

CONTENTS

TCO Applications	2
TCOs Made.....	4
Local Manufacturer Initiated - TCO Revocation Requests	6

**The Commonwealth of Australia Tariff Concessions Gazette
(the Tariff Concessions Gazette) is free of charge on the link below at:**
<https://www.abf.gov.au/importing-exporting-and-manufacturing/tariff-concessions-system>

Contact details:
General Email inquiries including Tapin Help Desk: tarcon@abf.gov.au

CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269K(1) - APPLICATIONS MADE FOR TARIFF CONCESSION ORDERS

Applications have been lodged for Tariff Concession Orders for the goods described in the following TABLE.

Australian manufacturers who wish to contest the granting of a Tariff Concession Order for the goods described are invited to lodge a submission in writing in an approved form. Submissions must be lodged within 50 days of the date of publication of this Notice.

The operative date (Op.) and TC reference number follow the description of goods.

To assist local manufacturers, the use(s) to which the goods can be put follow the description of goods.

Objections to the making of TCO submission forms are available at

<https://www.abf.gov.au/importing-exporting-and-manufacturing/tariff-concessions-system/tariff-concession-order>

Contact: Email tarcon@abf.gov.au

THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number
<p>3901.20.00 RESINS, virgin, high density polyethylene, butene type, having ALL of the following:</p> <p>(a) density NOT less than 0.950 g/cm³ and NOT greater than 0.954 g/cm³, complying with International Organization for Standardization Standard 1872-2 (ISO 1872-2);</p> <p>(b) melt flow rate NOT less than 0.04 g/10 min and NOT greater than 0.06 g/10min, complying with International Organization for Standardization Standard 1872-2 (ISO 1872-2), 190 degrees Celsius/2.16kg;</p> <p>(c) melt flow rate NOT less than 7.2 g/10 min and NOT greater than 10.8 g/10min, complying with International Organization for Standardization Standard 1872-2 (ISO 1872-2), 190 degrees Celsius/21.6kg</p> <p>Op. 08.01.25</p> <p>Stated Use: Producing general purpose packaging films in a wide range of size and thickness which include shopping bags, garbage bags, re-sealable bags, sanitary bags and bags on rolls</p> <p>Applicant: VISY LOGISTICS PTY LTD</p>	<p>50</p> <p>- TC 25006331</p> <p>5%</p>
<p>4814.90.00 WALL PAPER, blank, having ALL of the following:</p> <p>(a) weight NOT less than 120 g/m² and NOT greater than 200 g/m²;</p> <p>(b) in rolls;</p> <p>(c) width NOT greater than 76 mm</p> <p>Op. 09.01.25</p> <p>Stated Use: Creating wall decorations</p> <p>Applicant: JACKAROO PTY LTD</p>	<p>50</p> <p>- TC 25010798</p> <p>5%</p>
<p>8418.69.00 SNOW ROOMS, pre-fabricated, assembled OR unassembled, including ALL of the following:</p> <p>(a) wall panels;</p> <p>(b) steel AND copper pipes;</p> <p>(c) air conditioner AND snowmaker system;</p> <p>(d) compressor;</p> <p>(e) control system;</p> <p>(f) lighting</p> <p>Op. 06.01.25</p>	<p>50</p> <p>- TC 25022203</p>

(Continued on next page)

Description of Goods including the
Customs Tariff Classification

Schedule 4 Item Number

(Continued from previous page)

Stated Use:

Manufacture of snow in an enclosed room used in gymnasiums and health spas

Applicant: TECHNOALPIN AUSTRALIA PTY LTD

5%

8428.32.00

BUCKET ELEVATORS, VERTICAL, unassembled, having ALL of the following:

50

- (a) height NOT less than 46 900 mm;
- (b) motors output NOT greater than 49 kW;
- (c) motor drive pulleys with an outer diameter NOT greater than 330 mm;
- (d) drive and tail drum pulleys with an outer diameter NOT greater than 900 mm;
- (e) bucket feed rate NOT greater than 1.7 m per second;
- (f) inlet chute diameter of 600 x 600 mm;
- (g) stainless steel buckets with a capacity NOT greater than 25 L each;
- (h) textile insertion rubber belt;
- (i) flow rate NOT greater than 256 000 kg per hour

Op. 02.01.25

- TC 25001167

Stated Use:

Machinery for the mechanical handling of granular urea

Applicant: CLOUGH PROJECTS AUSTRALIA PTY LTD & SAIPEM AUSTRALIA PTY LTD

5%

8430.49.00

PILING AND DRILLING MACHINES, crane suspended, including ALL of the following:

50

- (a) casing diameter NOT less than 1 000 mm and NOT greater than 3 500 mm;
- (b) drilling depth NOT less than 20 m and NOT greater than 60 m

Op. 10.01.25

- TC 25012465

Stated Use:

Foundation drilling or ground sampling

Applicant: BAUER EQUIPMENT AUSTRALIA PTY LTD

5%

8537.20.90

SWITCHGEAR, GENERATOR MODULE, having a voltage NOT greater than 15 KV, including ALL of the following;

50

- (a) circuit breaker;
- (b) voltage transformer;
- (c) current transformer;
- (d) earthing switch;
- (e) copper busbar

Op. 02.01.25

- TC 25001386

Stated Use:

For providing power connection and protection for gas turbine

Applicant: GE POWER AUSTRALIA PTY LTD

5%

CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269R(1) - TARIFF CONCESSION ORDERS MADE

Tariff Concession Orders have been made for the goods described in the following TABLE.

The operative date (Op.) and TC reference No. follow the description of goods. Local manufacturers of substitutable goods may request the revocation of TCOs at any time.

THE TABLE

Description of Goods including the Customs Tariff Classification		Schedule 4 Item Number Last Date of Effect	
2847.00.00	HYDROGEN PEROXIDE, AQUEOUS SOLUTION, being pH neutral, having a hydrogen peroxide weight NOT less than 30% Op. 28.10.24	Dec. date 03.02.25	50 - TC 24397449
3402.42.00	SURFACTANTS, non-ionic, being ethylene glycols, having a base of ethylene oxide, containing nonylphenol polyethylene glycol ether (CAS 9016-45-9) Op. 21.10.24	Dec. date 29.01.25	50 - TC 24344348
3901.10.00	RESINS, being unpigmented linear low density polyethylene, in powder OR pelletised form, having BOTH of the following: (a) melt flow rate NOT less than 40.0 g/10 min and NOT greater than 60.0 g/10 min, complying with American Society for Testing and Materials Standard D1238 (ASTM D1238), 190 degrees Celsius/2.16 kg; (b) density NOT less than 924kg/m ³ and NOT greater than 928kg/m ³ , complying with American Society for Testing and Materials Standard D1505 (ASTM D1505) Op. 04.10.24	Dec. date 03.02.25	50 - TC 24255256
3920.99.00	MEMBRANES, polyether ether ketone, anion exchange Op. 25.10.24	Dec. date 03.02.25	50 - TC 24390772
6804.22.00	GRINDING STONES, having ANY of the following: (a) aluminium oxide; (b) synthetic aluminium oxide AND zirconium oxide AND aluminium oxide; (c) polymerised synthetic resin bonded; (d) halogens compound fillers, including oxides AND sulphur compounds Op. 04.12.24	Dec. date 29.01.25	50 - TC 24474360
7306.30.00	MINING PIPES, rotary, quick connect, having ALL of the following: (a) painted carbon steel body, outside diameter NOT LESS than 406 mm AND inside diameter NOT LESS than 314 mm; (b) male AND/OR female couplings; (c) length NOT LESS than 10 200 mm; (d) pressure rating NOT LESS than 180 Bar; (e) torque rating NOT less than 135 kNm; (f) pullback rating NOT less than 500 tonnes Op. 21.10.24	Dec. date 29.01.25	50 - TC 24345401
8428.90.00	LIFTING AND HANDLING MACHINES, CONCRETE PIPE, assembled OR unassembled, with OR without computer control OR plant safety systems, including ANY of the following: (a) product transfer cart; (b) product manipulator with rail; (c) depalletiser; (d) product outfeed line with transfer lifting-turning cart Op. 21.10.24	Dec. date 29.01.25	50 - TC 24344414
8438.80.00	FOOD CUTTING AND EMULSIFYING MACHINES, programmable logic controlled, including ALL of the following: (a) control panel; (b) motor drive; (c) rotating knives; (d) beaker AND/OR container Op. 31.10.24	Dec. date 03.02.25	50 - TC 24405510

Description of Goods including the Customs Tariff Classification		Schedule 4 Item Number Last Date of Effect	
8507.60.00	BATTERY MODULES, SUBSEA, having ALL of the following: (a) battery management system (b) lithium-ion cells (c) pressure neutral silicone polymer encapsulation (d) connectors (e) operating depth exceeding 1 000 m with OR without cell heaters Op. 24.10.24	Dec. date 03.02.25	50 - TC 24390111
8516.60.00	COOKTOPS, gas AND induction, glass ceramic Op. 28.10.24	Dec. date 03.02.25	50 - TC 24392072
8516.90.00	FOOD PROCESSOR ATTACHMENTS, whether OR not assembled, with OR without drive shaft, including ALL of the following: (a) steel cutting disc; (b) cutter lid; (c) pusher; (d) spiraliser Op. 22.10.24	Dec. date 29.01.25	50 - TC 24362715
8608.00.00	KITS, BOOM GATE, with OR without boom, including ALL of the following: (a) integrated control unit; (b) brushless motor; (c) encoder; (d) transformer; (e) gear motor; (f) helicoidal gears; (g) linkage lever AND spring; (h) positioner; (i) boom length NOT greater than 8 metres Op. 28.10.24	Dec. date 03.02.25	50 - TC 24391781
8704.10.00	TRUCKS, off-highway, rear dump, diesel engine, having ALL of the following: (a) dual view swivel seat; (b) hydrostatic all-wheel drive; (c) travel speed NOT greater than 25 km/h; (d) payload NOT greater than 12.5 tonnes; (e) front tip skip Op. 25.10.24	Dec. date 03.02.25	50 - TC 24391764
8716.39.00	TRAILERS, PLATFORM, having ALL of the following: (a) trailer length NOT greater than 4 m; (b) trailer height NOT greater than 0.9 m; (c) NOT more than 2 axles; (d) payload capacity NOT less than 10 t; (e) solid rubber tyres Op. 18.10.24	Dec. date 29.01.25	50 - TC 24344186

Applications have been lodged for revocation of the Tariff Concession Orders set out in the following TABLE.

Importations not covered by in-transit provisions may be subject to post action as any decision to revoke an order is backdated to the date of request for revocation.

THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Lodgement Request Date
4819.20.00 CARTONS, duplex coated grey back paperboard, flat packed, with OR without tissue elevator perforations, having ALL of the following: (a) printed on outside; (b) access hole perforations; (c) clear plastic film on underside of access hole Op. 09.12.15 Dec. date 29.02.16 - TC 1544344	50 03.02.25
7308.90.00 PARTS, FORMWORK, PANEL WALL SYSTEM, being ANY of the following: (a) adapters; (b) add-on pieces; (c) adjustment pieces; (d) angles; (e) bases; (f) braces; (g) brackets; (h) clamps; (i) cones; (j) connector assemblies, comprising both ends and clamps; (k) connectors; (l) hinged and/or fixed corners; (m) cross-bars; (n) ends; (o) fasteners; (p) form strips; (q) frames; (r) guardrails; (s) joints; (t) locating pins; (u) mid rails; (v) panels; (w) plates; (x) platform beams; (y) platforms; (z) plugs; (aa) posts; (ab) props; (ac) railing; (ad) spindles; (ae) spacer and/or centre tubes; (af) stiffeners; (ag) stop ends; (ah) struts; (ai) tie rods; (aj) tighteners; (ak) transport hooks; (al) triangular wedges; (am) waler spanners; (an) walers; (ao) wedges Op. 13.11.07 Dec. date 29.01.08 - TC 0719350	50 28.01.25

Description of Goods including the Customs Tariff Classification		Schedule 4 Item Number Lodgement Request Date	
7308.90.00	PARTS, DEMOUNTABLE FLOOD CONTROL CONTAINMENT SYSTEM, conforming to British Standard PAS 1188-4, (BSI PAS 1188-4), being ANY of the following: (a) supports; (b) corner posts; (c) braces; (d) support covers Op. 06.11.14	50 24.01.25	- TC 1438761
7308.90.00	PARTS, FORMWORK AND/OR SAFETY SCREEN, VERTICAL CLIMBING SYSTEM, being ANY of the following: (a) beams; (b) braces; (c) brackets; (d) frames; (e) latches; (f) masts; (g) supports; (h) bracing tubes; (i) struts; (j) adapters; (k) connectors; (l) extensions Op. 01.09.15	50 24.01.25	- TC 1533598
8309.10.00	SEALS, crown, stainless steel Op. 29.10.14	50 30.01.25	- TC 1438370