

Gazette

No. TC 25/08, Wednesday, 26 February 2025 Published by the Commonwealth of Australia **TARIFF CONCESSIONS**

CONTENTS

TCO Applications	2
TCO Applications Reworded	5
TCO Applications Withdrawn	
TCOs Made	7
Cheese Quota Transfers	11

The Commonwealth of Australia Tariff Concessions Gazette (the Tariff Concessions Gazette) is free of charge on the link below at:

https://www.abf.gov.au/importing-exporting-and-manufacturing/tariff-concessions-system

Contact details:

General Email inquiries including Tapin Help Desk: tarcon@abf.gov.au

Cat. No. ISSN 0813-8389 ©Commonwealth of Australia, 2025

CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269K(1) - APPLICATIONS MADE FOR TARIFF CONCESSION ORDERS

Applications have been lodged for Tariff Concession Orders for the goods described in the following TABLE.

Australian manufacturers who wish to contest the granting of a Tariff Concession Order for the goods described are invited to lodge a submission in writing in an approved form. Submissions must be lodged within 50 days of the date of publication of this Notice.

The operative date (Op.) and TC reference number follow the description of goods.

To assist local manufacturers, the use(s) to which the goods can be put follow the description of goods.

Objections to the making of TCO submission forms are available at

Contact: Email tarcon@abf.gov.au

Description of Goods including the Customs Tariff Classification			
3808.92.00	FUNGICIDES, having an active ingredient of banda de lupinus albus doce (BLAD) Op. 03.02.25	- TC 25030773	50
	Stated Use: For control and prevention of fungal diseases in agricultural, ornamental and horticultural crops in organic and non-organic production systems		
	Applicant: GROCHEM AUSTRALIA PTY LTD		5%
3917.40.00	PIPE FITTINGS, ASEPTIC, polycarbonate Op. 29.01.25	- TC 25026436	50
	Stated Use: Biopharmaceutical fluid transfer lines and bag assemblies		
	Applicant: SARTORIUS STEDIM AUSTRALIA PTY LTD		5%
3923.21.00	ASEPTIC BAGS, bottle-shaped, HDPE film, including ANY of the following: (a) rigid collar; (b) protective cover;		50
	(c) flexible sleeve Op. 28.01.25	- TC 25025130	
	Stated Use: Aseptic transfer of pharmaceutical components such as closures, stoppers and pre-fillable containers		
	Applicant: SARTORIUS STEDIM AUSTRALIA PTY LTD		5%
3926.90.90	CABLE CHAINS, nylon Op. 31.01.25	- TC 25029291	50
	Stated Use: Protection of industrial cables		
	Applicant: CHAIN SYSTEMS AUSTRALIA PTY LTD		5%

	No T	TC 25/08, Wednesday	, 26 Feb 20
_	of Goods including the ff Classification	Schedule 4	Item Number
8207.50.00	CUTTING BITS, MILLING AND/OR MACHINING, polycrystalline diamond, having BOTH of the following: (a) laser ablation sharpened; (b) carbon based coatings with a vickers hardness of NOT less than 6 000		50
	Op. 22.01.25 Stated Use: Milling and machining	- TC 25021961	
	Applicant: BMC TOOLING PTY LTD		5%
8208.90.00	CUTTING BLADES, chromium nickel alloy, for EITHER of the following: (a) aseptic thermoplastic tubing welder; (b) aseptic thermoplastic disconnector hand tool Op. 28.01.25	- TC 25025607	50
	Stated Use: Cutting aseptic disconnections of biopharmaceutical thermoplastic tubing	- 10 23023007	
	Applicant: SARTORIUS STEDIM AUSTRALIA PTY LTD		5%
8419.90.00	PARTS, HEAT EXCHANGERS, being cores, having BOTH of the following: (a) flow rate exceeding 400 000 kg/h @ operating temperature -34.8 degrees Celsius; (b) flow rate exceeding 740 000 kg/h @ operating temperature -33.5 degrees Celsius		50
	Op. 24.01.25 Stated Use:	- TC 25024385	
	Parts of heat exchanger for feed gas cooling Applicant: SANTOS LTD		5%
8421.39.90	VACUUM ADSORPTION VESSELS, mobile, with OR without desulphurisation media, including ALL the following: (a) media capacity NOT less than 18 cubic metres; (b) corrosion AND chemical AND chip resistant glass-flaked epoxy interior coating; (c) stainless steel flanges AND piping AND rail mounts; (d) carbon steel shell; (e) neoprene gasket; (f) manways AND ports; (g) valves	mg 25020220	50
	Op. 03.02.25 Stated Use: Mobile bulk media vessel for H2S (Hydrogen Sulphide)removal with H2S removal media	- TC 25030328	
	Applicant: THE TRUSTEE FOR PAVILION BIOGAS UNIT TRUST		5%
8421.91.00	PARTS, DECANTER CENTRIFUGE, being decanter bowls Op. 23.01.25	- TC 25022894	50
	Stated Use: Parts for olive decanter machine		
	Applicant: BOUNDARY BEND OLIVES PTY LTD		5%

-	of Goods including the ff Classification	Schedule 4	Item Number
8504.33.00	PLATE TRANSFORMERS, DRYING MACHINE, radio frequency, with a power output NOT greater than 75 kW Op. $23.01.25$	- TC 25022888	50
	Stated Use: To remove moisture from baked biscuits		
	Applicant: ARNOTT'S BISCUITS LTD		5%
8514.40.00	DRYING MACHINES, BISCUIT, radio frequency, including ALL of the following: (a) width NOT greater than 2 400 mm; (b) length NOT greater than 9 200 mm; (c) radio frequency NOT greater than 50 MHz; (d) programmable logic controller; with OR without ANY of the following: (i) conveyor; (ii) cooling system	mg 25000106	50
	Op. 23.01.25 Stated Use: To remove moisture from baked biscuits	- TC 25022106	
	Applicant: ARNOTT'S BISCUITS LTD		5%

5

CUSTOMS ACT 1901

NOTICE PURSUANT TO SECTION 2691(4B)(b) - PROPOSAL TO AMEND DESCRIPTION OF GOODS FOLLOWING AN OBJECTION SUBMISSION

Amended description has been proposed for the Tariff Concession Order application shown in the following TABLE.

Australian manufacturers who consider that there are reasons why the Tariff Concession Order as proposed to be amended should not be made are invited to lodge a submission. Submissions must be lodged no later than 14 days after the publication of this Notice.

The operative date (Op.) and TC reference number follow the description of goods.

To assist local manufacturers, the use(s) to which the goods can be put follow the description of goods.

THE TABLE

Description of Goods including the Customs Tariff Classification

Schedule 4 Item Number

8507.60.00 ENERGY STORAGE SYSTEM, lithium ion, including ALL of the following:

50

- (a) storage unit in a single integrated enclosure having ALL of the following:
 - (i) DC battery cells;
 - (ii) grid-forming DC/AC inverter;
 - (iii) AC circuit breaker;
 - (iv) thermal control by liquid-cooling system;
- (b) unit power capacity NOT less than 950 kW;
- (c) unit energy capacity NOT less than 3 800 kWh;
- (d) round trip efficiency NOT less than 91.7% at low voltage AC (LVAC) output, including auxiliary consumption during the Full cycle of a unit;
- (e) battery fire protection compliant with UL 9540A Standard;
- (f) safety of secondary lithium cells AND batteries compliant with International Electrotechnical Commission Standard 62619:2017 (IEC 62619:2017);
- (g) unit connection point to grid is 480V AC nominal only;
- (h) unit thermal system solely supplied from the 480V AC unit connection point;
- (i) unit energy density NOT less than 260 kWh/m2;
- (j) unit footprint NOT less than 8 800 mm x 1 650 mm
- Op. 24.01.24

- TC 24267673

Stated Use:

Energy management, stores direct current (DC) energy and discharges alternating current (AC) power to the energy grid, especially during peak load periods. Additionally system can charge from the grid's AC supply, convert it to DC for storage, and subsequently discharge AC power as needed

Applicant: TESLA MOTORS AUSTRALIA PTY LTD

CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269G(3) - WITHDRAWAL OF A TARIFF CONCESSION ORDER APPLICATION

The Tariff Concession Order application set out in the following TABLE has been withdrawn by the applicant.

The number and date shown in the second column refers to the Gazette in which the application was notified.

-	of Goods including the ff Classification		. and Date Gazette	
8502.31.90	GENERATOR AND STORAGE UNITS, RENEWABLE ENERGY, whether OR not assembled, including ALL of the following: (a) energy storage module; (b) hydraulic brake assembly; (c) marine wind energy convertor; (d) power management system; (e) remote monitoring AND control system; (f) solar energy panels		TC TC25/07 19.02.25	21.02.25
	Op. 15.01.25	- TC 2501621	1	

CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269R(1) - TARIFF CONCESSION ORDERS MADE

Tariff Concession Orders have been made for the goods described in the following TABLE.

The operative date (Op.) and TC reference No. follow the description of goods. Local manufacturers of substitutable goods may request the revocation of TCOs at any time.

	of Goods including the ff Classification	Schedule 4 Item Number Last Date of Effect
3901.20.00	RESINS, being unpigmented multimodal, high-density polyethylene, in pelletised form, having ALL of the following: (a) melt flow rate NOT less than 1.25 g/10 min and NOT greater than 1.75g/10 min, complying with American Society for Testing and Materials standard D 1238 (ASTM D 1238), 190 degrees Celsius /2.16 kg; (b) environmental stress-cracking of ethylene plastics failure NOT less than 50% /350 hours, complying with American Society for Testing and Materials standard D1693-B (ASTM D1693-B); (c) full-notch creep test value NOT less than 30 hours complying with International Organization for Standardization 16770 (ISO 16770) Op. 21.11.24 Dec. date 19.02.25	50 - TC 24459913
3901.20.00	RESINS, high-density polyethylene, unpigmented multimodal, pelletised form, having ALL of the following: (a) melt flow rate NOT less than 0.70 g/10 min and NOT greater than 0.90 g/10 min, complying with American Society for Testing and Materials standard 1238 (ASTM D 1238), 190 degrees Celsius/2.16 kg; (b) environmental stress-cracking of ethylene plastics failure NOT less than 50%/750 hours, complying with American Society for Testing and Materials standard D 1693-B (ASTM D1693-B); (c) full-notch creep test value NOT less than 65 hours, complying with International Organization for Standardization 16770 (ISO 16770) Op. 21.11.24 Dec. date 19.02.25	50 - TC 24460043
3901.20.00	RESINS, being unpigmented multimodal, high-density polyethylene, in pelletised form, having all of the following: (a) melt flow rate NOT less than 3.75 g/10 min and NOT greater than 4.25 g/10 min in complying with international standard American Society for Testing and Materials standard D 1238 (ASTM D 1238), 190 degrees Celsius / 2.16 kg; (b) environmental stress-cracking of ethylene plastics failure NOT less than 50% /40 Hours, complying with American Society for Testing and Materials standard D 1693-B (ASTM D1693-B) Op. 21.11.24 Dec. date 19.02.25	50 - TC 24460090
3901.20.00	RESINS, being black pigmented, bimodal high density polyethylene hexene copolymer compound, in pelletised form, having ALL of the following: (a) melt flow rate NOT less than 0.155 g/10 min and NOT greater than 0.195 g/10 min, complying with International Organization for Standardization 1133 (ISO 1133), 190 degrees Celsius / 5.0 kg; (b) density NOT less than 955kg/m3 and NOT greater than 964kg/m3, complying with International Organization for Standardization 1183 (ISO 1183), 23 degrees Celsius; (c) oxidation induction time NOT less than 20 minutes complying with International Organization for Standardization 11357-6 (ISO 11357-6), 210 degrees Celsius; (d) carbon black content NOT less than 2% and NOT greater	50

Description of Goods including the Customs Tariff Classification

Schedule 4 Item Number Last Date of Effect

Customs Tarif	ff Classification		Last Date o	of Effect
	(Continued from previous page)			
	than 2.5%, complying with In Standardization 6964 (ISO 69 Op. 21.11.24	nternational Organization for 164) Dec. date 19.02.25	- TC 24460152	
3923.21.00	HEADER BAGS, STERILISATION Op. 08.11.24	Dec. date 19.02.25	- TC 24450846	50
3924.90.00	BABY BOTTLE FEEDING SETS, includin (a) bottles; (b) breast pump adapters; (c) pacifier; (d) bottle brushes, with OR without ANY of the followi (i) teats; (ii) storage caps; (iii) travel covers; (iv) warming bowl; (v) steam sterilizer; (vi) drying rack Op. 10.10.24		- TC 24464447	50
7302.90.00	DAMPERS, RAIL Op. 15.11.24	Dec. date 19.02.25	- TC 24455704	50
7612.90.00	STERLISATION CONTAINERS, MEDICAL I the following: (a) tamper evident locking mecha (b) anodised aluminium lid havin (i) paper filter; (ii) reusable barrier, (c) container base dimensions, b (i) 310 x 131 x 28 mm; (ii) 310 x 131 x 56 mm; (iii) 310 x 131 x 85 mm; (iii) 310 x 131 x 85 mm; (iv) 312 x 183 x 36 mm; (v) 312 x 183 x 54 mm; (vi) 312 x 183 x 54 mm; (vii) 312 x 183 x 72 mm; (vii) 312 x 183 x 122 mm; (viii) 312 x 183 x 122 mm; (viii) 312 x 183 x 122 mm; (ix) 211 x 140 x 41 mm; (x) 230 x 161 x 55 mm; (xi) 230 x 161 x 73 mm; (xii) 230 x 161 x 90 mm; (xiii) 230 x 161 x 120 mm Op. 03.12.24	anism; ng EITHER of the following:	- TC 24472498	50
8414.59.90	BLOWERS, STEELSTRIP METAL COATING silencers AND/OR filters, includin (a) furnace post combustion; (b) furnace premix; (c) gas jet cooling Op. 13.11.24	ng ANY of the following;	- TC 24453501	50
8414.80.19	PULSE COMPRESSOR SYSTEM, skid mount following: (a) air compressor; (b) compressed air dryer; (c) compressed air filtration; (d) air receiver; (e) pulse control system; (f) electrical circuits Op. 20.11.24	nted, including ALL of the Dec. date 19.02.25	- TC 24459223	50
8416.20.00	GAS FURNACE BURNER PANELS, STEEL S including ANY of the following; (a) insulation; (b) plates; (c) gaskets Op. 20.11.24	Dec. date 19.02.25	- TC 24459443	50

	of Goods including the ff Classification	Schedule 4 Ite Last Date of	
8416.20.00	FURNACE GAS BURNERS, STEEL STRIP METAL COATING LINE, including ANY of the following; (a)burner panels with OR without ANY of the following: (i) insulation; (ii) plates; (iii) gaskets,		50
	(b)burner blocks with cartridges Op. 21.11.24 Dec. date 24.02.25	- TC 24459710	
8422.30.90	GLUTEN AND/OR STARCH PACKAGING LINE, whether OR not assembled, programmable logic controlled, having ALL of the following: (a) bag placer; (b) check weigher; (c) compressed-air maintenance device; (d) control cabinet; (e) conveyors; (f) de-dusting device; (g) dosing system; (h) Explosion protection system complying to Directive 2014/34/EU; (i) fan; (j) filling machine; (k) frequency converter gear drive; (l) height adjustor with motor winch; (m) nozzles; (n) piping; (o) pneumatic impactors; (p) residual emptying AND cleaning AND flushing system; (q) rotary piston blower; (r) rotating silo; (s) support structure AND maintenance platform; (t) spillage collection; (u) switches; (v) turn table; (w) ventilator; (x) ultrasonic valve sealing system		50
8424.89.90	Op. 19.11.24 Dec. date 19.02.25 WASH CARTS, GAS TURBINE, mobile Op. 13.11.24 Dec. date 19.02.25	- TC 24458163	50
8430.49.00	HORIZONTAL DIRECTIONAL DRILLING RIGS, track mountable, with OR without ANY of the following: (a) rotary drill; (b) external control room; (c) external hydraulic power supply Op. 05.12.24 Dec. date 19.02.25	- TC 24475686	50
8481.80.90	GAS MIXING AND/OR DISTRIBUTION STATIONS OR SKIDS, STEEL STRIP METAL COATING LINE, including ALL of the following: (a) valves; (b) piping; (c) steel support structure Op. 19.11.24 Dec. date 19.02.25	- TC 24457783	50
8507.60.00	ACCUMULATORS, lithium-ion, having ALL of the following: (a) weight NOT less than 405 kg and NOT greater than 1 410 kg; (b) voltage NOT less than 31 volts and NOT greater than 43 volts; (c) current capacity NOT less than 222 A/H and NOT greater than 1 036 A/H Op. 04.12.24 Dec. date 19.02.25	n - TC 24474151	50
8507.60.00	ACCUMULATORS, lithium-ion, having ALL of the following: (a) weight NOT less than 535 kg and NOT greater than 1 770 kg; (b) voltage NOT less than 44 volts and NOT greater than 60 volts; (c) current capacity NOT less than 222 A/H and NOT greater than 1 184 A/H Op. 04.12.24 Dec. date 19.02.25	- TC 24474166	50

Description of Goods including the Customs Tariff Classification		Schedule 4 Item Number Last Date of Effect		
8507.60.00	ACCUMULATORS, lithium-ion, havin (a) weight NOT less than 450 k (b) voltage NOT less than 61 v 84 volts; (c) current capacity NOT less than 962 A/H Op. 04.12.24	g and NOT greater than 2 160 kg; olts and NOT greater than than 370 A/H and NOT greater	- TC 24474181	50
8709.11.00	TRACTORS, TOWING, battery powere the following: (a) drawbar pull NOT greater t (b) travel speed without load (c) wheelbase length NOT great (d) loading capacity NOT great Op. 20.11.24	han 1 150 N; NOT less than 11 km/h; er than 1 319 mm;	- TC 24458811	50
9405.21.00	FLOOR LAMPS, LED, with or withou (a) dimmable; (b) motion detector; (c) daylight control; (d) energy saving function Op. 29.11.24	t ANY of the following: Dec. date 19.02.25	- TC 24470385	50
9406.90.00	CONTROL ENCLOSURES, including AL (a) control module; (b) generator control panel; (c) motor control centre; (d) safety instrumentation pan (e) battery charger cabinet; (f) HVAC units Op. 14.11.24	-	- TC 24454272	50

AUSTRALIAN BORDER FORCE

TARIFF QUOTAS - QUOTA TRANSACTIONS PROCESSED IN THE PERIOD 18 Feb 2025 to 25 Feb 2025.

GENERAL INFORMATION

This Gazette contains details of quota transactions processed in the period 18 Feb 2025 to 25 Feb 2025 inclusive.

Part 1 contains a Table specifying quota category details.

Part 2, Section A, lists quota holders who received quota allocations via transfer transactions.

Part 2, Section B, lists all adjustments to previous allocations which have been caused by transfer transactions.

NB.- In Section B, transactions represent changes to individual tariff quotas and do not necessarily represent the entire holdings in that category for the quota holder.

- The "AS WAS" and "AS IS" columns indicate the quota levels for that particular tariff quota only at the time of that transaction.
- The amount of the transaction can be deduced by subtracting the "AS WAS" column from the "AS IS" column.

Inquiries concerning any information published within this Gazette should be directed to the Australian Border Force, Trusted Trader and Trade Compliance Branch, tarcon@abf.gov.au.

PART 1

NOTICE OF MAKING A DETERMINATION UNDER PART XVI OF THE CUSTOMS ACT 1901

In pursuance of Section 273B of the Customs Act 1901, notice is hereby given that a Determination specified in Section A of Part 2 was made in relation to Item 55 in Part III of Schedule 4 to the Customs Tariff Act 1995 and subject to any conditions set out hereunder, that Determination applies to goods that are:

- (1) specified in the Table hereunder;
- (2) classified under a subheading of Schedule 3 to the Customs Tariff Act 1995, specified in Item 55 in Part III of Schedule 4 to the Customs Tariff Act 1995;
- (3) entered for home consumption not earlier than the start date, and not later than the finish date, by the person specified in that Determination, as shown in Part 2; and
- (4) in total, not in excess of such quantity as is specified in that Determination, as shown in Part 2.

In pursuance of Section 273B of the Customs Act 1901, notice is hereby given that a Determination specified in Section B of Part 2 amended a previous Determination by deleting the figures in the column headed "QUANTITY AS WAS" and inserting the figures in the column headed "QUANTITY AS IS".

CATEGORY CODE	UNIT QUANTITY	QUOTA ITEM NUMBER	QUOTA DESCRIPTION
311	Kilograms	61A	Cheese & Curd

PART 2

SECTION A - QUOTA ALLOCATIONS

CAT	QUOTA HOLDERS LEGAL NAME	POST QU	UANTITY (KG)	DETERMINATION
CODE		CODE		NUMBER

PART 2
SECTION B - AMENDED ALLOCATIONS

CAT CODE	QUOTA HOLDERS LEGAL NAME	POST CODE	QUANTITY (KG) AS WAS	QUANTITY (KG) AS IS	DETERMINATION NUMBER
311	GAGANIS BROS. IMPORTED FOOD WHOLESALERS PTY. LTD.	5007	199,109.00	58,609.00	001152
311	A.Q.M.S. PTY. LTD.	3068	6,000.00	146,500.00	001152
311	CANTARELLA BROS PTY LTD	1811	2,013,020.00	1,713,020.00	001153
311	A.Q.M.S. PTY. LTD.	3068	146,500.00	446,500.00	001153
311	A.Q.M.S. PTY. LTD.	3068	446,500.00	336,500.00	001154
311	JOHN KOTIS FAMILY SETTLEMENT TRADING AS ELCO FOOD	3168	701,070.00	811,070.00	001154