



**Commonwealth
of Australia**

Gazette

No. TC 25/10, Wednesday, 12 March 2025
Published by the Commonwealth of Australia

TARIFF CONCESSIONS

CONTENTS

TCO Applications	2
TCO Applications Refused	3
TCOs Made	4
Local Manufacturer Initiated - TCO Revocation Requests	10
Cheese Quota Transfers	11

**The Commonwealth of Australia Tariff Concessions Gazette
(the Tariff Concessions Gazette) is free of charge on the link below at:**
<https://www.abf.gov.au/importing-exporting-and-manufacturing/tariff-concessions-system>

Contact details:
General Email inquiries including Tapin Help Desk: tarcon@abf.gov.au

CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269K(1) - APPLICATIONS MADE FOR TARIFF CONCESSION ORDERS

Applications have been lodged for Tariff Concession Orders for the goods described in the following TABLE.

Australian manufacturers who wish to contest the granting of a Tariff Concession Order for the goods described are invited to lodge a submission in writing in an approved form. Submissions must be lodged within 50 days of the date of publication of this Notice.

The operative date (Op.) and TC reference number follow the description of goods.

To assist local manufacturers, the use(s) to which the goods can be put follow the description of goods.

Objections to the making of TCO submission forms are available at

<https://www.abf.gov.au/importing-exporting-and-manufacturing/tariff-concessions-system/tariff-concession-order>

Contact: Email tarcon@abf.gov.au

THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number
<p>3901.20.00 GRANULES, HIGH-DENSITY POLYETHYLENE, including ALL of the following:</p> <p>(a) density NOT less than 0.956g/cm³ and NOT greater than 0.964g/cm³, complying with International Organisation for Standardisation standard ISO 1183 (ISO 1183);</p> <p>(b) melt flow rate NOT less than 0.18g/10min and NOT greater than 0.3g/10min, complying with American Society for Testing and Materials standard D 1238 (ASTM D 1238), 190 degrees Celsius/5.0 kg;</p> <p>(c) pellet filling NOT less than 2% carbon black</p> <p>Op. 12.02.25</p> <p>Stated Use: For pipe manufacture</p> <p>Applicant: AVC TRADING PTY LTD</p>	<p>50</p> <p>- TC 25038391</p> <p>5%</p>
<p>3917.40.00 ASEPTIC DISCONNECTORS, TUBING, polycarbonate</p> <p>Op. 10.02.25</p> <p>Stated Use: For single use biopharmaceutical transfer lines and bag assemblies</p> <p>Applicant: MODERNA MANUFACTURING AUSTRALIA PTY LTD</p>	<p>50</p> <p>- TC 25036078</p> <p>5%</p>
<p>8207.19.00 CASING SHOES, BORING, having ALL of the following:</p> <p>(a) replaceable teeth;</p> <p>(b) outside diameter not less than 1 000 mm;</p> <p>(c) inside diameter not less than 920 mm</p> <p>Op. 19.02.25</p> <p>Stated Use: Interchangeable tools for earth boring</p> <p>Applicant: ILUKA RESOURCES LIMITED</p>	<p>15</p> <p>- TC 25044336</p>

The application for the Tariff Concession Order for the goods described in the following TABLE has been refused.

[illegible]

4819.20.00	CARTONS, duplex coated grey back paperboard, flat packed, with OR without tissue elevator perforations, having ALL of the following: (a) printed on outside; (b) access hole perforations; (c) fine paper on underside of access hole Op. 02.10.24 Reason for refusal: Substitutable goods produced in the ordinary course of business in Australia by Abaris Printing & Publishing Co Pty Ltd	50
	- TC 24252026	

CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269R(1) - TARIFF CONCESSION ORDERS MADE

Tariff Concession Orders have been made for the goods described in the following TABLE.

The operative date (Op.) and TC reference No. follow the description of goods. Local manufacturers of substitutable goods may request the revocation of TCOs at any time.

THE TABLE

Description of Goods including the Customs Tariff Classification		Schedule 4 Item Number Last Date of Effect	
3824.40.00	LIQUID DISPERSANTS, having a basis of sulphonated synthetic amine polymer Op. 02.12.24	Dec. date 07.03.25	50 - TC 24471588
3901.20.00	RESINS, HIGH DENSITY POLYETHYLENE (HDPE), having ALL of the following: (a) density (at 23 degrees Celsius) NOT less than 945 kg/m ³ and NOT greater than 970 kg/m ³ , complying with ANY of the following standards: (i) American Society for Testing and Materials Standard D1505 (ASTM D1505); (ii) American Society for Testing and Materials Standard D792 (ASTM D792); (iii) International Organisation for Standardisation Standard 1183 (ISO 1183), (b) melt flow rate (MFR) (at 1900 degrees Celsius and 5 kg) NOT less than 0.15 g/10 minute and NOT greater than 0.50 g/10 minute, complying with EITHER of the following standards: (i) American Society for Testing and Materials Standard D1238 (ASTM D1238) (ii) International Organisation for Standardisation Standard 1133 (ISO 1133) Op. 09.12.24	Dec. date 08.03.25	50 - TC 24478310
3901.20.00	RESINS, HIGH DENSITY POLYETHYLENE (HDPE), having ALL of the following: (a) density NOT less than 0.935 g/cm ³ and NOT greater than 0.950 g/cm ³ , complying with American Society for Testing and Materials Standard D-1505 (ASTM-1505); (b) melt flow index NOT less than 0.16 g/10 min (MI, 190 degrees Celsius/2.16kg) and NOT greater than 0.22 g/10 min (MI, 190 degrees Celsius/2.16kg), complying with American Society for Testing and Materials Standard D1238 (ASTM-D1238); (c) brittleness temperature < -75 degrees Celsius, complying with American Society for Testing and Materials Standard D-746 ASTM-746); (d) elongation at break, (50 mm/min) MD: 500% +/- 5%, TD: 660% +/- 5%, complying with American Society for Testing and Materials Standard D882 (ASTM-D882) Op. 11.12.24	Dec. date 08.03.25	50 - TC 24479930
3901.20.00	RESINS, HIGH DENSITY POLYETHYLENE (HDPE), having ALL of the following: (a) density NOT less the 0.940 g/cm ³ and NOT greater than 0.960 g/cm ³ , complying with American Society for Testing and Materials Standard D-1505 (ASTM-1505); (b) melt flow index NOT less than 0.015 g/10 min (MI, 190 degrees Celsius/2.16kg) and NOT greater than 0.40 g/10 min (MI, 190 degrees Celsius/2.16kg), complying with American Society for Testing and Materials Standard D1238 (ASTM-D1238); (c) brittleness temperature < -75 degrees Celsius, complying with American Society for Testing and Materials Standard D-746 (ASTM-746); (d) elongation at break >600%, complying with American Society for Testing and Materials Standard D638 Type IV (ASTM-D638 Type IV) Op. 11.12.24	Dec. date 06.03.25	50 - TC 24479968

Description of Goods including the Customs Tariff Classification		Schedule 4 Item Number Last Date of Effect	
3901.40.00	RESINS, LINEAR LOW DENSITY POLYETHYLENE (LLDPE), having BOTH of the following: (a) density NOT less than 905 kg/m ³ and NOT greater than 935 kg/m ³ , complying with ANY of the following standards: (i) American Society for Testing and Materials Standard D1505 (ASTM D1505); (ii) American Society for Testing and Materials Standard D792 (ASTM D792); (iii) International Organisation for Standardisation Standard 1183 (ISO 1183), (b) melt flow rate (MFR) at 190 degrees Celsius and 2.16 kg, NOT less than 0.5 g/10 minute and NOT greater than 5.0g/10 minute, complying with EITHER of the following standards: (i) American Society for Testing and Materials Standard D1238 (ASTM D1238); (ii) International Organisation for Standardisation Standard 1133 (ISO 1133) Op. 16.12.24 Dec. date 08.03.25	50	- TC 24483060
3906.90.00	COPOLYMER, liquid form, having a composition of NOT less than 35% Acrylamide - Acrylic Acid Copolymer, Sodium Salt Op. 17.12.24 Dec. date 08.03.25	50	- TC 24484134
3913.90.00	GELLING AGENT, liquid form, having a basis of Xanthan Gum Op. 18.12.24 Dec. date 08.03.25	50	- TC 24484866
3917.31.90	HOSES AND/OR PIPING, REINFORCED THERMOPLASTIC, SPOOLABLE AND/OR FLEXIBLE, with OR without fittings, having ALL of the following: (a) high density polyethylene cover, liner AND reinforcing tape matrix; (b) aluminium foil anti-permeation layer; (c) high strength steel cable reinforcement; (d) burst pressure NOT less than 45 MPa at 20 degrees Celsius Op. 09.12.24 Dec. date 08.03.25	50	- TC 24477997
3919.10.00	MOUNTING TAPE, double sided, acrylate base Op. 26.11.24 Dec. date 08.03.25	50	- TC 24462645
3926.90.90	FLOATING STANCHIONS, moulded plastic, including BOTH of the following: (a) NOT less than 3 inner pipes; (b) outer diameter NOT less than 450 mm and NOT greater than 560 mm Op. 11.12.24 Dec. date 08.03.25	50	- TC 24480217
4010.12.00	CONVEYOR BELTS, FLEXIBLE CONVEYOR TRAIN, having BOTH of the following: (a) vulcanised nitrile rubber; (b) latticed plies Op. 16.12.24 Dec. date 08.03.25	50	- TC 24482950
6804.21.00	CUTTING AND/OR GRINDING DISCS, vacuum brazed diamond coating Op. 29.11.24 Dec. date 08.03.25	50	- TC 24471351
6804.22.00	CUTTING DISCS, circumferential speed NOT greater than 80 m/s Op. 29.11.24 Dec. date 08.03.25	50	- TC 24470702
7304.59.00	PIPE MODULES, rigid steel frame, including ANY of the following: (a) valves; (b) steel hoses; (c) cable trays; (d) pipe fittings Op. 10.12.24 Dec. date 08.03.25	50	- TC 24479326
7306.40.00	DIMPLE TUBES, heat exchanger, stainless steel Op. 03.12.24 Dec. date 05.03.25	50	- TC 24473044
7307.29.00	FITTINGS, HOSE OR SPOOLABLE PIPE, stainless steel, threaded, double swage, with OR without o-ring seals Op. 27.11.24 Dec. date 08.03.25	50	- TC 24464419

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect
8419.50.90 STEAM HEATERS, EMISSION CONTROL, having BOTH of the following (a) tube side working pressure NOT less than 16 bar; (b) tube side working temperature NOT less than 200 degrees Celsius Op. 09.12.24	50 - TC 24477204 Dec. date 08.03.25
8419.81.90 CONFECTIONERY MACHINES, including ALL of the following: (a) mixing AND batching AND weighing stations; (b) doser AND buffer reservoirs; (c) in-feed screw conveyor; (d) weigher AND filler; (e) water heaters; (f) pumps; (g) control panels; (h) stirrers AND agitators; (i) pipes AND/OR ducts; (j) temperature AND pressure controls; (k) batch cookers; (l) cooler room Op. 10.12.24	50 - TC 24478847 Dec. date 08.03.25
8419.90.00 PARTS, COOKING APPLIANCE, GAS AND/OR ELECTRIC, being ANY of the following: (a) burners; (b) burner bodies; (c) burner caps; (d) oven racks; (e) stainless steel grids; (f) cast iron top grates Op. 16.12.24	50 - TC 24483512 Dec. date 08.03.25
8421.21.90 DEAERATOR TANKS, BOILER FEED WATER, having ALL of the following: (a) length NOT less than 7.34 metres; (b) width AND height NOT less than 2.68 metres; (c) weight NOT less than 5.3 tonnes Op. 09.12.24	50 - TC 24477110 Dec. date 07.03.25
8421.29.90 WET CONCENTRATOR PLANT, including ALL of the following: (a) cyclones; (b) constant density tanks; (c) spirals; (d) low intensity magnetic separator; (e) sand traps; (f) up current classifier; (g) process water tanks; (h) pumping units; (i) piping; (j) walkways; (k) flooring; (l) access stairs; (m) tanks AND/OR hoppers, with OR without ANY of the following: (i) flotation conditioning tank; (ii) flotation cells; (iii) belt filters; (iv) vacuum pump; (v) wet high intensity magnetic separator; (vi) pipe AND cable tray racks Op. 16.12.24	50 - TC 24483211 Dec. date 08.03.25
8421.29.90 FILTERS, VIRUS, with OR without adaptors, having BOTH of the following: (a) cartridge OR capsule enclosure; (b) filtration area NOT greater than 2.7 m ² Op. 16.12.24	50 - TC 24483531 Dec. date 08.03.25
8421.29.90 CARTRIDGE FILTERS, STERILISING, including ALL of the following: (a) double-layer membranes; (b) end caps; (c) silicone seals Op. 16.12.24	50 - TC 24483735 Dec. date 08.03.25

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect
8421.99.90 FILTER HOUSE ASSEMBLIES, GAS TURBINE AIR INTAKE FILTER, including ALL of the following: (a) weather hood; (b) filter pulse cleaning system; (c) tube-sheet with filter mounting tripod; (d) blowpipe Op. 25.11.24 Dec. date 08.03.25	50 - TC 24461665
8424.20.00 COLD SPRAY MACHINES, metal coating deposition, medium pressure, including ALL of the following: (a) spray gun; (b) powder feeder; (c) control unit; (d) spraying pressure capacity NOT less than 8 bar and NOT greater than 30 bar, with OR without ANY of the following: (i) integrated spray booth; (ii) steel nozzle; (iii) ceramic nozzle; (iv) water-cooled nozzle; (v) spray angle adaptor Op. 09.12.24 Dec. date 08.03.25	50 - TC 24478300
8426.19.00 PALLET MONORAIL MANIPULATOR SYSTEM, concrete pipe, assembled OR unassembled, with OR without computer control system Op. 16.12.24 Dec. date 08.03.25	50 - TC 24482658
8428.39.00 PRELOADER TABLES, METAL COATING LINE, steel strip feed, with OR without clamping unit AND/OR control cabinet Op. 13.12.24 Dec. date 08.03.25	50 - TC 24481271
8428.90.00 PALLET AND CAGE HANDLING MACHINES, concrete pipes, assembled OR unassembled, with OR without computer control system, including EITHER of the following: (a) carousel system with lamellar track; (b) cage AND pallet shuttle cart Op. 11.12.24 Dec. date 08.03.25	50 - TC 24479631
8428.90.00 LOADING AND/OR UNLOADING SYSTEM, BAKERY OVEN, programmable logic controlled, having pneumatic lifter OR pneumatic gate Op. 16.12.24 Dec. date 08.03.25	50 - TC 24483409
8431.39.00 PARTS, RECLAIMER, being ANY of the following: (a) beams; (b) booms; (c) guides; (d) frames; (e) rails Op. 12.12.24 Dec. date 08.03.25	50 - TC 24480906
8479.89.90 VACUUM PRESSURE IMPREGNATION PLANT, including ALL of the following: (a) impregnation tank; (b) storage tank; (c) control panel; (d) electrical panel; (e) flanges, valves AND piping; (f) capacimeter unit;; (g) resin trap; (h) gear motor; (i) vacuum pump; (j) hydraulic system; (k) chiller Op. 05.12.24 Dec. date 07.03.25	50 - TC 24475703
8479.89.90 HEAT ABSORBERS, VAPORISED GAS CONVERSION Op. 09.12.24 Dec. date 07.03.25	50 - TC 24477104

Description of Goods including the Customs Tariff Classification		Schedule 4 Item Number Last Date of Effect
8479.89.90	TURBINE MODULES, GAS TURBINE SYSTEM, with OR without ANY of the following: (a) turbine enclosure assembly, including fire protection aerosol canisters; (b) turbine auxiliary skid, including ALL of the following: (i) control system; (ii) hydraulic start system; (iii) lubrication oil system, (c) air filter assembly AND silencer enclosure; (d) gas only fuel system Op. 09.12.24 Dec. date 08.03.25 - TC 24478058	50
8514.20.00	INDUCTION FURNACE GRAINING LINE, programmable logic controlled, whether OR not assembled, including ALL of the following: (a) induction heating power output NOT less than 200 kW and NOT greater than 400 kW; (b) crucible; (c) multi-hole die; (d) tank; (e) grains collecting basket; (f) grains output NOT less than 250 kg per one hour; (g) insulating lid; (h) gas regulation unit; (i) control panel Op. 17.12.24 Dec. date 08.03.25 - TC 24484059	50
8544.60.90	POWER AND COMMUNICATION FLYING LEADS, SUBSEA, with OR without connectors Op. 22.11.24 Dec. date 08.03.25 - TC 24461646	50
8604.00.00	RAIL GRINDERS, self-propelled, diesel powered, having ALL of the following: (a) maximum travelling speed NOT greater than 100 km/h; (b) NOT less than 20 grindstones and NOT greater than 32 grindstones; (c) diesel tank capacity NOT less than 2 000 litres and NOT greater than 3 500 litres Op. 02.12.24 Dec. date 08.03.25 - TC 24471830	50

NOTIFICATION OF AN AUSTRALIAN INDUSTRY REVOCATION REQUEST - SECTION 269SC(1A) CUSTOMS ACT

Applications have have been lodged for revocation of the Tariff Concession Orders set out in the following TABLE.

The Lodgement Request Date shown in the table below is the intended revocation date for the Tariff Concession Order which will take effect should the application for revocation be successful.

Importations not covered by in-transit provisions may be subject to post action as any decision to revoke an order is backdated to the date of request for revocation.

THE TABLE

Description of Goods including the Customs Tariff Classification		Schedule 4 Item Number Lodgement Request Date	
8207.19	BITS, rock drill, having BOTH of the following: (a) cutting structure of diamonds (whether or not natural diamonds); (b) dia exceeding 450 mm Op. 01.07.96	50 04.03.25	- TC 9602668
8207.19.00	BITS, ROCK DRILL, DIAMOND CUTTING STRUCTURE, diameter NOT less than 215.9 mm and NOT greater than 444.5 mm Op. 01.07.96	50 04.03.25	- TC 9605754
8207.19.00	BITS, OIL/GAS DRILLING, polycrystalline diamond (PDC) and natural diamond (ND) cutting structure, having ALL of the following: (a) whirl reducing capability; (b) hydraulic cleaning and cooling features; (c) back up secondary cutting structure of natural diamond impregnated studs; (d) in all sizes greater than 105.77 mm Op. 01.07.96	50 04.03.25	- TC 9607209
8207.19.00	BITS, DRILLING, OIL AND GAS, POLYCRYSTALLINE DIAMOND (PDC), having ALL of the following: (a) bit whirl resistance; (b) hydraulic cleaning of cutting structure; (c) with or without impregnated diamond secondary cutter structure; (d) in all sizes greater than 105.77 mm diameter Op. 29.05.96	50 04.03.25	- TC 9612690

AUSTRALIAN BORDER FORCE

TARIFF QUOTAS - QUOTA TRANSACTIONS PROCESSED IN THE PERIOD 04 Mar 2025 to 11 Mar 2025.

GENERAL INFORMATION

This Gazette contains details of quota transactions processed in the period 04 Mar 2025 to 11 Mar 2025 inclusive.

Part 1 contains a Table specifying quota category details.

Part 2, Section A, lists quota holders who received quota allocations via transfer transactions.

Part 2, Section B, lists all adjustments to previous allocations which have been caused by transfer transactions.

NB.- In Section B, transactions represent changes to individual tariff quotas and do not necessarily represent the entire holdings in that category for the quota holder.

- The "AS WAS" and "AS IS" columns indicate the quota levels for that particular tariff quota only at the time of that transaction.
- The amount of the transaction can be deduced by subtracting the "AS WAS" column from the "AS IS" column.

Inquiries concerning any information published within this Gazette should be directed to the Australian Border Force, Trusted Trader and Trade Compliance Branch, tarcon@abf.gov.au.

PART 1

NOTICE OF MAKING A DETERMINATION UNDER PART XVI OF THE CUSTOMS ACT 1901

In pursuance of Section 273B of the Customs Act 1901, notice is hereby given that a Determination specified in Section A of Part 2 was made in relation to Item 55 in Part III of Schedule 4 to the Customs Tariff Act 1995 and subject to any conditions set out hereunder, that Determination applies to goods that are:

- (1) specified in the Table hereunder;
- (2) classified under a subheading of Schedule 3 to the Customs Tariff Act 1995, specified in Item 55 in Part III of Schedule 4 to the Customs Tariff Act 1995;
- (3) entered for home consumption not earlier than the start date, and not later than the finish date, by the person specified in that Determination, as shown in Part 2; and
- (4) in total, not in excess of such quantity as is specified in that Determination, as shown in Part 2.

In pursuance of Section 273B of the Customs Act 1901, notice is hereby given that a Determination specified in Section B of Part 2 amended a previous Determination by deleting the figures in the column headed "QUANTITY AS WAS" and inserting the figures in the column headed "QUANTITY AS IS".

THE TABLE

CATEGORY CODE	UNIT QUANTITY	QUOTA ITEM NUMBER	QUOTA DESCRIPTION
311	Kilograms	61A	Cheese & Curd

PART 2

SECTION A - QUOTA ALLOCATIONS

CAT CODE	QUOTA HOLDERS LEGAL NAME	POST CODE	QUANTITY (KG)	DETERMINATION NUMBER
-------------	--------------------------	--------------	---------------	-------------------------

PART 2

SECTION B - AMENDED ALLOCATIONS

CAT CODE	QUOTA HOLDERS LEGAL NAME	POST CODE	QUANTITY (KG) AS WAS	QUANTITY (KG) AS IS	DETERMINATION NUMBER
311	DELTA SALES PTY. LIMITED	3043	560,087.00	554,087.00	001158
311	SAPORI INTERNATIONAL GROUP PTY. LTD.	3051	65,935.00	71,935.00	001158