

# Gazette

No. TC 25/14, Wednesday, 9 April 2025 Published by the Commonwealth of Australia **TARIFF CONCESSIONS** 

## **CONTENTS**

TCO Applications	2
TCOs Made	<del>(</del>
TCOs Revoked and Re-Issued - Transcription Error	8
Local Manufacturer Initiated - TCOs Revoked	10

The Commonwealth of Australia Tariff Concessions Gazette (the Tariff Concessions Gazette) is free of charge on the link below at:

https://www.abf.gov.au/importing-exporting-and-manufacturing/tariff-concessions-system

**Contact details:** 

General Email inquiries including Tapin Help Desk: tarcon@abf.gov.au

Cat. No. ISSN 0813-8389 ©Commonwealth of Australia, 2025

#### CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269K(1) - APPLICATIONS MADE FOR TARIFF CONCESSION ORDERS

Applications have been lodged for Tariff Concession Orders for the goods described in the following TABLE.

Australian manufacturers who wish to contest the granting of a Tariff Concession Order for the goods described are invited to lodge a submission in writing in an approved form. Submissions must be lodged within 50 days of the date of publication of this Notice.

The operative date (Op.) and TC reference number follow the description of goods.

To assist local manufacturers, the use(s) to which the goods can be put follow the description of goods.

Objections to the making of TCO submission forms are available at

Applicant: VIVA ENERGY AUSTRALIA PTY LTD

 $\underline{\texttt{https://www.abf.gov.au/importing-exporting-and-manufacturing/tariff-concessions-system/tariff-concession-order}$ 

Contact: Email tarcon@abf.gov.au

#### THE TABLE

_	of Goods including the ff Classification	Schedule 4	Item Number
2847.00.00	HYDROGEN PEROXIDE, AQUEOUS SOLUTION, having a content NOT greater than 59% hydrogen peroxide Op. 11.03.25	- TC 25057552	50
	Stated Use: Sterilising solution for low temperature hydrogen peroxide and plasma sterilisers		
	Applicant: IN VITRO TECHNOLOGIES PTY LTD		5%
3901.20.00	RESINS, HIGH DENSITY POLYETHYLENE (HDPE), having ALL of the following:  (a) density (at 23 degrees Celsius) NOT less than 940 kg/m3 and NOT greater than 975kg/m3, complying with ANY of the following standards:  (i) American Society for Testing and Materials standard D1505 (ASTM D1505);  (ii) American Society for Testing and Materials standard D792 (ASTM D792);  (iii) International Organisation for Standardisation standard 1183 (ISO 1183);  (b) melt flow rate (MFR) (at 190 degrees Celsius and 21.6 kg) NOT less than 4.0 g/10 minute and NOT greater than 55.0 g/10 minute, complying with EITHER of the following Standards:  (i) American Society for Testing and Materials standard D1238 (ASTM D1238);  (ii) International Organisation for Standardisation standard 1133 (ISO 1133)  Op. 04.03.25	- TC 25053633	50
	Stated Use: The manufacture of extrusion blow moulded bottles for food and beverage, household containers, toys, jerry cans, industrial containers and intermediate bulk containers		5%

Schedule 4 Item Number

Customs Tari	II Classification		
3901.40.00	RESINS, LINEAR LOW DENSITY POLYETHYLENE (LLDPE), having ALL of the following:  (a) density NOT less than 905 kg/m3 and NOT greater than 935 kg/m3, complying with ANY of the following standards:  (i) American Society for Testing and Materials standard D1505 (ASTM D1505);  (ii) American Society for Testing and Materials standard D792 (ASTM D792);  (iii) International Organisation for Standardisation standard 1183 (ISO 1183)  (b) melt flow rate (MFR) (at 190 degrees Celsius and 2.16 kg)  NOT less than 5.0 g/10 minute and NOT greater than 65.0 g/10 minute, complying with EITHER of the following standards:  (i) American Society for Testing and Materials standard D1238 (ASTM D1238);  (ii) International Organisation for Standardisation standard 1133 (ISO 1133)  Op. 11.03.25	- TC 25058424	50
	Stated Use:		
	For injection moulding applications  Applicant: VIVA ENERGY AUSTRALIA PTY LTD		5%
3923.21.00	BAGS, BIOPROCESSING, single use, having ALL of the following:  (a) single-layer fluoropolymer film;  (b) gamma-stable;  (c) capacity NOT less than 20 millilitres and NOT greater than 50 litres  with OR without ANY of the following:  (i) plastic tubes;  (ii) Plastic tube fittings  Op. 11.03.25	- TC 25057607	50
	Stated Use: Bio containers for the biopharmaceutical industry	10 23037007	
	Applicant: MODERNA MANUFACTURING AUSTRALIA PTY LTD		5%
4016.10.00	PARTS, GAS STORAGE SYSTEM, being dual membrane seals Op. 07.03.25	- TC 25056463	50
	Stated Use: For sealing a gas storage system containing coke-oven gas		
	Applicant: ONESTEEL MANUFACTURING PTY LTD		5%
8426.49.00	CRANES, CRAWLER, lifting capacity NOT greater than 10 tonnes Op. 06.03.25	- TC 25055421	50
	Stated Use: For general lifting such as glass, structural steel and building supplies		
	Applicant: THE TRUSTEE FOR MARSHALL FAMILY TRUST		5%
8428.90.00	GROUPING UNITS, BREAD, having BOTH of the following:  (a) polypropylene modular belt;  (b) switch cabinet with service interface  Op. 11.03.25	- TC 25058045	50
	Stated Use: For collecting and aligning baked bread loaves in a production line		
	Applicant: BAKERY COMBINATIONS AUSTRALIA PTY LTD		5%

Schedule 4 Item Number

	of Goods including the f Classification	Schedule 4	Item Numbe
8474.90.00	PARTS, OIL BATH VIBRATORS, concrete block, being ALL of the following:  (a) shafts; (b) housing; (c) seals; (d) gears Op. 11.03.25  Stated Use: Parts for paving block machines	- TC 25057806	50
	Applicant: BLISS & REELS PTY LTD		5%
8507.60.00	ACCUMULATORS, lithium-ion, having ALL of the following:  (a) nominal voltage NOT less than 30.4 V;  (b) capacity NOT less than 67 Ah;  (c) maximum continuous discharge power @ 10.8 kW, with peak discharge current of:  (i) 460 A @ end of discharge voltage;  (ii) 600 A for 1 second,  (d) mica AND battery safety functional protection composite sheets;  (e) flame-retardant grade plastic;  (f) extinguishing sheets;  (g) degassing vent structure;  (h) monitoring AND control including ALL of the following:  (i) temperature sensors;  (ii) voltage probes;  (iii) module battery management printed circuit board,  (i) 8 lithium-ion cells, each having ALL of the following:  (a) cathode: chemistry (LiMn2O4) with aluminium substrate;  (b) anode: chemistry (C6) with copper substrate;  (c) cell enclosure: aluminium,  (ii) safety features, including ALL of the following:  (a) cell fuses;  (b) vents;  (c) overcharge safety device;  (d) retainer;  (e) anode AND multi-layered separator	- TC 25043818	50
	Stated Use: Battery storage system for uninterrupted power supply	10 25045010	
	Applicant: SCHNEIDER ELECTRIC IT AUSTRALIA PTY LTD		5%
8537.10.90	ELECTRICAL CONTROL CABINETS, POWDER MIXING PLANT, programmable logic controlled Op. 07.03.25  Stated Use: For controlling electromechanical equipment within powder mixing	- TC 25056448	50
	plant Applicant: ARDEX AUSTRALIA PTY LTD		5%

-	of Goods including the ff Classification	Schedule 4	Item Number
8705.10.00	CRANES, MOBILE, lattice boom, having ALL of the following;  (a) lifting capacity NOT greater than 800 tonnes at 9 metre radius;  (b) hoist height NOT greater than 205 metres;  (c) radius NOT greater than 160 metres  Op. 06.03.25  Stated Use: High-rise building construction	- TC 25056447	50
	Applicant: LIEBHERR-AUSTRALIA PTY LTD		5%

### CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269R(1) - TARIFF CONCESSION ORDERS MADE

Tariff Concession Orders have been made for the goods described in the following TABLE.

The operative date (Op.) and TC reference No. follow the description of goods. Local manufacturers of substitutable goods may request the revocation of TCOs at any time.

#### THE TABLE

	of Goods including the of Classification		Schedule 4 I Last Date	
3901.20.00	RESINS, being pigmented black, high-dipelletised form, having ALL of the form (a) melt flow rate NOT less than 0. than 0.85 g/10 min, complying worganisation for Standardisation degrees Celsius/5.0 kg  (b) density NOT less than 956kg/m3 965kg/m3, complying with Intern Standardisation 1183 (ISO 1183)  (c) oxidation induction time NOT less complying with International Or Standardisation 11357-6 (ISO 110).	ollowing: 35 g/10 min and NOT greater with International on 1133 (ISO 1133), 190  and NOT greater than national Organisation for 2, 23 degrees Celsius; less than 20 minutes, reganisation for	- TC 24460108	50
3923.30.00	PREFORMED UNEXPANDED BOTTLES, tubular terephthalate, having ALL of the foll  (a) inner neck diameter NOT less th and NOT greater than 46.15 mm +  (b) neck outer diameter NOT less th and NOT greater than 55.40 mm +  (c) neck thread diameter NOT less th and NOT greater than 55.45 mm +  Op. 28.10.24	.owing: nan 25.10 mm + / - 0.15 mm - / - 0.15 mm; nan 27.70 mm + / - 0.15 mm - / - 0.15 mm; chan 29.40 mm + / - 0.20 mm - / - 0.20 mm	- TC 24397429	50
8419.39.90	DRYERS, MELAMINE SHEETING, with a prothan 50 m/min and NOT greater than 30	ocessing speed NOT less	- TC 24489760	50
8419.50.90	HEAT EXCHANGERS, OIL, air cooled, elegreater than 7.5 HP Op. 02.01.25 Dec	ectric, motor capacity NOT	- TC 25001320	50
8419.89.90	COOLING TUNNELS, BISCUIT, programmable controlled, having ALL of the following (a) conveyor belts; (b) blowers; (c) evaporators; (d) frequency inverters; (e) stainless steel bottom plates, with OR without ANY of the following:         (i) water chillers         (ii) heaters;         (iii) condensers;         (iv) compressors;         (v) pipes;         (vi) microprocessors;         (vii) infeed table;         (viii) sensors;         (ix) covers;         (x) drive unit;         (xi) structural supports	ng:		50
		c. date 07.04.25	- TC 25000903	

Commonwealth of Australia Gazette No TC 25/14, Wednesday, 09 Apr 2025

Description of Goods including the Customs Tariff Classification

Schedule 4 Item Number Last Date of Effect

8427.20.00 MATERIAL HANDLING MACHINES, self-propelled, including ALL of the following:

50

- (a) operating weight NOT less than 16 000 kg;
- (b) operator cabin;
- (c) diesel engine output NOT less than 100 kW;
- (d) hydraulic boom AND stick;
- (e) 360 degree swing drive;
- (f) rubber tyres;

(g) outrigger stabilisation
with OR without material handling grabs

Dec. date 02.04.25 - TC 25001424 Op. 02.01.25

#### CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269SE(1)

## TARIFF CONCESSION ORDERS REVOKED AND NARROWER TARIFF CONCESSION ORDERS MADE IN ACCORDANCE WITH 269SD(3) OF THE CUSTOMS ACT.

Tariff Concession Orders for the goods described in the following TABLE have been revoked and narrower Tariff Concession Orders made in respect of the goods described below.

The operative date (Op.), decision date (Dec. date) and TC reference number follow the description of goods.

THE TABLE

Description of Goods including the Schedule 4 Item Number Customs Tariff Classification Last Date of Effect TCO REVOKED 3901.20.00 RESINS, HIGH DENSITY POLYETHYLENE (HDPE), having ALL of the 02.04.25 following: (a) density (at 23 degrees Celsius) NOT less than 945  $\ensuremath{\,\text{kg/m3}}$ and NOT greater than 970 kg/m3, complying with ANY of the following standards: (i) American Society for Testing and Materials Standard D1505 (ASTM D1505); (ii)American Society for Testing and Materials Standard D792 (ASTM D792); (iii) International Organisation for Standardisation Standard 1183 (ISO 1183), (b) melt flow rate (MFR) (at 1900 degrees Celsius and 5 kg) NOT less than 0.15 g/10 minute and NOT greater than 0.50 g/10 minute, complying with EITHER of the following standards: (i)American Society for Testing and Materials Standard D1238 (ASTM D1238) (ii)International Organisation for Standardisation Standard 1133 (ISO 1133) Op. 09.12.24 Dec. date 08.03.25 - TC 24478310 TCO REISSUED 3901.20.00 RESINS, HIGH DENSITY POLYETHYLENE (HDPE), having ALL of the 50 (a) density (at 23 degrees Celsius) NOT less than 945 kg/m3 and NOT greater than 970  $\ensuremath{\,\text{kg/m3}}\xspace$  , complying with ANY of the following standards: (i)American Society for Testing and Materials Standard D1505 (ASTM D1505); (ii) American Society for Testing and Materials Standard D792 (ASTM D792); (iii)International Organisation for Standardisation Standard 1183 (ISO 1183), (b) melt flow rate (MFR) (at 190 degrees Celsius and 5 kg) NOT less than 0.15 g/10 minute and NOT greater than 0.50 g/10 minute, complying with EITHER of the followingstandards: (i)American Society for Testing and Materials Standard D1238 (ASTM D1238) (ii)International Organisation for Standardisation Standard 1133 (ISO 1133) Op. 09.12.24 Dec. date 03.04.25 - TC 25076568 TCO REVOKED 7305.31.00 FLOATING PIPLINES, longitudinally welded, steel, including ALL 50 02.04.25 of the following: (a) internal diameter NOT less than 900 mm; (b) wall thickness NOT less than 25 mm; (c) length NOT less than 12 metres and NOT greater than 20 metres; (d) steel ball joints OR flange couplings; (e) floats Op. 15.07.24 Dec. date 18.10.24 - TC 24166854 Revoke and reissue due to typographical error published in gazette 23 Oct 2024, Gazette number TC24/42

Description of Goods including the Schedule 4 Item Number Customs Tariff Classification Last Date of Effect TCO REISSUED 7305.31.00 FLOATING PIPELINES, longitudinally welded, steel, including ALL 50 of the following: (a) internal diameter NOT less than 900 mm; (b) wall thickness NOT less than 25 mm; (c) length NOT less than 12 metres and NOT greater than 20 metres; (d) steel ball joints OR flange couplings; (e) floats Op. 15.07.24 Dec. date 03.04.25 - TC 25064065 TCO REVOKED 8412.31.00 ACTUATORS, AIR HYDAULIC, including BOTH of the following: 50 (a) air inlet pressure NOT greater than 11 bar; 02.04.25 (b) cylinders having a hydraulic pressure NOT greater than 150 bar Op. 23.03.20 Dec. date 14.03.25 - TC 25060443 TCO REISSUED 8412.31.00 ACTUATORS, AIR HYDRAULIC, including BOTH of the following: 50 (a) air inlet pressure NOT greater than 11 bar; (b) cylinders having a hydraulic pressure NOT greater than 150 bar Op. 23.03.20 - TC 25076586 Dec. date 03.04.25 TCO REVOKED 8483.30.90 JOURNAL BEARINGS, BLOWER TURNINE IMPELLER SHAFT 50 Dec. date 01.03.25 - TC 24464699 02.04.25 Op. 28.11.24 TCO REISSUED JOURNAL BEARINGS, BLOWER TURBINE IMPELLER SHAFT 50 8483.30.90 Dec. date 03.04.25 - TC 25076224 Op. 28.11.24

The Tariff Concession Order for the goods described in the following TABLE has been revoked.

THE TABLE

Description of Goods including the Customs Tariff Classification

Schedule 4 Item Number Last Date of Effect

8413.60.90 HYDRAULIC POWER UNITS, STEELSTRIP METAL COATING LINE, including ALL of the following:

50

- (a) axial piston pump AND motor units;
- (b) hydraulic oil tank unit OR tank station;
- (c) filters

with OR without valve stands, including valves
Op. 18.10.24 Dec. date 26.03.25 - TC 24321639
Substitutable goods produced in Australia in the ordinary
course of business by HYDAC PTY LTD, Altona North, Vic.